

3

MEDICAL PRACTITIONERS WORKING IN NSW

Table 3.1 Age and sex distribution of medical practitioners working in NSW, 2003

Age group	No.		%		No.		%		Total	Per cent female
	Sex unknown	Female	Male	Total	Sex unknown	Female	Male			
Under 25	0	0.0%	15	0.3%	6	0.1%	21	0.1%	71.4%	
25-29	0	0.0%	511	11.5%	557	5.8%	1068	7.6%	47.8%	
30-34	1	33.3%	754	17.0%	900	9.4%	1655	11.8%	45.6%	
35-39	1	33.3%	727	16.4%	1032	10.8%	1760	12.5%	41.3%	
40-44	1	33.3%	744	16.7%	1237	12.9%	1982	14.1%	37.5%	
45-49	0	0.0%	687	15.5%	1361	14.2%	2048	14.6%	33.5%	
50-54	0	0.0%	437	9.8%	1293	13.5%	1730	12.3%	25.3%	
55-59	0	0.0%	295	6.6%	1163	12.1%	1458	10.4%	20.2%	
60-64	0	0.0%	144	3.2%	857	8.9%	1001	7.1%	14.4%	
65-69	0	0.0%	67	1.5%	503	5.2%	570	4.1%	11.8%	
70-74	0	0.0%	41	0.9%	350	3.6%	391	2.8%	10.5%	
over 75	0	0.0%	21	0.5%	332	3.5%	353	2.5%	5.9%	
Total	3	100.0%	4443	100.0%	9591	100.0%	14037	100.0%	31.7%	
Age unknown		0.0%	75	1.7%	165	1.7%	240	1.7%		
Age & sex unknown							693			
Total unknown							933	6.2%		

Figure 3.1 Age and sex distribution of medical practitioners working in NSW, 2003




Table 3.2: Medical practitioners of Aboriginal or Torres Strait islander origin working in NSW, 2003

Aboriginal, Torres Strait Is origin	No.		%		No.		%		Total	Per cent Female
	Sex unknown	Female	Male	Total	Sex unknown	Female	Male			
No	673	97.8%	4392	98.4%	9314	97.6%	14,379	97.9%	32.0%	
Yes	15	2.2%	71	1.6%	227	2.4%	313	2.1%	23.8%	
Total	688	100.0%	4463	100.0%	9541	100.0%	14,692	100.0%	31.9%	
Non response	8	1.1%	55	1.2%	215	2.2%	278	1.9%		

Table 3.3 Age and sex distribution, number of medical practitioners working in NSW, 1993 – 2003

Age group	1993 ₁	1994	1995	1996	1997	1998	1999	2000 ₁	2002 ₂	2003
Male — Survey Respondents										
Under 25	18	85	67	62	108	134	96	61	60	6
25-29	621	878	899	898	940	894	875	757	704	557
30-34	733	758	758	849	909	965	1034	998	935	900
35-39	1233	1318	1244	1196	1170	1115	977	1093	970	1032
40-44	1366	1420	1436	1446	1478	1509	1368	1302	1271	1237
45-49	1361	1458	1523	1469	1459	1445	1433	1294	1310	1361
50-54	1125	1241	1259	1338	1378	1407	1365	1359	1194	1293
55-59	776	885	963	1029	1048	1068	1122	1138	1088	1163
60-64	667	687	666	696	679	738	721	823	789	857
65-69	575	633	630	614	583	601	569	536	422	503
70-74	298	355	381	390	368	422	415	433	336	350
Over 75	188	196	232	248	221	239	278	352	270	332
Total	8961	9914	10058	10235	10341	10537	10253	10146	9349	9591
<i>Age unknown</i>	918	943	890	878	862	833	821	179	161	165
Female — Survey Respondents										
Under 25	18	60	58	49	109	100	78	59	56	15
25-29	387	575	657	689	719	706	693	633	562	511
30-34	461	476	485	557	619	668	707	734	728	754
35-39	609	669	701	642	670	665	626	709	736	727
40-44	466	562	618	691	724	720	721	758	704	744
45-49	325	361	379	412	461	490	533	601	637	687
50-54	205	242	271	303	319	360	361	363	387	437
55-59	128	144	150	176	180	196	202	252	261	295
60-64	115	103	103	102	94	109	121	126	124	144
65-69	67	80	87	90	78	76	69	71	55	67
70-74	30	37	31	37	34	38	34	48	36	41
Over 75	17	20	20	23	17	24	23	31	25	21
Total	2828	3329	3560	3771	4024	4152	4168	4385	4311	4443
<i>Age unknown</i>	407	434	417	431	399	381	369	95	92	75
Male and Female — Survey Respondents										
Under 25	36	145	125	111	217	234	174	120	116	21
25-29	1008	1453	1556	1587	1659	1600	1568	1390	1266	1068
30-34	1194	1234	1243	1406	1528	1633	1741	1732	1663	1655
35-39	1842	1987	1945	1838	1840	1780	1603	1802	1706	1760
40-44	1832	1982	2054	2137	2202	2229	2089	2060	1975	1982
45-49	1686	1819	1902	1881	1920	1935	1966	1895	1947	2048
50-54	1330	1483	1530	1641	1697	1767	1726	1722	1581	1730
55-59	904	1029	1113	1205	1228	1264	1324	1390	1349	1458
60-64	782	790	769	798	773	847	842	949	913	1001
65-69	642	713	717	704	661	677	638	607	477	570
70-74	328	392	412	427	402	460	449	481	372	391
Over 75	205	216	252	271	238	263	301	383	295	353
Total	11789	13243	13618	14006	14365	14689	14421	14531	13660	14037
<i>Age unknown</i>	1325	1377	1307	1309	1261	1214	1190	274	253	240
<i>Age & sex unknown</i>								1241		693
Proportion female										
All Ages	24.7%	25.7%	26.6%	27.4%	28.3%	28.5%	29.1%	30.3%	31.6%	31.6%

Table 3.4 Percentage distribution of age and sex of medical practitioners working in NSW, 1993 – 2003

Age group	1993	1994	1995	1996	1997	1998	1999	2000	2002	2003
Males — Percentage Distribution										
Under 25	0.2%	0.9%	0.7%	0.6%	1.0%	1.3%	0.9%	0.6%	0.6%	0.1%
25-29	6.9%	8.9%	8.9%	8.8%	9.1%	8.5%	8.5%	7.5%	7.5%	5.8%
30-34	8.2%	7.6%	7.5%	8.3%	8.8%	9.2%	10.1%	9.8%	10.0%	9.4%
35-39	13.8%	13.3%	12.4%	11.7%	11.3%	10.6%	9.5%	10.8%	10.4%	10.8%
40-44	15.2%	14.3%	14.3%	14.1%	14.3%	14.3%	13.3%	12.8%	13.6%	12.9%
45-49	15.2%	14.7%	15.1%	14.4%	14.1%	13.7%	14.0%	12.8%	14.0%	14.2%
50-54	12.6%	12.5%	12.5%	13.1%	13.3%	13.4%	13.3%	13.4%	12.8%	13.5%
55-59	8.7%	8.9%	9.6%	10.1%	10.1%	10.1%	10.9%	11.2%	11.6%	12.1%
60-64	7.4%	6.9%	6.6%	6.8%	6.6%	7.0%	7.0%	8.1%	8.4%	8.9%
65-69	6.4%	6.4%	6.3%	6.0%	5.6%	5.7%	5.5%	5.3%	4.5%	5.2%
70-74	3.3%	3.6%	3.8%	3.8%	3.6%	4.0%	4.0%	4.3%	3.6%	3.6%
Over 75	2.1%	2.0%	2.3%	2.4%	2.1%	2.3%	2.7%	3.5%	2.9%	3.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Age unknown</i>	9.3%	8.7%	8.1%	7.9%	7.7%	7.3%	7.4%	1.7%	1.7%	1.7%
Females — Percentage Distribution										
Under 25	0.6%	1.8%	1.6%	1.3%	2.7%	2.4%	1.9%	1.3%	1.3%	0.3%
25-29	13.7%	17.3%	18.5%	18.3%	17.9%	17.0%	16.6%	14.4%	13.0%	11.5%
30-34	16.3%	14.3%	13.6%	14.8%	15.4%	16.1%	17.0%	16.7%	16.9%	17.0%
35-39	21.5%	20.1%	19.7%	17.0%	16.7%	16.0%	15.0%	16.2%	17.1%	16.4%
40-44	16.5%	16.9%	17.4%	18.3%	18.0%	17.3%	17.3%	17.3%	16.3%	16.7%
45-49	11.5%	10.8%	10.6%	10.9%	11.5%	11.8%	12.8%	13.7%	14.8%	15.5%
50-54	7.2%	7.3%	7.6%	8.0%	7.9%	8.7%	8.7%	8.3%	9.0%	9.8%
55-59	4.5%	4.3%	4.2%	4.7%	4.5%	4.7%	4.8%	5.7%	6.1%	6.6%
60-64	4.1%	3.1%	2.9%	2.7%	2.3%	2.6%	2.9%	2.9%	2.9%	3.2%
65-69	2.4%	2.4%	2.4%	2.4%	1.9%	1.8%	1.7%	1.6%	1.3%	1.5%
70-74	1.1%	1.1%	0.9%	1.0%	0.8%	0.9%	0.8%	1.1%	0.8%	0.9%
Over 75	0.6%	0.6%	0.6%	0.6%	0.4%	0.6%	0.6%	0.7%	0.6%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Age unknown</i>	12.6%	11.5%	10.5%	10.3%	9.0%	8.4%	8.1%	2.1%	2.1%	1.7%
Males and Females — Percentage Distribution										
Under 25	0.3%	1.1%	0.9%	0.8%	1.5%	1.6%	1.2%	0.8%	0.8%	0.1%
25-29	8.6%	11.0%	11.4%	11.3%	11.5%	10.9%	10.9%	9.6%	9.3%	7.6%
30-34	10.1%	9.3%	9.1%	10.0%	10.6%	11.1%	12.1%	11.9%	12.2%	11.8%
35-39	15.6%	15.0%	14.3%	13.1%	12.8%	12.1%	11.1%	12.4%	12.5%	12.5%
40-44	15.5%	15.0%	15.1%	15.3%	15.3%	15.2%	14.5%	14.2%	14.5%	14.1%
45-49	14.3%	13.7%	14.0%	13.4%	13.4%	13.2%	13.6%	13.0%	14.3%	14.6%
50-54	11.3%	11.2%	11.2%	11.7%	11.8%	12.0%	12.0%	11.9%	11.6%	12.3%
55-59	7.7%	7.8%	8.2%	8.6%	8.5%	8.6%	9.2%	9.6%	9.9%	10.4%
60-64	6.6%	6.0%	5.6%	5.7%	5.4%	5.8%	5.8%	6.5%	6.7%	7.1%
65-69	5.4%	5.4%	5.3%	5.0%	4.6%	4.6%	4.4%	4.2%	3.5%	4.1%
70-74	2.8%	3.0%	3.0%	3.0%	2.8%	3.1%	3.1%	3.3%	2.7%	2.8%
Over 75	1.7%	1.6%	1.9%	1.9%	1.7%	1.8%	2.1%	2.6%	2.2%	2.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Age unknown</i>	10.1%	9.4%	8.8%	8.5%	8.1%	7.6%	7.6%	1.9%	1.8%	1.7%
<i>Age & sex unknown</i>								9.4%		6.2%

Table 3.5 Estimated number of locations for medical practitioners working in NSW, by sex, 2003

No. of locations	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
One location only	448	76.8%	2641	67.0%	4862	55.9%	7951	60.2%	35.2%
Two locations	93	16.0%	919	23.3%	2352	27.1%	3364	25.5%	28.1%
Three locations	42	7.2%	380	9.6%	1478	17.0%	1900	14.4%	20.5%
Total	583	100.0%	3940	100.0%	8692	100.0%	13215	100.0%	31.2%
	113	16.2%	578	12.8%	1064	10.9%	1755	11.7%	

Notes

¹ Data has been estimated from Question 9 of the survey form, "What is the percentage of total hours worked in each locality over the last four weeks?", which was asked for up to three locations. This was not the same as data collected on jobs in previous profiles.

² "Location" refers to distinct locations although in some cases respondents provided the same postcode for more than one location.

Table 3.6 Employment setting of main job by sex, medical practitioners working in NSW, 2003

Employment setting	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
Public sector									
Ambulatory centre, day surgery, community health centre, outpatient clinic	7	1.1%	158	3.7%	211	2.3%	376	2.6%	42.8%
Aboriginal health service	2	0.3%	19	0.4%	19	0.2%	40	0.3%	50.0%
Hospital, including psychiatric hospital	455	69.6%	1509	35.1%	2717	29.1%	4,681	32.8%	35.7%
Other residential health facility	1	0.2%	17	0.4%	27	0.3%	45	0.3%	38.6%
Tertiary education institution	14	2.1%	81	1.9%	151	1.6%	246	1.7%	34.9%
Defence forces	4	0.6%	13	0.3%	39	0.4%	56	0.4%	25.0%
Government department/agency	3	0.5%	51	1.2%	102	1.1%	156	1.1%	33.3%
Other	7	1.1%	52	1.2%	84	0.9%	143	1.0%	38.2%
Total public sector	493	75.4%	1,900	44.2%	3,350	35.9%	5,743	40.2%	36.2%
Private sector									
Private rooms/surgery	126	19.3%	2055	47.8%	4968	53.2%	7,149	50.0%	29.3%
Ambulatory centre, day surgery, community health centre, outpatient clinic	5	0.8%	35	0.8%	121	1.3%	161	1.1%	22.4%
24 hour/other medical centre	9	1.4%	68	1.6%	156	1.7%	233	1.6%	30.4%
Aboriginal health service	2	0.3%	5	0.1%	8	0.1%	15	0.1%	0.0%
Hospital, including psychiatric hospital	12	1.8%	139	3.2%	458	4.9%	609	4.3%	23.3%
Other residential health facility	2	0.3%	5	0.1%	19	0.2%	26	0.2%	20.8%
Tertiary education institution	0	0.0%	7	0.2%	14	0.2%	21	0.1%	33.3%
Other	5	0.8%	86	2.0%	238	2.6%	329	2.3%	26.5%
Total private sector	161	24.6%	2400	55.8%	5982	64.1%	8543	59.8%	28.6%
Total	654	100.0%	4300	100.0%	9332	100.0%	14286	100.0%	31.5%
<i>Non-response:</i>	42	6.0%	218	4.8%	424	4.3%	684	4.6%	

Table 3.7 Employment sector of main job, medical practitioners working in NSW, 1993–2003

Employment sector	1993 ¹	1994	1995	1996	1997	1998	1999	2000	2002	2003
Private	8542	9263	9438	8787	8795	8666	8551	9142	7918	8543
Public	4424	5113	5269	4766	4791	5172	5094	5775	5305	5743
Total	12966	14376	14707	13553	13586	13838	13645	14917	13223	14286
<i>Sector unknown/other</i>	148	244	1,307	1,762	2,040	2,065	1,966	1,129	690	684
Private	65.9%	64.4%	64.2%	64.8%	64.7%	62.6%	62.7%	61.3%	59.9%	59.8%
Public	34.1%	35.6%	35.8%	35.2%	35.3%	37.4%	37.3%	38.7%	40.1%	40.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Sector unknown/other</i>	1.1%	1.7%	8.2%	11.5%	13.1%	13.0%	12.6%	7.0%	5.0%	4.6%

Notes

- 1 Comparability of data may be affected by a number of changes in survey design between 1990 and 2000:
 - 1990–1991: Categories were (1) self employed / private salaried; (2) public salaried; (3) other
 - 1992–1996: Categories used specified public and private for a range of industry settings. Option for second job was introduced in 1993, with option for third job added in 1994.
 - 1998–1999: Category for 24 medical centre added
 - 2000 only: Question changed to ask for hours worked in each of the settings, over the last four weeks, but no change in categories (see note to Table 3.6)

Figure 3.2: Employment setting of main location by sex, medical practitioners working in NSW, 2003




Table 3.8 Employment setting of second job by sex, medical practitioners working in NSW, 2003

Employment setting	No.	%	No.	%	No.	%	No.	%	Per cent female
	Sex unknown		Female		Male		Total		
Public sector									
Ambulatory centre, day surgery, community health centre, outpatient clinic	1	1.1%	71	6.8%	158	4.5%	230	5.0%	31.0%
Aboriginal health service	2	2.1%	12	1.1%	13	0.4%	27	0.6%	48.0%
Hospital, including psychiatric hospital	21	22.1%	221	21.0%	1046	30.1%	1288	27.9%	17.4%
Other residential health facility	4	4.2%	30	2.9%	47	1.4%	81	1.8%	39.0%
Tertiary education institution	5	5.3%	59	5.6%	127	3.7%	191	4.1%	31.7%
Defence forces	2	2.1%	6	0.6%	26	0.7%	34	0.7%	18.8%
Government department/agency	1	1.1%	22	2.1%	33	0.9%	56	1.2%	40.0%
Other	10	10.5%	55	5.2%	71	2.0%	136	2.9%	43.7%
Total public sector	46	48.4%	476	45.3%	1521	43.7%	2043	44.2%	23.8%
Private sector									
Private rooms/surgery	0	0.0%	26	2.5%	55	1.6%	81	1.8%	32.1%
Ambulatory centre, day surgery, community health centre, outpatient	7	7.4%	45	4.3%	207	6.0%	259	5.6%	0.0%
24 hour/other medical centre	1	1.1%	18	1.7%	67	1.9%	86	1.9%	21.2%
Aboriginal health service	2	2.1%	4	0.4%	8	0.2%	14	0.3%	33.3%
Hospital, including psychiatric hospital	18	18.9%	237	22.5%	1065	30.6%	1320	28.6%	18.2%
Other residential health facility	7	7.4%	115	10.9%	232	6.7%	354	7.7%	33.1%
Tertiary education institution	2	2.1%	15	1.4%	49	1.4%	66	1.4%	23.4%
Other	12	12.6%	115	10.9%	273	7.9%	400	8.7%	29.6%
Total private sector	49	51.6%	575	54.7%	1956	56.3%	2580	55.8%	22.7%
Total	95	100.0%	1051	100.0%	3477	100.0%	4623	100.0%	23.2%
Non-response:	601	86.4%	3467	76.7%	6279	64.4%	10347	69.1%	

Table 3.9 Employment setting of third job by sex, medical practitioners working in NSW, 2003

Employment setting	No.	%	No.	%	No.	%	No.	%	Per cent female
	Sex unknown		Female		Male		Total		
Public sector									
Ambulatory centre, day surgery, community health centre, outpatient clinic	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Aboriginal health service	0	0.0%	4	2.1%	6	0.7%	10	1.0%	40.0%
Hospital, including psychiatric hospital	1	6.3%	27	14.2%	90	10.7%	118	11.2%	23.1%
Other residential health facility	1	6.3%	17	8.9%	56	6.6%	74	7.0%	23.3%
Tertiary education institution	2	12.5%	13	6.8%	64	7.6%	79	7.5%	16.9%
Defence forces	0	0.0%	3	1.6%	20	2.4%	23	2.2%	13.0%
Government department/agency	1	6.3%	7	3.7%	12	1.4%	20	1.9%	36.8%
Other	0	0.0%	12	6.3%	24	2.8%	36	3.4%	33.3%
Total public sector	5	31.3%	83	43.7%	272	32.2%	360	34.3%	23.4%
Private sector									
Private rooms/surgery	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Ambulatory centre, day surgery, community health centre, outpatient clinic	0	0.0%	5	2.6%	27	3.2%	32	3.0%	0.0%
24 hour/other medical centre	1	6.3%	4	2.1%	14	1.7%	19	1.8%	22.2%
Aboriginal health service	0	0.0%	5	2.6%	4	0.5%	9	0.9%	55.6%
Hospital, including psychiatric hospital	5	31.3%	26	13.7%	342	40.5%	373	35.5%	7.1%
Other residential health facility	3	18.8%	30	15.8%	83	9.8%	116	11.0%	26.5%
Tertiary education institution	0	0.0%	8	4.2%	36	4.3%	44	4.2%	18.2%
Other	2	12.5%	29	15.3%	67	7.9%	98	9.3%	30.2%
Total private sector	11	68.8%	107	56.3%	573	67.8%	691	65.7%	15.7%
Total	16	100.0%	190	100.0%	845	100.0%	1051	100.0%	18.4%
Non-response:	680	97.7%	4328	95.8%	8911	91.3%	13919	93.0%	

Table 3.10 Main geographical location by sex, medical practitioners working in NSW, 2003

Geographical location	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total	Sex unknown	Female	Male	Total	
Metropolitan Areas									
Central Coast	34	5.1%	124	2.9%	353	3.7%	511	3.5%	26.0%
Central Sydney	80	12.0%	544	12.5%	947	10.0%	1571	10.8%	36.5%
Hunter	56	8.4%	314	7.2%	704	7.4%	1074	7.4%	30.8%
Illawarra	34	5.1%	128	3.0%	431	4.5%	593	4.1%	22.9%
Northern Sydney	82	12.3%	785	18.1%	1388	14.6%	2255	15.6%	36.1%
South Eastern Sydney	127	19.0%	921	21.2%	1919	20.2%	2967	20.5%	32.4%
South Western Sydney	74	11.1%	340	7.8%	964	10.2%	1378	9.5%	26.1%
Wentworth	22	3.3%	158	3.6%	370	3.9%	550	3.8%	29.9%
Western Sydney	74	11.1%	545	12.6%	1016	10.7%	1635	11.3%	34.9%
Total Metropolitan Areas	583	87.3%	3859	89.0%	8092	85.2%	12534	86.5%	32.3%
Rural Areas									
Far West	1	0.1%	7	0.2%	30	0.3%	38	0.3%	18.9%
Greater Murray	14	2.1%	58	1.3%	238	2.5%	310	2.1%	19.6%
Macquarie	8	1.2%	31	0.7%	78	0.8%	117	0.8%	28.4%
Mid North Coast	15	2.2%	90	2.1%	302	3.2%	407	2.8%	23.0%
Mid Western	12	1.8%	73	1.7%	165	1.7%	250	1.7%	30.7%
New England	11	1.6%	68	1.6%	140	1.5%	219	1.5%	32.7%
Northern Rivers	14	2.1%	101	2.3%	274	2.9%	389	2.7%	26.9%
Southern	5	0.7%	40	0.9%	143	1.5%	188	1.3%	21.9%
Total Rural Areas	80	12.0%	468	10.8%	1370	14.4%	1918	13.2%	25.5%
Interstate (including ACT)	5	0.7%	9	0.2%	31	0.3%	45	0.3%	22.5%
Total	668	100.0%	4336	100.0%	9493	100.0%	14497	100.0%	31.4%
Non-response:	28	4.0%	182	4.0%	263	2.7%	473	3.2%	

Figure 3.3 Estimated number of medical practitioners working in NSW (main job only) per 100,000 of the resident population, 2003




Table 3.11 Second geographical location by sex, medical practitioners working in NSW, 2003

Geographical location	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Metropolitan Areas									
Central Coast	8	4.8%	53	3.7%	167	4.1%	228	4.0%	24.1%
Central Sydney	21	12.7%	186	13.0%	449	10.9%	656	11.5%	29.3%
Hunter	12	7.2%	99	6.9%	325	7.9%	436	7.6%	23.3%
Illawarra	3	1.8%	37	2.6%	187	4.6%	227	4.0%	16.5%
Northern Sydney	32	19.3%	273	19.0%	648	15.8%	953	16.7%	29.6%
South Eastern Sydney	30	18.1%	295	20.5%	743	18.1%	1068	18.7%	28.4%
South Western Sydney	22	13.3%	110	7.7%	409	10.0%	541	9.5%	21.2%
Wentworth	2	1.2%	49	3.4%	130	3.2%	181	3.2%	27.4%
Western Sydney	11	6.6%	174	12.1%	477	11.6%	662	11.6%	26.7%
Total Metropolitan Areas	141	84.9%	1276	88.9%	3535	86.1%	4952	86.8%	26.5%
Rural Areas									
Far West	0	0.0%	6	0.4%	11	0.3%	17	0.3%	35.3%
Greater Murray	1	0.6%	19	1.3%	61	1.5%	81	1.4%	23.8%
Macquarie	3	1.8%	6	0.4%	26	0.6%	35	0.6%	18.8%
Mid North Coast	7	4.2%	36	2.5%	118	2.9%	161	2.8%	23.4%
Mid Western	1	0.6%	19	1.3%	68	1.7%	88	1.5%	21.8%
New England	5	3.0%	16	1.1%	56	1.4%	77	1.3%	22.2%
Northern Rivers	2	1.2%	33	2.3%	94	2.3%	129	2.3%	26.0%
Southern	2	1.2%	14	1.0%	59	1.4%	75	1.3%	19.2%
Total Rural Areas	21	12.7%	149	10.4%	493	12.0%	663	11.6%	23.2%
Interstate (including ACT)	4	2.4%	11	0.8%	76	1.9%	91	1.6%	12.6%
Total	166	100.0%	1436	100.0%	4104	100.0%	5706	100.0%	25.9%
<i>Non-response:</i>	530	76.1%	3082	68.2%	5652	57.9%	9264	61.9%	

Table 3.12 Third geographical location by sex, medical practitioners working in NSW, 2003

Geographical location	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Metropolitan Areas									
Central Coast	0	0.0%	14	3.3%	59	3.7%	73	3.5%	19.2%
Central Sydney	7	15.2%	50	11.7%	148	9.2%	205	9.9%	25.3%
Hunter	3	6.5%	32	7.5%	144	9.0%	179	8.6%	18.2%
Illawarra	2	4.3%	15	3.5%	65	4.0%	82	3.9%	18.8%
Northern Sydney	9	19.6%	83	19.4%	313	19.5%	405	19.5%	21.0%
South Eastern Sydney	6	13.0%	78	18.3%	234	14.6%	318	15.3%	25.0%
South Western Sydney	5	10.9%	35	8.2%	156	9.7%	196	9.4%	18.3%
Wentworth	1	2.2%	16	3.7%	54	3.4%	71	3.4%	22.9%
Western Sydney	2	4.3%	50	11.7%	199	12.4%	251	12.1%	20.1%
Total Metropolitan Areas	35	76.1%	373	87.4%	1372	85.4%	1780	85.6%	21.4%
Rural Areas									
Far West	0	0.0%	1	0.2%	4	0.2%	5	0.2%	20.0%
Greater Murray	0	0.0%	3	0.7%	27	1.7%	30	1.4%	10.0%
Macquarie	0	0.0%	2	0.5%	15	0.9%	17	0.8%	11.8%
Mid North Coast	4	8.7%	15	3.5%	49	3.0%	68	3.3%	23.4%
Mid Western	2	4.3%	9	2.1%	36	2.2%	47	2.3%	20.0%
New England	0	0.0%	4	0.9%	21	1.3%	25	1.2%	16.0%
Northern Rivers	1	2.2%	10	2.3%	36	2.2%	47	2.3%	21.7%
Southern	2	4.3%	3	0.7%	11	0.7%	16	0.8%	0.0%
Total Rural Areas	9	19.6%	47	11.0%	199	12.4%	255	12.3%	19.1%
Interstate (including ACT)	2	4.3%	7	1.6%	36	2.2%	45	2.2%	16.3%
Total	46	100.0%	427	100.0%	1607	100.0%	2080	100.0%	21.0%
<i>Non-response:</i>	650	93.4%	4091	90.5%	8149	83.5%	12890	86.1%	

Table 3.13 Geographical location of main setting, medical practitioners working in NSW, 1993–2003

Geographical location	1993 ¹	1994	1995	1996	1997	1998	1999	2000	2002	2003
Survey respondents										
Metropolitan Areas										
Central Coast	391	473	490	519	518	540	520	541	477	511
Central Sydney	1560	1766	1794	1837	1805	1889	1810	1759	1519	1571
Hunter	939	1064	1101	1102	1124	1099	1127	1171	1042	1074
Illawarra	467	556	565	575	590	597	591	632	552	593
Northern Sydney	1991	2194	2288	2250	2380	2421	2339	2445	2133	2255
South Eastern Sydney	2660	3006	3066	3187	3247	3216	3153	3122	2759	2967
South Western Sydney	916	1078	1138	1200	1334	1388	1372	1379	1174	1378
Wentworth	394	442	464	507	527	539	517	554	526	550
Western Sydney	1310	1466	1553	1672	1651	1675	1652	1716	1543	1635
Total Metropolitan	10628	12045	12459	12849	13176	13364	13081	13319	11725	12534
Rural Areas										
Far West	33	40	46	38	37	37	43	39	35	38
Greater Murray	254	301	306	320	319	316	326	331	299	310
Macquarie	95	108	112	109	97	102	90	112	103	117
Mid North Coast	312	326	355	383	282	297	284	412	389	407
Mid Western	199	219	223	221	235	245	248	259	219	250
New England	208	234	239	252	244	242	227	259	213	219
Northern Rivers	300	332	350	360	449	456	465	395	374	389
Southern	158	180	165	188	193	185	191	203	173	188
Total Rural	1559	1740	1796	1871	1856	1880	1874	2010	1805	1918
Interstate (incl. ACT)	10	19	8	12	17	18	11	56	38	45
Total	12197	13804	14263	14732	15049	15262	14966	15385	13568	14497
<i>Unknown</i>	<i>917</i>	<i>816</i>	<i>662</i>	<i>583</i>	<i>577</i>	<i>637</i>	<i>645</i>	<i>661</i>	<i>345</i>	<i>473</i>
Percentage Distribution										
Metropolitan Areas										
Central Coast	3.2%	3.4%	3.4%	3.5%	3.4%	3.5%	3.5%	3.5%	3.5%	3.5%
Central Sydney	12.8%	12.8%	12.6%	12.5%	12.0%	12.4%	12.1%	11.4%	11.2%	10.8%
Hunter	7.7%	7.7%	7.7%	7.5%	7.5%	7.2%	7.5%	7.6%	7.7%	7.4%
Illawarra	3.8%	4.0%	4.0%	3.9%	3.9%	3.9%	3.9%	4.1%	4.1%	4.1%
Northern Sydney	16.3%	15.9%	16.0%	15.3%	15.8%	15.9%	15.6%	15.9%	15.7%	15.6%
South Eastern Sydney	21.8%	21.8%	21.5%	21.6%	21.6%	21.1%	21.1%	20.3%	20.3%	20.5%
South Western Sydney	7.5%	7.8%	8.0%	8.1%	8.9%	9.1%	9.2%	9.0%	8.7%	9.5%
Wentworth	3.2%	3.2%	3.3%	3.4%	3.5%	3.5%	3.5%	3.6%	3.9%	3.8%
Western Sydney	10.7%	10.6%	10.9%	11.3%	11.0%	11.0%	11.0%	11.2%	11.4%	11.3%
Total Metropolitan	87.1%	87.3%	87.4%	87.2%	87.6%	87.6%	87.4%	86.6%	86.4%	86.5%
Rural Areas										
Far West	0.3%	0.3%	0.3%	0.3%	0.2%	0.2%	0.3%	0.3%	0.3%	0.3%
Greater Murray	2.1%	2.2%	2.1%	2.2%	2.1%	2.1%	2.2%	2.2%	2.2%	2.1%
Macquarie	0.8%	0.8%	0.8%	0.7%	0.6%	0.7%	0.6%	0.7%	0.8%	0.8%
Mid North Coast	2.6%	2.4%	2.5%	2.6%	1.9%	1.9%	1.9%	2.7%	2.9%	2.8%
Mid Western	1.6%	1.6%	1.6%	1.5%	1.6%	1.6%	1.7%	1.7%	1.6%	1.7%
New England	1.7%	1.7%	1.7%	1.7%	1.6%	1.6%	1.5%	1.7%	1.6%	1.5%
Northern Rivers	2.5%	2.4%	2.5%	2.4%	3.0%	3.0%	3.1%	2.6%	2.8%	2.7%
Southern	1.3%	1.3%	1.2%	1.3%	1.3%	1.2%	1.3%	1.3%	1.3%	1.3%
Total Rural	12.8%	12.6%	12.6%	12.7%	12.3%	12.3%	12.5%	13.1%	13.3%	13.2%
Interstate (incl. ACT)	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.4%	0.3%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Unknown</i>	<i>7.0%</i>	<i>5.6%</i>	<i>4.4%</i>	<i>3.8%</i>	<i>3.7%</i>	<i>4.0%</i>	<i>4.1%</i>	<i>4.1%</i>	<i>2.5%</i>	<i>3.2%</i>

Table 3.14 Geographical location of main setting by location of second setting, medical practitioners working in NSW, 2003

Geographical location of main job	Geographical location of second job																		Total	Unknown or no second job	Percentage with second job in different area to main job
	Central Coast	Central Sydney	Hunter	Illawarra	Northern Sydney	South Eastern Sydney	South Western Sydney	Wentworth	Western Sydney	Far West	Greater Murray	Macquarie	Mid North Coast	Mid Western	New England	Northern Rivers	Southern	Interstate			
Central Coast	170	4	5	0	11	7	5	1	0	0	0	0	1	0	1	0	0	1	206	305	17.5%
Central Sydney	7	281	1	6	99	117	61	6	68	1	1	2	6	6	1	0	2	3	668	903	57.9%
Hunter	19	3	402	0	3	19	0	1	1	0	0	1	5	0	8	2	0	4	468	606	14.1%
Illawarra	0	5	0	177	5	22	4	0	8	0	0	1	0	0	0	0	8	3	233	360	24.0%
Northern Sydney	23	89	3	1	507	133	102	22	27	2	3	6	11	6	1	1	2	8	947	1308	46.5%
South Eastern Sydney	0	131	12	25	147	625	63	13	73	3	12	4	7	8	6	8	1	13	1151	1816	45.7%
South Western Sydney	2	56	2	3	126	42	296	42	69	1	4	0	6	6	1	2	4	0	662	973	55.3%
Wentworth	1	13	0	0	12	11	55	73	15	1	0	1	0	5	1	0	1	2	191	359	61.8%
Western Sydney	3	60	2	9	27	66	68	14	272	1	0	2	0	1	4	1	4	1	535	843	49.2%
Far West	0	3	0	0	0	0	0	0	0	6	0	0	0	0	1	0	1	1	12	26	50.0%
Greater Murray	0	1	0	0	2	6	1	0	0	0	54	1	0	0	0	0	2	27	94	216	42.6%
Macquarie	0	4	0	0	1	4	2	2	0	0	1	10	0	4	1	0	0	1	30	87	66.7%
Mid North Coast	2	0	5	2	3	3	0	1	1	0	0	0	120	0	3	4	0	1	145	262	17.2%
Mid Western	0	2	1	0	3	1	2	3	3	0	0	6	1	51	0	0	1	1	75	175	32.0%
New England	1	0	2	0	0	0	0	0	0	1	1	0	0	0	48	0	0	0	53	166	9.4%
Northern Rivers	0	0	0	0	0	5	0	0	0	0	0	0	2	0	0	108	0	16	131	258	17.6%
Southern	0	1	0	2	2	1	1	0	3	0	0	0	1	0	0	0	47	5	63	125	25.4%
Interstate	0	2	0	1	0	1	0	1	0	1	2	1	1	0	1	2	2	4	19	26	78.9%
Total	228	655	435	226	948	1063	660	179	540	17	78	35	161	87	77	128	75	91	5683	8814	42.8%
<i>Unknown</i>	0	1	1	1	5	5	2	2	1	0	3	0	0	1	0	1	0	0	23	450	
Percentage working outside the area in which they live	25.4%	57.1%	7.6%	21.7%	46.5%	41.2%	55.2%	59.2%	49.6%	64.7%	30.8%	71.4%	25.5%	41.4%	37.7%	15.6%	37.3%	95.6%			

Table 3.15 Geographical location of main setting by location of residence, medical practitioners working in NSW, 2003

Geographical location of main job	Geographical location of residence																		Total	Unknown	Percentage living in different area to main job
	Central Coast	Central Sydney	Hunter	Illawarra	Northern Sydney	South Eastern Sydney	South Western Sydney	Wentworth	Western Sydney	Far West	Greater Murray	Macquarie	Mid North Coast	Mid Western	New England	Northern Rivers	Southern	Interstate			
Central Coast	393	8	23	0	58	7	7	2	1	0	2	0	0	0	0	0	0	1	511	9	21.3%
Central Sydney	3	682	2	3	422	340	59	5	25	0	2	0	2	1	1	1	0	2	1571	21	55.3%
Hunter	14	3	1006	2	10	12	4	4	1	0	0	0	3	2	3	0	0	2	1074	8	5.6%
Illawarra	1	14	3	441	21	71	5	0	21	0	1	0	1	0	2	1	6	3	593	2	25.3%
Northern Sydney	4	146	3	1	1781	175	92	12	9	0	2	1	0	1	2	1	1	0	2255	24	20.0%
South Eastern Sydney	2	354	24	13	506	1943	32	4	33	1	5	0	1	3	1	1	6	3	2967	35	33.3%
South Western Sydney	5	314	4	3	604	108	493	42	44	0	1	0	0	1	0	0	0	1	1635	15	68.9%
Wentworth	0	57	0	1	85	24	83	273	12	0	1	0	1	3	1	0	0	0	550	9	48.7%
Western Sydney	5	323	0	7	208	228	121	8	454	0	2	0	0	0	1	1	1	3	1378	16	65.9%
Far West	0	0	1	0	3	2	0	0	0	25	1	0	0	0	0	0	0	1	38	5	21.1%
Greater Murray	0	10	1	3	5	8	1	1	1	0	260	0	0	1	1	0	1	10	310	7	13.9%
Macquarie	1	10	1	0	5	6	1	1	1	0	0	83	0	3	1	1	0	2	117	1	28.2%
Mid North Coast	3	12	4	0	13	10	7	1	0	0	0	0	350	0	3	1	0	0	407	3	13.3%
Mid Western	1	10	3	1	7	5	9	8	2	0	1	3	0	197	0	0	0	1	250	2	20.4%
New England	0	3	5	1	3	5	1	0	2	0	0	0	4	0	194	0	0	0	219	1	11.0%
Northern Rivers	0	5	1	0	3	8	2	0	3	0	1	0	6	0	1	334	0	10	389	15	10.3%
Southern	0	3	1	1	5	2	2	0	4	0	1	0	0	0	0	0	150	18	188	1	19.7%
Interstate	1	6	1	0	7	3	2	0	0	0	2	0	0	1	0	2	1	7	45	12	57.8%
Total	433	1960	1083	477	3746	2957	921	361	613	26	282	87	368	213	211	343	166	64	14497	186	36.2%
<i>Location unknown</i>	13	72	42	10	122	106	21	7	16	1	7	3	6	5	3	6	4	6	473	23	
Percentage working outside the area in which they live	9.2%	65.2%	7.1%	7.5%	52.5%	34.3%	46.5%	24.4%	25.9%	3.8%	7.8%	4.6%	4.9%	7.5%	8.1%	2.6%	9.6%	89.1%			

Table 3.16 Average hours per week as a clinician by sex, medical practitioners working in NSW, 2003

Hours	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
1-9	17	2.9%	229	5.7%	337	3.8%	583	4.3%	40.5%
10-14	17	2.9%	477	11.9%	415	4.7%	909	6.7%	53.5%
20-29	53	8.9%	767	19.2%	707	8.0%	1527	11.3%	52.0%
30-34	24	4.0%	450	11.2%	680	7.7%	1154	8.6%	39.8%
35-39	24	4.0%	360	9.0%	674	7.6%	1058	7.8%	34.8%
40-44	115	19.4%	672	16.8%	1628	18.3%	2415	17.9%	29.2%
45-49	69	11.6%	297	7.4%	1027	11.6%	1393	10.3%	22.4%
50-59	139	23.4%	491	12.3%	2003	22.5%	2633	19.5%	19.7%
60-69	90	15.2%	160	4.0%	999	11.2%	1249	9.3%	13.8%
70+	46	7.7%	99	2.5%	417	4.7%	562	4.2%	19.2%
Total	594	100.0%	4002	100.0%	8887	100.0%	13483	100.0%	31.0%
<i>Unknown</i>	102	14.7%	516	11.4%	869	8.9%	1487	9.9%	

Table 3.17 Average hours per week as an administrator by sex, medical practitioners working in NSW, 2003

Hours	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
1-9	59	56.2%	569	64.4%	1673	61.5%	2301	62.0%	25.4%
10-14	21	20.0%	193	21.8%	655	24.1%	869	23.4%	22.8%
20-29	10	9.5%	57	6.4%	201	7.4%	268	7.2%	22.1%
30-34	2	1.9%	14	1.6%	54	2.0%	70	1.9%	20.6%
35-39	4	3.8%	8	0.9%	22	0.8%	34	0.9%	26.7%
40-44	4	3.8%	6	0.7%	41	1.5%	51	1.4%	12.8%
45-49	1	1.0%	3	0.3%	9	0.3%	13	0.4%	25.0%
50-59	0	0.0%	22	2.5%	34	1.2%	56	1.5%	39.3%
60-69	1	1.0%	6	0.7%	17	0.6%	24	0.6%	26.1%
70+	3	2.9%	6	0.7%	16	0.6%	25	0.7%	27.3%
Total	105	100.0%	884	100.0%	2722	100.0%	3711	100.0%	24.5%
<i>Unknown</i>	591	84.9%	3634	80.4%	7034	72.1%	11259	75.2%	

Table 3.18 Average hours per week as a teacher/educator by sex, medical practitioners working in NSW, 2003

Hours	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
1-9	83	80.6%	681	82.8%	2036	80.8%	2800	81.3%	25.1%
10-14	16	15.5%	87	10.6%	369	14.6%	472	13.7%	19.1%
20-29	0	0.0%	35	4.3%	83	3.3%	118	3.4%	29.7%
30-34	0	0.0%	5	0.6%	12	0.5%	17	0.5%	29.4%
35-39	0	0.0%	2	0.2%	2	0.1%	4	0.1%	50.0%
40-44	3	2.9%	4	0.5%	12	0.5%	19	0.6%	25.0%
45-49	0	0.0%	0	0.0%	1	0.0%	1	0.0%	0.0%
50-59	0	0.0%	2	0.2%	1	0.0%	3	0.1%	66.7%
60-69	0	0.0%	0	0.0%	1	0.0%	1	0.0%	100.0%
70+	1	0.0%	6	0.7%	2	0.1%	9	0.3%	75.0%
Total	103	100.0%	822	100.0%	2519	100.0%	3444	100.0%	24.6%
<i>Unknown</i>	593	85.2%	3696	81.8%	7237	74.2%	11526	77.0%	

Table 3.19 Average hours per week as a researcher by sex, medical practitioners working in NSW, 2003

Hours	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
1-9	38	65.5%	245	54.4%	751	59.7%	1034	58.5%	24.6%
10-14	11	19.0%	80	17.8%	242	19.2%	333	18.8%	24.8%
20-29	3	5.2%	46	10.2%	137	10.9%	186	10.5%	25.1%
30-34	4	6.9%	30	6.7%	39	3.1%	73	4.1%	43.5%
35-39	0	0.0%	13	2.9%	11	0.9%	24	1.4%	54.2%
40-44	2	3.4%	19	4.2%	34	2.7%	55	3.1%	35.8%
45-49	0	0.0%	5	1.1%	10	0.8%	15	0.8%	33.3%
50-59	0	0.0%	3	0.7%	20	1.6%	23	1.3%	13.0%
60-69	0	0.0%	3	0.7%	8	0.6%	11	0.6%	100.0%
70+	0	0.0%	6	1.3%	7	0.6%	13	0.7%	46.2%
Total	58	100.0%	450	100.0%	1259	100.0%	1767	100.0%	26.3%
<i>Unknown</i>	638	91.7%	4068	91.9%	8497	89.2%	13203	89.8%	

Table 3.20 Average hours per week as a public health physician by sex, medical practitioners working in NSW, 2003

Hours	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
1-9	10	43.5%	51	48.6%	91	51.1%	152	49.7%	35.9%
10-14	2	8.7%	14	13.3%	21	11.8%	37	12.1%	40.0%
20-29	2	8.7%	7	6.7%	13	7.3%	22	7.2%	35.0%
30-34	0	0.0%	1	1.0%	5	2.8%	6	2.0%	16.7%
35-39	1	4.3%	2	1.9%	4	2.2%	7	2.3%	33.3%
40-44	1	4.3%	10	9.5%	15	8.4%	26	8.5%	40.0%
45-49	2	8.7%	7	6.7%	4	2.2%	13	4.2%	63.6%
50-59	4	17.4%	5	4.8%	18	10.1%	27	8.8%	21.7%
60-69	0	0.0%	5	4.8%	6	3.4%	11	3.6%	100.0%
70+	1	0.0%	3	2.9%	1	0.6%	5	1.6%	75.0%
Total	23	100.0%	105	100.0%	178	100.0%	306	100.0%	37.1%
<i>Unknown</i>	673	96.7%	4413	84.0%	9578	76.5%	14664	78.2%	

Table 3.21 Average hours per week as an occupational health physician by sex, medical practitioners working in NSW, 2003

Hours	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
1-9	5	50.0%	35	61.4%	80	48.8%	120	51.9%	30.4%
10-14	2	20.0%	4	7.0%	17	10.4%	23	10.0%	19.0%
20-29	1	10.0%	7	12.3%	13	7.9%	21	9.1%	35.0%
30-34	1	10.0%	2	3.5%	10	6.1%	13	5.6%	16.7%
35-39	0	0.0%	4	7.0%	6	3.7%	10	4.3%	40.0%
40-44	1	10.0%	2	3.5%	17	10.4%	20	8.7%	10.5%
45-49	0	0.0%	0	0.0%	6	3.7%	6	2.6%	0.0%
50-59	0	0.0%	0	0.0%	10	6.1%	10	4.3%	0.0%
60-69	0	0.0%	2	3.5%	3	0.0%	5	2.2%	100.0%
70+	0	0.0%	1	0.0%	2	0.0%	3	1.3%	0.0%
Total	10	100.0%	57	100.0%	164	100.0%	231	100.0%	25.8%
<i>Unknown</i>	686	98.6%	4461	85.2%	9592	79.1%	14739	80.7%	

Table 3.22 Average hours per week in other activities by sex, medical practitioners working in NSW, 2003

Hours per week	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
1-9	14	32.6%	126	39.7%	262	40.1%	402	39.7%	32.5%
10-14	1	2.3%	43	13.6%	147	22.5%	191	18.9%	22.6%
20-29	1	2.3%	39	12.3%	67	10.3%	107	10.6%	36.8%
30-34	1	2.3%	21	6.6%	22	3.4%	44	4.3%	48.8%
35-39	1	2.3%	14	4.4%	12	1.8%	27	2.7%	53.8%
40-44	5	11.6%	29	9.1%	55	8.4%	89	8.8%	34.5%
45-49	1	2.3%	11	3.5%	14	2.1%	26	2.6%	44.0%
50-59	11	25.6%	22	6.9%	38	5.8%	71	7.0%	36.7%
60-69	5	11.6%	5	1.6%	19	2.9%	29	2.9%	20.8%
70+	3	7.0%	7	2.2%	17	2.6%	27	2.7%	29.2%
Total	43	100.0%	317	100.0%	653	100.0%	1013	100.0%	32.7%
<i>Unknown</i>	653	93.8%	4201	93.0%	9103	93.3%	13957	93.2%	

Table 3.23 Hours per week, usually worked in all medical jobs, medical practitioners working in NSW, 2003

Hours per week	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Direct Patient Contact Hours									
1-9	19	3.2%	316	8.0%	468	5.3%	803	6.0%	40.3%
10-19	28	4.7%	542	13.8%	559	6.3%	1129	8.5%	49.2%
20-29	64	10.7%	781	19.9%	882	10.0%	1727	12.9%	47.0%
30-34	48	8.0%	560	14.3%	894	10.1%	1502	11.3%	38.5%
35-39	29	4.8%	350	8.9%	795	9.0%	1174	8.8%	30.6%
40-44	139	23.2%	578	14.7%	1725	19.6%	2442	18.3%	25.1%
45-49	56	9.3%	236	6.0%	925	10.5%	1217	9.1%	20.3%
50-59	107	17.9%	369	9.4%	1649	18.7%	2125	15.9%	18.3%
60-69	75	12.5%	121	3.1%	666	7.6%	862	6.5%	15.4%
70+	34	5.7%	74	1.9%	247	2.8%	355	2.7%	23.1%
Total	599	100.0%	3927	100.0%	8810	100.0%	13336	100.0%	30.8%
<i>Hours u/k & no hours 3</i>	97	13.9%	591	13.1%	946	9.7%	1634	10.9%	
On Call — Hours Not Worked									
1-9	56	22.2%	224	16.0%	513	10.6%	793	12.2%	30.4%
10-19	77	30.6%	370	26.4%	1038	21.5%	1485	22.9%	26.3%
20-29	60	23.8%	259	18.5%	1031	21.3%	1350	20.8%	20.1%
30-34	6	2.4%	87	6.2%	373	7.7%	466	7.2%	18.9%
35-39	9	3.6%	33	2.4%	121	2.5%	163	2.5%	21.4%
40-44	8	3.2%	74	5.3%	298	6.2%	380	5.9%	19.9%
45-49	5	2.0%	44	3.1%	203	4.2%	252	3.9%	17.8%
50-59	2	0.8%	52	3.7%	186	3.8%	240	3.7%	21.8%
60-69	3	1.2%	35	2.5%	177	3.7%	215	3.3%	16.5%
70+	26	10.3%	224	16.0%	899	18.6%	1149	17.7%	19.9%
Total	252	100.0%	1402	100.0%	4839	100.0%	6493	100.0%	22.5%
<i>Hours u/k & no hours 3</i>	444	63.8%	3116	69.0%	4917	50.4%	8477	56.6%	

Table 3.24 Total Hours per week, usually worked in all medical jobs, medical practitioners working in NSW, 2003

Hours per week	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Total Hours excluding hours on call not worked									
1-9	16	2.4%	163	3.7%	216	2.3%	395	2.7%	43.0%
10-19	15	2.2%	384	8.7%	316	3.3%	715	4.9%	54.9%
20-29	33	4.9%	682	15.5%	445	4.6%	1160	7.9%	60.5%
30-34	19	2.8%	438	10.0%	409	4.3%	866	5.9%	51.7%
35-39	15	2.2%	333	7.6%	433	4.5%	781	5.3%	43.5%
40-44	122	18.1%	807	18.4%	1584	16.5%	2513	17.1%	33.8%
45-49	72	10.7%	388	8.8%	1069	11.2%	1529	10.4%	26.6%
50-59	189	28.0%	765	17.4%	2644	27.6%	3598	24.6%	22.4%
60-69	136	20.1%	291	6.6%	1747	18.2%	2174	14.8%	14.3%
70+	58	8.6%	143	3.3%	722	7.5%	923	6.3%	16.5%
Total	675	100.0%	4394	100.0%	9585	100.0%	14654	100.0%	31.4%
Hours u/k & no hours 3	21	3.0%	124	2.7%	171	1.8%	316	2.1%	

Notes

1 See notes for Table 3.23

Figure 3.4 Distribution of total hours worked per week by sex, medical practitioners working in NSW, 2003




Table 3.25 Weeks worked in the last year in scheduled patient sessions, medical practitioners working in NSW, 2003

Weeks per year	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
1-8 weeks	12	2.6%	52	1.3%	115	1.3%	179	1.4%	31.1%
9-16 weeks	25	5.4%	77	2.0%	102	1.2%	204	1.6%	43.0%
17-25 weeks	27	5.9%	89	2.3%	127	1.5%	243	1.9%	41.2%
26 weeks	7	1.5%	49	1.3%	55	0.6%	111	0.8%	47.1%
27-34 weeks	20	4.4%	94	2.4%	111	1.3%	225	1.7%	45.9%
35-39 weeks	10	2.2%	62	1.6%	84	1.0%	156	1.2%	42.5%
40 weeks	34	7.4%	219	5.6%	440	5.1%	693	5.3%	33.2%
41-42 weeks	11	2.4%	88	2.3%	211	2.5%	310	2.4%	29.4%
43-44 weeks	15	3.3%	145	3.7%	379	4.4%	539	4.1%	27.7%
45-46 weeks	46	10.0%	625	16.0%	1557	18.2%	2228	17.0%	28.6%
47-48 weeks	143	31.2%	1389	35.6%	3000	35.0%	4532	34.6%	31.6%
49-50 weeks	62	13.5%	654	16.7%	1698	19.8%	2414	18.4%	27.8%
51-52 weeks	59	12.9%	414	10.6%	800	9.3%	1273	9.7%	34.1%
Total	459	100.0%	3905	100.0%	8564	100.0%	13107	100.0%	31.3%
Unknown & not usable (> 52 weeks recorded)	225	32.9%	561	12.6%	1077	11.2%	1863	12.4%	

Table 3.26 Field of work of main job, medical practitioners working in NSW, 1993-2003

Field of work	1993 ₁	1994	1995	1996	1997	1998	1999	2000 ₁	2002	2003
Survey Respondents										
Clinical										
Clinician	11795	12912	13101	13285	13285	13986	13817	13631	11917	12782
Total clinical	11795	12912	13101	13285	13285	13986	13817	13631	11917	12782
Non-clinical										
Administrator	221	263	281	257	280	309	296	479	455	451
Teacher/educator	148	150	147	155	181	151	141	142	115	147
Researcher	195	220	234	219	230	222	225	289	278	294
Public health	110	142	139	111	100	110	104	81	86	110
Occupational health	105	97	95	109	121	88	95	109	82	93
Other	225	262	297	215	260	437	284	0	428	496
Total non-clinical	1004	1134	1193	1066	1172	1317	1145	1100	1444	1591
Total	12799	14046	14294	14351	14457	15303	14962	14731	13361	14373
<i>Field unknown</i>	315	574	631	964	627	600	649	1315	587	597
Percentage Distribution										
Clinical										
Clinician	92.2%	91.9%	91.7%	92.6%	91.9%	91.4%	92.3%	92.5%	89.2%	88.9%
Total clinical	92.2%	91.9%	91.7%	92.6%	91.9%	91.4%	92.3%	92.5%	89.2%	88.9%
Non-clinical										
Administrator	1.7%	1.9%	2.0%	1.8%	1.9%	2.0%	2.0%	3.3%	3.4%	3.1%
Teacher/educator	1.2%	1.1%	1.0%	1.1%	1.3%	1.0%	0.9%	1.0%	0.9%	1.0%
Researcher	1.5%	1.6%	1.6%	1.5%	1.6%	1.5%	1.5%	2.0%	2.1%	2.0%
Public health	0.9%	1.0%	1.0%	0.8%	0.7%	0.7%	0.7%	0.5%	0.6%	0.8%
Occupational health	0.8%	0.7%	0.7%	0.8%	0.8%	0.6%	0.6%	0.7%	0.6%	0.6%
Other	1.8%	1.9%	2.1%	1.5%	1.8%	2.9%	1.9%	0.0%	3.2%	3.5%
Total non-clinical	7.8%	8.1%	8.3%	7.4%	8.1%	8.6%	7.7%	7.5%	10.8%	11.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Field unknown</i>	2.4%	3.9%	4.2%	6.3%	4.2%	3.8%	4.2%	8.2%	4.2%	4.0%

Table 3.27 Type of medical work undertaken by medical practitioners working in NSW, by sex, 2003

Type of work	No.		%		No.		%		Per cent Female
	Sex unknown		Female		Male		Total		
Primary care practitioner	125	18.1%	2,113	47.8%	3,773	40.0%	6,011	41.8%	35.9%
Specialist/consultant	101	14.6%	1,061	20.4%	4,248	39.9%	5,410	35.8%	20.0%
Specialists in training	87	12.6%	684	12.9%	910	8.8%	1,681	9.8%	42.9%
Non-specialist hospital salaried	379	54.8%	666	18.9%	827	11.3%	1,872	12.6%	44.6%
Total	692	100.0%	4524	100.0%	9758	100.0%	14974	100.0%	31.7%
<i>Unknown/other</i>	14	2.0%	79	1.7%	152	1.5%	245	1.6%	

Notes

- 1 In 2003, 246 survey respondents indicated working in more than one type of medical practice. Percentages represent the proportion of all survey respondents indicating the particular type of work. Respondents were asked to nominate the area in which they primarily practice. The survey data does not distinguish between "unknown" and "other" fields of work.
- 2 There were 243 respondents who indicated two roles, and 3 who indicated three roles.

Table 3.28 Type of medical work undertaken by medical practitioners working in NSW, 1993 to 2003

Workforce stream	1993 ¹	1994	1995	1996	1997	1998	1999	2000 ¹	2002	2003
Survey respondents										
Primary care practitioner	5863	5932	5728	6719	8591	6840	6750	6561	5635	6011
Specialist/consultant	4636	4645	4701	5208	5377	5535	5459	5629	4990	5410
Specialists in training	1213	1227	1233	1404	1627	1587	1599	1534	1548	1681
Non-specialist hospital	1106	1486	1537	1800	2163	2139	2162	1982	1656	1872
Total	12818	13290	13199	15131	17758	16101	15970	15706	13829	14974
<i>Unknown/other</i>	307	1575	1877	646	621	649	185	340	185	245
Percentage of medical practitioners										
Primary care practitioner	45.7%	44.6%	43.4%	44.4%	48.4%	42.5%	42.3%	41.8%	40.7%	40.1%
Specialist/consultant	36.2%	35.0%	35.6%	34.4%	30.3%	34.4%	34.2%	35.8%	36.1%	36.1%
Specialists in training	9.5%	9.2%	9.3%	9.3%	9.2%	9.9%	10.0%	9.8%	11.2%	11.2%
Non-specialist hospital	8.6%	11.2%	11.6%	11.9%	12.2%	13.3%	13.5%	12.6%	12.0%	12.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Unknown/other</i>	6.8%	2.3%	10.8%	12.6%	4.2%	4.0%	4.1%	3.7%	1.3%	1.6%

Table 3.29 Medical practitioners working in NSW and also registered in other states of Australia by sex, 2003

Registered	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
Registered in other states	45	9.0%	292	6.7%	900	9.8%	1237	8.9%	24.5%
Not registered in other states	628	91.0%	4156	93.3%	8633	90.2%	13417	91.1%	32.5%
Total	673	100.0%	4448	100.0%	9533	100.0%	14654	100.0%	31.8%
<i>Unknown</i>	23	0.6%	70	0.3%	223	0.3%	316	0.3%	
Distribution of respondents with registration in states other than NSW									
ACT	11	24.4%	50	17.1%	206	22.9%	267	21.6%	19.5%
Northern Territory	3	6.7%	27	9.2%	75	8.3%	105	8.5%	26.5%
Queensland	14	31.1%	76	26.0%	336	37.3%	426	34.4%	18.4%
South Australia	3	6.7%	32	11.0%	106	11.8%	141	11.4%	23.2%
Tasmania	4	8.9%	19	6.5%	57	6.3%	80	6.5%	25.0%
Victoria	11	24.4%	63	21.6%	250	27.8%	324	26.2%	20.1%
Western Australia	3	6.7%	24	8.2%	95	10.6%	122	9.9%	20.2%

Note

- 1 Some medical practitioners indicated having registration in more than one other state. Percentages represent the proportion of respondents with registration in other states.

Table 3.30 Year of first registration in NSW for medical practitioners working in NSW, 2003

Years	No.		%		No.		%		Per cent female
	Female	Male	Total						
1945-49	10	0.2%	80	0.8%	90	0.6%	11.1%		
1950-54	9	0.2%	174	1.8%	183	1.3%	4.9%		
1955-59	38	0.8%	251	2.6%	289	2.0%	13.1%		
1960-64	63	1.4%	430	4.4%	493	3.5%	12.8%		
1965-69	109	2.4%	685	7.0%	794	5.6%	13.7%		
1970-74	177	3.9%	949	9.7%	1,126	7.9%	15.7%		
1975-79	527	11.7%	1,682	17.2%	2,209	15.5%	23.9%		
1980-84	593	13.1%	1,363	14.0%	1,956	13.7%	30.3%		
1985-89	678	15.0%	1,222	12.5%	1,900	13.3%	35.7%		
1990-94	671	14.9%	953	9.8%	1,624	11.4%	41.3%		
1995-1999	981	21.7%	1,203	12.3%	2,184	15.3%	44.9%		
2000	662	14.7%	764	7.8%	1,426	10.0%	46.4%		
Total survey respondents	4,518	100.0%	9,756	100.0%	14,274	100.0%	31.7%		
<i>Sex & year of registration unknown</i>					696				

Table 3.31: Resident status of medical practitioners working in NSW, 2003

Resident Status	No.		%		No.		%		Per cent Female
	Sex unknown	Female	Male	Total					
Australian Citizen	595	86.0%	4104	91.3%	9084	93.5%	13783	92.5%	31.1%
Not an Australian Citizen									
Permanent resident	53	7.7%	346	7.7%	565	5.8%	964	6.5%	38.0%
Not permanent resident	44	6.4%	43	1.0%	48	0.5%	135	0.9%	47.3%
Not stated	0	0.0%	4	0.1%	17	0.2%	21	0.1%	19.0%
Total	692	100.0%	4497	100.0%	9714	100.0%	14903	100.0%	31.6%
<i>Non-response:</i>	4	0.6%	21	0.5%	42	0.4%	67	0.4%	

4

PRIMARY CARE PRACTITIONERS WORKING IN NSW

Table 4.1 Age and sex distribution of primary care practitioners working in NSW, 2003

Age group	No.		%		No.		%		Per cent Female
	Female	Male	Female	Male	Total	Total	Total		
Under 25	0	0	0.0%	0%	0	0	0.0%	0.0%	0.0%
25-29	76	64	3.7%	1.7%	140	2.4%	54.3%	54.3%	
30-34	228	169	11.0%	4.5%	397	6.8%	57.4%	57.4%	
35-39	321	329	15.4%	8.8%	650	11.2%	49.4%	49.4%	
40-44	400	455	19.2%	12.2%	855	14.7%	46.8%	46.8%	
45-49	432	610	20.8%	16.4%	1042	18.0%	41.5%	41.5%	
50-54	281	626	13.5%	16.8%	907	15.6%	31.0%	31.0%	
55-59	180	500	8.7%	13.4%	680	11.7%	26.5%	26.5%	
60-64	85	385	4.1%	10.3%	470	8.1%	18.1%	18.1%	
65-69	35	220	1.7%	5.9%	255	4.4%	13.7%	13.7%	
70-74	25	177	1.2%	4.8%	202	3.5%	12.4%	12.4%	
over 75	15	185	0.7%	5.0%	200	3.4%	7.5%	7.5%	
Total	2078	3720	100.0%	100.0%	5798	100.0%	35.8%	35.8%	
Age unknown	35	53	1.7%	1.4%	88	1.5%			
Age & sex unknown					125	2.1%			
Total unknown					213	3.5%			

Figure 4.1 Age and sex distribution of primary care practitioners working in NSW, 2003




Table 4.2 Age and sex of primary care practitioners working in NSW, 1993 – 2003

Age group	1993 [†]	1994	1995	1996	1997	1998	1999	2000	2002	2003
Male — Survey Respondents										
Under 25	5	5	6	6	5	2	4	1	0	0
25-29	86	130	124	128	155	115	118	66	67	64
30-34	272	229	211	257	313	285	296	259	187	169
35-39	535	537	439	462	460	422	341	365	313	329
40-44	657	649	608	705	714	679	595	521	482	455
45-49	601	604	636	727	737	705	707	634	624	610
50-54	501	512	500	584	618	639	616	642	566	626
55-59	322	345	337	442	489	494	514	514	475	500
60-64	297	287	258	320	313	328	323	350	346	385
65-69	299	303	283	287	303	302	282	250	191	220
70-74	178	188	183	222	216	226	234	239	177	177
Over 75	90	84	109	141	134	135	168	199	150	185
Total	3843	3873	3694	4281	4457	4332	4198	4040	3578	3720
<i>Age unknown</i>	338	339	298	349	341	329	329	60	82	53
Female — Survey Respondents										
Under 25	0	1	1	0	3	1	1	0	0	0
25-29	81	119	127	164	203	152	140	75	63	76
30-34	239	210	200	254	275	273	293	277	240	228
35-39	369	354	341	338	370	353	344	339	345	321
40-44	274	311	349	438	472	450	435	411	386	400
45-49	187	192	211	259	290	303	338	382	402	432
50-54	118	138	130	169	190	202	211	226	243	281
55-59	53	60	58	90	92	109	124	149	161	180
60-64	76	49	49	50	51	56	62	66	65	85
65-69	39	44	43	54	54	47	45	39	30	35
70-74	20	17	16	23	23	24	20	33	23	25
Over 75	10	11	11	14	9	9	17	22	17	15
Total	1466	1506	1536	1853	2032	1979	2030	2019	1975	2078
<i>Age unknown</i>	216	214	200	236	205	200	193	42	34	35
Male and Female — Survey Respondents										
Under 25	5	6	7	6	8	3	5	1	0	0
25-29	167	249	251	292	358	267	258	141	130	140
30-34	511	439	411	511	588	558	589	536	427	397
35-39	904	891	780	800	830	775	685	704	658	650
40-44	931	960	957	1143	1186	1129	1030	932	868	855
45-49	788	796	847	986	1027	1008	1045	1016	1026	1042
50-54	619	650	630	753	808	841	827	868	809	907
55-59	375	405	395	532	581	603	638	663	636	680
60-64	373	336	307	370	364	384	385	416	411	470
65-69	338	347	326	341	357	349	327	289	221	255
70-74	198	205	199	245	239	250	254	272	200	202
Over 75	100	95	120	155	143	144	185	221	167	200
Total	5309	5379	5230	6134	6489	6311	6228	6059	5553	5798
<i>Age & sex unknown</i>	554	553	498	585	546	529	522	102	116	213
Proportion Female										
All Ages	28.7%	29.0%	30.3%	31.1%	31.8%	31.9%	32.9%	33.5%	35.4%	35.2%

Table 4.3 Percentage distribution of age and sex of primary care practitioners working in NSW, 1993 – 2003

Age Range	1993 [†]	1994	1995	1996	1997	1998	1999	2000	2002	2003
Males — Percentage Distribution										
Under 25	0.1%	0.1%	0.2%	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
25-29	2.2%	3.4%	3.4%	3.0%	3.5%	2.7%	2.8%	1.6%	1.9%	1.7%
30-34	7.1%	5.9%	5.7%	6.0%	7.0%	6.6%	7.1%	6.4%	5.2%	4.5%
35-39	13.9%	13.9%	11.9%	10.8%	10.3%	9.7%	8.1%	9.0%	8.7%	8.8%
40-44	17.1%	16.8%	16.5%	16.5%	16.0%	15.7%	14.2%	12.9%	13.5%	12.2%
45-49	15.6%	15.6%	17.2%	17.0%	16.5%	16.3%	16.8%	15.7%	17.4%	16.4%
50-54	13.0%	13.2%	13.5%	13.6%	13.9%	14.8%	14.7%	15.9%	15.8%	16.8%
55-59	8.4%	8.9%	9.1%	10.3%	11.0%	11.4%	12.2%	12.7%	13.3%	13.4%
60-64	7.7%	7.4%	7.0%	7.5%	7.0%	7.6%	7.7%	8.7%	9.7%	10.3%
65-69	7.8%	7.8%	7.7%	6.7%	6.8%	7.0%	6.7%	6.2%	5.3%	5.9%
70-74	4.6%	4.9%	5.0%	5.2%	4.8%	5.2%	5.6%	5.9%	4.9%	4.8%
Over 75	2.3%	2.2%	3.0%	3.3%	3.0%	3.1%	4.0%	4.9%	4.2%	5.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age unknown	8.1%	8.0%	7.5%	7.5%	7.1%	7.1%	7.3%	1.5%	2.2%	1.4%
Females — Percentage Distribution										
Under 25	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%
25-29	5.5%	7.9%	8.3%	8.9%	10.0%	7.7%	6.9%	3.7%	3.2%	3.7%
30-34	16.3%	13.9%	13.0%	13.7%	13.5%	13.8%	14.4%	13.7%	12.2%	11.0%
35-39	25.2%	23.5%	22.2%	18.2%	18.2%	17.8%	16.9%	16.8%	17.5%	15.4%
40-44	18.7%	20.7%	22.7%	23.6%	23.2%	22.7%	21.4%	20.4%	19.5%	19.2%
45-49	12.8%	12.7%	13.7%	14.0%	14.3%	15.3%	16.7%	18.9%	20.4%	20.8%
50-54	8.0%	9.2%	8.5%	9.1%	9.4%	10.2%	10.4%	11.2%	12.3%	13.5%
55-59	3.6%	4.0%	3.8%	4.9%	4.5%	5.5%	6.1%	7.4%	8.2%	8.7%
60-64	5.2%	3.3%	3.2%	2.7%	2.5%	2.8%	3.1%	3.3%	3.3%	4.1%
65-69	2.7%	2.9%	2.8%	2.9%	2.7%	2.4%	2.2%	1.9%	1.5%	1.7%
70-74	1.4%	1.1%	1.0%	1.2%	1.1%	1.2%	1.0%	1.6%	1.2%	1.2%
Over 75	0.7%	0.7%	0.7%	0.8%	0.4%	0.5%	0.8%	1.1%	0.9%	0.7%
Total	100.0%	99.9%	99.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age unknown	12.8%	12.4%	11.5%	11.3%	9.2%	9.2%	8.7%	2.0%	1.7%	1.7%
Male and Female — Survey Respondents										
Under 25	0.1%	0.1%	0.1%	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
25-29	3.1%	4.6%	4.8%	4.8%	5.5%	4.2%	4.1%	2.3%	2.3%	2.4%
30-34	9.6%	8.2%	7.9%	8.3%	9.1%	8.8%	9.5%	8.8%	7.7%	6.8%
35-39	17.0%	16.6%	14.9%	13.0%	12.8%	12.3%	11.0%	11.6%	11.8%	11.2%
40-44	17.5%	17.8%	18.3%	18.6%	18.3%	17.9%	16.5%	15.4%	15.6%	14.7%
45-49	14.8%	14.8%	16.2%	16.1%	15.8%	16.0%	16.8%	16.8%	18.5%	18.0%
50-54	11.7%	12.1%	12.0%	12.3%	12.5%	13.3%	13.3%	14.3%	14.6%	15.6%
55-59	7.1%	7.5%	7.6%	8.7%	9.0%	9.6%	10.2%	10.9%	11.5%	11.7%
60-64	7.0%	6.2%	5.9%	6.0%	5.6%	6.1%	6.2%	6.9%	7.4%	8.1%
65-69	6.4%	6.5%	6.2%	5.6%	5.5%	5.5%	5.3%	4.8%	4.0%	4.4%
70-74	3.7%	3.8%	3.8%	4.0%	3.7%	4.0%	4.1%	4.5%	3.6%	3.5%
Over 75	1.9%	1.8%	2.3%	2.5%	2.2%	2.3%	3.0%	3.6%	3.0%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age & sex u/k	9.4%	9.3%	8.7%	8.7%	7.8%	7.7%	7.7%	1.7%	2.0%	3.5%

Table 4.4 Estimated number of locations for primary care practitioners working in NSW, by sex, 2003

No. of locations	Sex unknown		Female		Male		Total		Per cent female
	No.	%	No.	%	No.	%	No.	%	
One location only	71	65.7%	1286	68.4%	2233	66.1%	3590	66.9%	36.5%
Two locations	29	26.9%	466	24.8%	871	25.8%	1366	25.4%	34.9%
Three locations	8	7.4%	129	6.9%	275	8.1%	412	7.7%	31.9%
Total	108	100.0%	1881	100.0%	3379	100.0%	5368	100.0%	35.8%
	17	13.6%	232	11.0%	394	10.4%	643	10.7%	

Table 4.5 Main geographical location by sex, primary care practitioners working in NSW, 2003

Geographical location	Sex unknown		Female		Male		Total		Per cent female
	No.	%	No.	%	No.	%	No.	%	
Metropolitan Areas									
Central Coast	4	3.3%	67	3.3%	166	4.5%	237	4.0%	28.8%
Central Sydney	11	9.2%	223	10.9%	302	8.2%	536	9.1%	42.5%
Hunter	6	5.0%	158	7.7%	258	7.0%	422	7.2%	38.0%
Illawarra	8	6.7%	80	3.9%	191	5.2%	279	4.8%	29.5%
Northern Sydney	18	15.0%	417	20.3%	510	13.8%	945	16.1%	45.0%
South Eastern Sydney	25	20.8%	355	17.3%	563	15.3%	943	16.1%	38.7%
South Western Sydney	16	13.3%	154	7.5%	453	12.3%	623	10.6%	25.4%
Wentworth	2	1.7%	87	4.2%	164	4.4%	253	4.3%	34.7%
Western Sydney	4	3.3%	196	9.5%	340	9.2%	540	9.2%	36.6%
Total Metropolitan	94	78.3%	1737	84.6%	2947	79.9%	4778	81.5%	37.1%
Rural Areas									
Far West	1	0.8%	4	0.2%	17	0.5%	22	0.4%	19.0%
Greater Murray	4	3.3%	35	1.7%	106	2.9%	145	2.5%	24.8%
Macquarie	2	1.7%	21	1.0%	42	1.1%	65	1.1%	33.3%
Mid North Coast	5	4.2%	64	3.1%	152	4.1%	221	3.8%	29.6%
Mid Western	2	1.7%	46	2.2%	86	2.3%	134	2.3%	34.8%
New England	3	2.5%	45	2.2%	67	1.8%	115	2.0%	40.2%
Northern Rivers	4	3.3%	68	3.3%	155	4.2%	227	3.9%	30.5%
Southern	4	3.3%	31	1.5%	106	2.9%	141	2.4%	22.6%
Total Rural Areas	25	20.8%	314	15.3%	731	19.8%	1070	18.3%	30.0%
Interstate (including .)	1	0.8%	2	0.1%	10	0.3%	13	0.2%	16.7%
Total	120	100.0%	2053	100.0%	3688	100.0%	5861	100.0%	35.8%
<i>Non-response:</i>	5	4.0%	60	2.8%	85	2.3%	150	2.5%	

Table 4.6 Second geographical location by sex, primary care practitioners working in NSW, 2003

Geographical location	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Metropolitan Areas									
Central Coast	2	4.8%	28	4.4%	61	5.0%	91	4.8%	31.5%
Central Sydney	6	14.3%	70	11.0%	123	10.1%	199	10.5%	36.3%
Hunter	1	2.4%	52	8.2%	102	8.4%	155	8.2%	33.8%
Illawarra	2	4.8%	15	2.4%	64	5.3%	81	4.3%	19.0%
Northern Sydney	10	23.8%	117	18.4%	166	13.6%	293	15.4%	41.3%
South Eastern Sydney	10	23.8%	116	18.2%	204	16.7%	330	17.4%	36.3%
South Western Sydney	3	7.1%	53	8.3%	139	11.4%	195	10.3%	27.6%
Wentworth	0	0.0%	22	3.5%	37	3.0%	59	3.1%	37.3%
Western Sydney	0	0.0%	77	12.1%	128	10.5%	205	10.8%	37.6%
Total Metropolitan Areas	34	81.0%	550	86.5%	1024	84.0%	1608	84.8%	34.9%
Rural Areas									
Far West	0	0.0%	3	0.5%	4	0.3%	7	0.4%	42.9%
Greater Murray	1	2.4%	8	1.3%	24	2.0%	33	1.7%	25.0%
Macquarie	0	0.0%	3	0.5%	10	0.8%	13	0.7%	23.1%
Mid North Coast	3	7.1%	22	3.5%	41	3.4%	66	3.5%	34.9%
Mid Western	0	0.0%	8	1.3%	13	1.1%	21	1.1%	38.1%
New England	1	2.4%	9	1.4%	15	1.2%	25	1.3%	37.5%
Northern Rivers	1	2.4%	20	3.1%	38	3.1%	59	3.1%	34.5%
Southern	1	2.4%	9	1.4%	31	2.5%	41	2.2%	22.5%
Total Rural Areas	7	16.7%	82	12.9%	176	14.4%	265	14.0%	31.8%
Interstate (including ACT)	1	2.4%	4	0.6%	19	1.6%	24	1.3%	17.4%
Total	42	100.0%	636	100.0%	1219	100.0%	1897	100.0%	34.3%
<i>Non-response:</i>	83	66.4%	1477	69.9%	2554	67.7%	4114	68.4%	

Table 4.7 Third geographical location by sex, primary care practitioners working in NSW, 2003

Geographical location	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Metropolitan Areas									
Central Coast	0	0.0%	4	2.8%	12	4.0%	16	3.6%	25.0%
Central Sydney	3	30.0%	27	19.1%	32	10.7%	62	13.8%	45.8%
Hunter	0	0.0%	14	9.9%	27	9.1%	41	9.1%	34.1%
Illawarra	0	0.0%	6	4.3%	11	3.7%	17	3.8%	35.3%
Northern Sydney	0	0.0%	24	17.0%	55	18.5%	79	17.6%	30.4%
South Eastern Sydney	2	20.0%	20	14.2%	31	10.4%	53	11.8%	39.2%
South Western Sydney	0	0.0%	9	6.4%	34	11.4%	43	9.6%	20.9%
Wentworth	0	0.0%	6	4.3%	11	3.7%	17	3.8%	35.3%
Western Sydney	0	0.0%	12	8.5%	37	12.4%	49	10.9%	24.5%
Total Metropolitan Areas	5	50.0%	122	86.5%	250	83.9%	377	84.0%	32.8%
Rural Areas									
Far West	0	0.0%	1	0.0%	2	0.0%	3	0.0%	33.3%
Greater Murray	0	0.0%	0	0.0%	4	1.3%	4	0.9%	0.0%
Macquarie	0	0.0%	0	0.0%	1	0.0%	1	0.0%	0.0%
Mid North Coast	2	20.0%	7	5.0%	10	3.4%	19	4.2%	41.2%
Mid Western	0	0.0%	3	0.0%	3	0.0%	6	0.0%	50.0%
New England	0	0.0%	3	0.0%	3	0.0%	6	0.0%	50.0%
Northern Rivers	1	10.0%	5	3.5%	13	4.4%	19	4.2%	27.8%
Southern	1	10.0%	0	0.0%	4	1.3%	5	1.1%	0.0%
Total Rural Areas	4	40.0%	19	13.5%	40	13.4%	63	14.0%	32.2%
Interstate (including ACT)	1	10.0%	0	0.0%	8	2.7%	9	2.0%	0.0%
Total	10	100.0%	141	100.0%	298	100.0%	449	100.0%	32.1%
<i>Non-response:</i>	115	92.0%	1972	93.3%	3475	92.1%	5562	92.5%	

Table 4.8 Geographical location of main job, primary care practitioners working in NSW, 1993–2003

Location	1993 [†]	1994	1995	1996	1997	1998	1999	2000	2002	2003
Survey respondents										
Metropolitan Area Health Services										
Central Coast	220	230	206	269	285	279	272	276	232	237
Central Sydney	568	575	561	657	667	652	657	632	521	536
Hunter	425	403	419	486	490	500	493	512	428	422
Illawarra	224	264	251	293	301	296	308	303	262	279
Northern Sydney	891	921	855	984	1118	1050	1035	1025	872	945
South Eastern Sydney	930	957	948	1118	1188	1121	1069	1024	890	943
South Western Sydney	538	546	575	660	708	696	694	688	572	623
Wentworth	225	235	225	262	291	289	277	269	238	253
Western Sydney	533	571	564	675	665	629	619	601	502	540
Total Metropolitan	4554	4702	4604	5404	5713	5512	5424	5330	4517	4778
Rural Area Health Services										
Far West	26	32	28	24	23	19	29	23	20	22
Greater Murray	146	144	146	175	175	173	170	169	128	145
Macquarie	64	77	68	76	67	64	59	62	57	65
Mid North Coast	196	185	195	223	183	191	177	226	195	221
Mid Western	117	115	114	125	142	142	143	148	125	134
New England	113	125	131	146	139	134	132	148	116	115
Northern Rivers	177	194	196	225	264	258	262	232	218	227
Southern	107	121	107	145	138	145	146	153	135	141
Total Rural	946	993	985	1139	1131	1126	1118	1161	994	1070
Interstate (incl. ACT)	7	5	4	10	7	11	5	15	8	13
Total	5507	5700	5593	6553	6851	6649	6547	6506	5519	5861
<i>Location unknown</i>	356	232	135	166	184	191	203	183	116	150
Percentage Distribution										
Metropolitan Area Health Services										
Central Coast	4.0%	4.0%	3.7%	4.1%	4.2%	4.2%	4.2%	4.2%	4.2%	4.0%
Central Sydney	10.3%	10.1%	10.0%	10.0%	9.7%	9.8%	10.0%	9.7%	9.4%	9.1%
Hunter	7.7%	7.1%	7.5%	7.4%	7.2%	7.5%	7.5%	7.9%	7.8%	7.2%
Illawarra	4.1%	4.6%	4.5%	4.5%	4.4%	4.5%	4.7%	4.7%	4.7%	4.8%
Northern Sydney	16.2%	16.2%	15.3%	15.0%	16.3%	15.8%	15.8%	15.8%	15.8%	16.1%
South Eastern Sydney	16.9%	16.8%	16.9%	17.1%	17.3%	16.9%	16.3%	15.7%	16.1%	16.1%
South Western Sydney	9.8%	9.6%	10.3%	10.1%	10.3%	10.5%	10.6%	10.6%	10.4%	10.6%
Wentworth	4.1%	4.1%	4.0%	4.0%	4.2%	4.3%	4.2%	4.1%	4.3%	4.3%
Western Sydney	9.7%	10.0%	10.1%	10.3%	9.7%	9.5%	9.5%	9.2%	9.1%	9.2%
Total Metropolitan	82.7%	82.5%	82.3%	82.5%	83.4%	82.9%	82.8%	81.9%	81.8%	81.5%
Rural Area Health Services										
Far West	0.5%	0.6%	0.5%	0.4%	0.3%	0.3%	0.4%	0.4%	0.4%	0.4%
Greater Murray	2.7%	2.5%	2.6%	2.7%	2.6%	2.6%	2.6%	2.6%	2.3%	2.5%
Macquarie	1.2%	1.4%	1.2%	1.2%	1.0%	1.0%	0.9%	1.0%	1.0%	1.1%
Mid North Coast	3.6%	3.2%	3.5%	3.4%	2.7%	2.9%	2.7%	3.5%	3.5%	3.8%
Mid Western	2.1%	2.0%	2.0%	1.9%	2.1%	2.1%	2.2%	2.3%	2.3%	2.3%
New England	2.1%	2.2%	2.3%	2.2%	2.0%	2.0%	2.0%	2.3%	2.1%	2.0%
Northern Rivers	3.2%	3.4%	3.5%	3.4%	3.9%	3.9%	4.0%	3.6%	3.9%	3.9%
Southern	1.9%	2.1%	1.9%	2.2%	2.0%	2.2%	2.2%	2.4%	2.4%	2.4%
Total Rural	17.2%	17.4%	17.6%	17.4%	16.5%	16.9%	17.1%	17.8%	18.0%	18.3%
Interstate (incl. ACT)	0.1%	0.1%	0.1%	0.2%	0.1%	0.2%	0.1%	0.2%	0.1%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Location unknown</i>	6.1%	3.9%	2.4%	2.5%	2.6%	2.8%	3.0%	2.7%	2.1%	2.5%

Table 4.9 Location of main job by location of residence, primary care practitioners working in NSW, 2003

Geographical location of main job	Geographical location of residence																		Total	Location of residence unknown	Percentage living in different area to main job
	Central Coast	Central Sydney	Hunter	Illawarra	Northern Sydney	South Eastern Sydney	South Western Sydney	Wentworth	Western Sydney	Far West	Greater Murray	Macquarie	Mid North Coast	Mid Western	New England	Northern Rivers	Southern	Interstate			
Central Coast	196	2	6	0	24	2	3	0	1	0	2	0	0	0	0	0	0	0	236	1	16.9%
Central Sydney	1	277	2	1	98	115	17	0	14	0	1	0	0	0	0	0	0	1	527	9	47.4%
Hunter	5	0	400	1	3	3	0	2	0	0	0	0	1	1	1	0	0	0	417	5	4.1%
Illawarra	0	2	0	235	3	21	1	0	10	0	0	0	0	0	1	0	3	2	278	1	15.5%
Northern Sydney	2	41	0	0	801	36	46	5	2	0	1	0	0	1	0	0	1	0	936	9	14.4%
South Eastern Sydney	0	82	3	4	106	711	5	1	15	0	2	0	0	2	0	0	1	0	932	11	23.7%
South Western Sydney	0	76	0	0	172	15	238	14	18	0	1	0	0	1	0	0	0	0	535	5	55.5%
Wentworth	0	14	0	1	37	4	35	148	4	0	0	0	1	3	1	0	0	0	248	5	40.3%
Western Sydney	3	142	0	2	63	64	59	2	281	0	2	0	0	0	0	0	1	0	619	4	54.6%
Far West	0	0	1	0	2	0	0	0	0	16	0	0	0	0	0	0	0	1	20	2	20.0%
Greater Murray	0	1	1	1	0	0	1	0	0	0	137	0	0	0	1	0	0	2	144	1	4.9%
Macquarie	1	4	0	0	2	2	0	1	1	0	0	52	0	1	0	1	0	0	65	0	20.0%
Mid North Coast	0	2	1	0	3	4	3	0	0	0	0	0	206	0	0	0	0	0	219	2	5.9%
Mid Western	0	1	2	0	2	0	6	5	1	0	0	3	0	112	0	0	0	1	133	1	15.8%
New England	0	0	0	0	1	0	0	0	2	0	0	0	0	0	112	0	0	0	115	0	2.6%
Northern Rivers	0	2	0	0	0	2	1	0	1	0	0	0	3	0	0	206	0	4	219	8	5.9%
Southern	0	1	1	0	2	1	0	0	1	0	1	0	0	0	0	0	120	14	141	0	14.9%
Interstate	0	0	0	0	3	2	0	0	0	0	0	0	0	1	0	1	0	4	11	2	63.6%
Total	208	647	417	245	1322	982	415	178	351	16	147	55	211	122	116	208	126	29	5795	66	26.6%
<i>Work location unknown</i>	6	19	13	2	34	24	7	4	8	1	4	2	5	3	2	3	4	3	144	6	
Percentage working outside the area in which they live	5.8%	57.2%	4.1%	4.1%	39.4%	27.6%	42.7%	16.9%	19.9%	0.0%	6.8%	5.5%	2.4%	8.2%	3.4%	1.0%	4.8%	86.2%			

Table 4.10 Hours per week¹, usually worked in all medical jobs, primary care practitioners working in NSW, 2003

Hours per week	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Direct Patient Contact Hours²									
1-9	5	4.3%	103	5.0%	77	2.1%	185	3.2%	57.2%
10-19	11	9.5%	285	14.0%	117	3.2%	413	7.1%	70.9%
20-29	14	12.1%	401	19.7%	178	4.9%	593	10.2%	69.3%
30-34	7	6.0%	241	11.8%	214	5.9%	462	8.0%	53.0%
35-39	5	4.3%	225	11.0%	237	6.5%	467	8.1%	48.7%
40-44	16	13.8%	289	14.2%	598	16.4%	903	15.6%	32.6%
45-49	14	12.1%	152	7.5%	433	11.9%	599	10.3%	26.0%
50-59	23	19.8%	197	9.7%	944	25.9%	1164	20.1%	17.3%
60-69	15	12.9%	73	3.6%	545	15.0%	633	10.9%	11.8%
70+	6	5.2%	74	3.6%	295	8.1%	375	6.5%	20.1%
Total	116	100.0%	2040	100.0%	3638	100.0%	5794	100.0%	35.9%
<i>Hours u//k & no hours³</i>	9	7.2%	73	3.5%	135	3.6%	217	3.6%	
On Call — Hours Not Worked									
1-9	2	4.9%	104	20.5%	245	14.3%	351	15.5%	29.8%
10-19	12	29.3%	145	28.6%	397	23.2%	554	24.5%	26.8%
20-29	6	14.6%	81	16.0%	323	18.9%	410	18.2%	20.0%
30-34	0	0.0%	33	6.5%	108	6.3%	141	6.2%	23.4%
35-39	2	4.9%	13	2.6%	32	1.9%	47	2.1%	28.9%
40-44	2	4.9%	24	4.7%	76	4.4%	102	4.5%	24.0%
45-49	1	2.4%	8	1.6%	65	3.8%	74	3.3%	11.0%
50-59	1	2.4%	19	3.7%	58	3.4%	78	3.5%	24.7%
60-69	1	2.4%	10	2.0%	67	3.9%	78	3.5%	13.0%
70+	14	34.1%	70	13.8%	339	19.8%	423	18.7%	17.1%
Total	41	100.0%	507	100.0%	1710	100.0%	2258	100.0%	22.9%
<i>Hours u//k & no hours³</i>	84	67.2%	1606	76.0%	2063	54.7%	3753	62.4%	
Total Hours Actually Worked (excluding on call not worked)									
1-9	4	3.4%	88	4.3%	73	2.0%	165	2.8%	54.7%
10-19	10	8.4%	281	13.6%	116	3.1%	407	6.9%	70.8%
20-29	14	11.8%	411	19.9%	179	4.8%	604	10.3%	69.7%
30-34	7	5.9%	245	11.9%	216	5.8%	468	8.0%	53.1%
35-39	5	4.2%	222	10.8%	219	5.9%	446	7.6%	50.3%
40-44	16	13.4%	296	14.3%	569	15.4%	881	15.0%	34.2%
45-49	14	11.8%	156	7.6%	439	11.9%	609	10.3%	26.2%
50-59	22	18.5%	211	10.2%	975	26.3%	1208	20.5%	17.8%
60-69	16	13.4%	80	3.9%	588	15.9%	684	11.6%	12.0%
70+	11	9.2%	74	3.6%	329	8.9%	414	7.0%	18.4%
Total	119	100.0%	2064	100.0%	3703	100.0%	5886	100.0%	35.8%
<i>Hours u//k & no hours³</i>	6	4.8%	49	2.3%	70	1.9%	125	2.1%	

Notes

1. Respondents were asked to indicate "during the last 4 weeks how many hours per week did you usually work in medical jobs?", excluding time spent on travel between work locations, but including travel to home visits or other calls out, and excluding time spent on professional voluntary activities.
2. Hours per week in direct contact with patients are hours spent in scheduled patient sessions, and other face to face or telephone consultations
3. Due to the nature of the survey data it is not possible to distinguish "non-response" from "no hours".

Figure 4.2 Distribution of total hours worked per week by sex, primary care practitioners working in NSW, 2003




Table 4.11 Employment setting of main job by sex, primary care practitioners working in NSW, 2003

Employment setting	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total	Sex unknown	Female	Male	Total	
Public sector									
Ambulatory centre, day surgery, community health centre, outpatient clinic	2	36	33	71	1.8%	1.8%	0.9%	1.2%	52.2%
Aboriginal health service	2	16	11	29	1.8%	0.8%	0.3%	0.5%	59.3%
Hospital, including psychiatric hospital	1	33	63	97	0.9%	1.6%	1.8%	1.7%	34.4%
Other residential health facility	0	5	12	17	0.0%	0.2%	0.3%	0.3%	29.4%
Tertiary education institution	1	21	20	42	0.9%	1.0%	0.6%	0.7%	51.2%
Defence forces	4	11	32	47	3.5%	0.5%	0.9%	0.8%	25.6%
Government department/agency	0	9	14	23	0.0%	0.4%	0.4%	0.4%	39.1%
Other	2	14	19	35	1.8%	0.7%	0.5%	0.6%	42.4%
Total public sector	12	145	204	361	6.4%	7.8%	5.6%	6.3%	41.5%
Private sector									
Private rooms/surgery	89	1698	3063	4850	78.8%	84.4%	85.3%	84.8%	35.7%
Ambulatory centre, day surgery, community health centre, outpatient clinic	1	16	46	63	0.9%	0.8%	1.3%	1.1%	25.8%
24 hour/other medical centre	8	65	142	215	7.1%	3.2%	4.0%	3.8%	31.4%
Aboriginal health service	1	5	7	13	0.9%	0.2%	0.2%	0.2%	41.7%
Hospital, including psychiatric hospital	0	38	38	76	0.0%	1.9%	1.1%	1.3%	50.0%
Other residential health facility	2	4	15	21	1.8%	0.2%	0.4%	0.4%	21.1%
Tertiary education institution	0	5	1	6	0.0%	0.2%	0.0%	0.1%	83.3%
Other	0	37	74	111	0.0%	1.8%	2.1%	1.9%	33.3%
Total private sector	101	1868	3386	5355	93.6%	92.2%	94.4%	93.7%	35.6%
Total	113	2013	3590	5716	100.0%	100.0%	100.0%	100.0%	35.9%
<i>Non-response:</i>	12	100	183	295	9.6%	4.7%	4.9%	4.9%	

Table 4.12 Area of practice by sex, primary care practitioners working in NSW, 2003

Type of practice	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total	Sex unknown	Female	Male	Total	
General Practice	108	1855	3348	5311	89.3%	88.7%	89.8%	89.4%	35.7%
Special Interest Area	13	237	381	631	10.7%	11.3%	10.2%	10.6%	38.3%
Total survey respondents	121	2092	3729	5942	100.0%	100.0%	91.4%	94.5%	35.9%
<i>Area unknown</i>	4	21	44	69	3.2%	1.0%	1.2%	1.1%	

Table 4.13 Qualifications by sex, primary care practitioners working in NSW, 2003

Qualification	Sex unknown		Female		Male		Total		Per cent female
	No.	%	No.	%	No.	%	No.	%	
Vocationally registered	80	58.8%	1492	58.4%	2946	66.8%	4518	63.6%	33.6%
Holder of fellowship of RACGP	28	20.6%	685	26.8%	884	20.0%	1597	22.5%	43.7%
RACGP trainee	9	6.6%	164	6.4%	128	2.9%	301	4.2%	56.2%
Other	19	14.0%	213	8.3%	452	10.2%	684	9.6%	32.0%
Total	136	100.0%	2554	100.0%	4410	100.0%	7100	100.0%	36.7%
<i>Qualifications unknown</i>	9	6.2%	86	3.3%	176	3.8%	271	3.7%	

Note:

1 Some categories may be under-reported. Due to limitations in the survey data, primary care practitioners who work in multiple categories could not be identified. Table based on multiple responses.

Table 4.14 Primary care practitioners working as a locum or through a deputising service, by sex, 2003

Working as	Sex unknown		Female		Male		Total		Per cent female
	No.	%	No.	%	No.	%	No.	%	
A locum	12	11.8%	110	6.1%	179	6.2%	301	6.3%	38.1%
Through deputising service	2	2.0%	27	1.5%	24	0.8%	53	1.1%	52.9%
As a locum & in a deputising service	1	1.0%	9	0.5%	22	0.8%	32	0.7%	29.0%
None of the above	87	85.3%	1653	91.9%	2661	92.2%	4401	91.9%	38.3%
Total	102	100.0%	1799	100.0%	2886	100.0%	4787	100.0%	38.4%
<i>Unknown</i>	23	18.4%	314	14.9%	887	23.5%	1224	20.4%	

Note:

1 Due to the nature of the survey data it is not possible to distinguish non-response from not working as either. Limitations in the survey data may under-report the number of persons working through a deputising service.

Table 4.15 Number of primary care practitioners working at main practice location, 2003

Number in Practice	Sex unknown		Female		Male		Total		Per cent female
	No.	%	No.	%	No.	%	No.	%	
1	35	29.7%	262	13.0%	1070	29.8%	1367	23.9%	19.7%
2	14	11.9%	314	15.6%	536	14.9%	864	15.1%	36.9%
3	14	11.9%	257	12.8%	408	11.4%	679	11.9%	38.6%
4	15	12.7%	320	15.9%	370	10.3%	705	12.3%	46.4%
5 or more	40	33.9%	858	42.7%	1208	33.6%	2106	36.8%	41.5%
Total	118	100.0%	2011	100.0%	3592	100.0%	5721	100.0%	35.9%
<i>Unknown</i>	7	5.6%	102	4.8%	181	4.8%	290	4.8%	

5

SPECIALISTS AND CONSULTANTS WORKING IN NSW

Table 5.1 Age and sex distribution of specialists working in NSW, 2003

Age group	No.		%		No.		%		Per cent Female
	Female	Male	Female	Male	Total	Total	Total		
Under 25	0	0	0.0%	0.0%	0	0	0.0%	0.0%	0.0%
25-29	2	2	0.2%	0.0%	4	4	0.1%	50.0%	50.0%
30-34	91	144	8.8%	3.5%	235	235	4.5%	38.7%	38.7%
35-39	234	485	22.7%	11.7%	719	719	13.9%	32.5%	32.5%
40-44	226	643	21.9%	15.5%	869	869	16.7%	26.0%	26.0%
45-49	171	649	16.6%	15.6%	820	820	15.8%	20.9%	20.9%
50-54	126	609	12.2%	14.6%	735	735	14.2%	17.1%	17.1%
55-59	86	627	8.3%	15.1%	713	713	13.7%	12.1%	12.1%
60-64	51	447	5.0%	10.7%	498	498	9.6%	10.2%	10.2%
65-69	25	261	2.4%	6.3%	286	286	5.5%	8.7%	8.7%
70-74	13	160	1.3%	3.8%	173	173	3.3%	7.5%	7.5%
over 75	5	132	0.5%	3.2%	137	137	2.6%	3.6%	3.6%
Total	1030	4159	100.0%	100.0%	5189	5189	100.0%	19.8%	19.8%
Age unknown	31	89	2.9%	2.1%	120	120	2.3%		
Age & sex unknown					101	101	1.9%		
Total unknown					221	221	4.1%		

Figure 5.1 Age and sex distribution of specialists working in NSW, 2003




Table 5.2 Age and sex of specialists working in NSW, 1993 – 2003

Age group	1993 [†]	1994	1995	1996	1997	1998	1999	2000	2002	2003
Male — Survey Respondents										
Under 25	2	2	2	2	0	0	0	0	0	0
25-29	1	6	1	10	8	4	5	0	1	2
30-34	156	142	111	108	141	136	173	148	164	144
35-39	526	530	507	517	512	492	448	498	448	485
40-44	603	574	578	619	661	692	646	634	653	643
45-49	718	688	667	682	670	668	653	585	592	649
50-54	591	614	606	706	739	749	709	656	575	609
55-59	432	444	484	550	543	562	582	605	593	627
60-64	350	315	313	341	354	396	382	445	414	447
65-69	248	254	261	297	277	287	275	277	214	261
70-74	97	105	128	139	145	162	166	184	152	160
Over 75	83	76	74	81	72	90	96	128	112	132
Total	3807	3750	3732	4052	4122	4238	4135	4160	3918	4159
<i>Age unknown</i>	195	221	268	320	362	379	376	91	89	89
Female — Survey Respondents										
Under 25	1	0	1	0	0	0	0	0	0	0
25-29	1	4	4	3	0	1	2	0	2	2
30-34	65	54	48	51	58	70	88	85	84	91
35-39	127	152	146	150	169	158	143	216	223	234
40-44	124	133	140	172	186	174	178	221	190	226
45-49	102	105	89	108	124	138	146	158	168	171
50-54	63	60	81	102	103	115	114	100	111	126
55-59	52	52	60	68	69	72	65	79	84	86
60-64	26	27	30	38	29	39	52	55	44	51
65-69	23	21	18	21	17	19	17	23	21	25
70-74	8	10	7	10	9	9	11	9	9	13
Over 75	7	6	4	8	6	7	6	8	9	5
Total	599	624	628	731	770	802	822	954	945	1030
<i>Age unknown</i>	35	50	73	105	123	116	126	34	38	31
Male and Female — Survey Respondents										
Under 25	0	2	3	2	0	0	0	0	0	0
25-29	2	10	5	13	8	5	7	0	3	4
30-34	221	196	159	159	199	206	261	233	248	235
35-39	653	682	653	667	681	650	591	714	671	719
40-44	727	707	718	791	847	866	824	855	843	869
45-49	820	793	756	790	794	806	799	743	760	820
50-54	654	674	687	808	842	864	823	756	686	735
55-59	484	496	544	618	612	634	647	684	677	713
60-64	376	342	343	379	383	435	434	500	458	498
65-69	271	275	279	318	294	306	292	300	235	286
70-74	105	115	135	149	154	171	177	193	161	173
Over 75	90	82	78	89	78	97	102	136	121	137
Total	4403	4374	4360	4783	4892	5040	4957	5114	4863	5189
<i>Age unknown</i>	230	271	341	425	485	495	502	125	137	120
<i>Age & sex unknown</i>									10	101
Proportion Female										
All Ages	13.7%	14.5%	14.9%	16.1%	16.6%	16.6%	17.4%	18.9%	19.7%	20.0%

Table 5.3 Percentage distribution of age and sex of specialists working in NSW, 1993 – 2003

Age group	1993 [†]	1994	1995	1996	1997	1998	1999	2000	2002	2003
Males — Percentage Distribution										
Under 25	0.1%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
25-29	0.0%	0.0%	0.2%	0.0%	0.2%	0.2%	0.1%	0.1%	0.0%	0.0%
30-34	5.4%	4.1%	3.8%	3.0%	2.7%	3.4%	3.2%	4.2%	3.6%	3.5%
35-39	13.4%	13.8%	14.1%	13.6%	12.8%	12.4%	11.6%	10.8%	12.0%	11.7%
40-44	19.9%	15.8%	15.3%	15.5%	15.3%	16.0%	16.3%	15.6%	15.2%	15.5%
45-49	17.5%	18.9%	18.3%	17.9%	16.8%	16.3%	15.8%	15.8%	14.1%	15.6%
50-54	14.2%	15.5%	16.4%	16.2%	17.4%	17.9%	17.7%	17.1%	15.8%	14.6%
55-59	10.2%	11.3%	11.8%	13.0%	13.6%	13.2%	13.3%	14.1%	14.5%	15.1%
60-64	10.3%	9.2%	8.4%	8.4%	8.4%	8.6%	9.3%	9.2%	10.7%	10.7%
65-69	5.3%	6.5%	6.8%	7.0%	7.3%	6.7%	6.8%	6.7%	6.7%	6.3%
70-74	2.2%	2.5%	2.8%	3.4%	3.4%	3.5%	3.8%	4.0%	4.4%	3.8%
Over 75	1.6%	2.2%	2.0%	2.0%	2.0%	1.7%	2.1%	2.3%	3.1%	3.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Age unknown</i>	3.5%	4.9%	5.6%	6.7%	7.3%	8.1%	8.2%	8.3%	2.1%	2.1%
Females — Percentage Distribution										
Under 25	0.2%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
25-29	0.2%	0.6%	0.6%	0.4%	0.0%	0.1%	0.2%	0.0%	0.2%	0.2%
30-34	10.9%	8.7%	7.6%	7.0%	7.5%	8.7%	10.7%	8.9%	8.9%	8.8%
35-39	21.2%	24.4%	23.2%	20.5%	21.9%	19.7%	17.4%	22.6%	23.6%	22.7%
40-44	20.7%	21.3%	22.3%	23.5%	24.2%	21.7%	21.7%	23.2%	20.1%	21.9%
45-49	17.0%	16.8%	14.2%	14.8%	16.1%	17.2%	17.8%	16.6%	17.8%	16.6%
50-54	10.5%	9.6%	12.9%	14.0%	13.4%	14.3%	13.9%	10.5%	11.7%	12.2%
55-59	8.7%	8.3%	9.6%	9.3%	9.0%	9.0%	7.9%	8.3%	8.9%	8.3%
60-64	4.3%	4.3%	4.8%	5.2%	3.8%	4.9%	6.3%	5.8%	4.7%	5.0%
65-69	3.8%	3.4%	2.9%	2.9%	2.2%	2.4%	2.1%	2.4%	2.2%	2.4%
70-74	1.3%	1.6%	1.1%	1.4%	1.2%	1.1%	1.3%	0.9%	1.0%	1.3%
Over 75	1.2%	1.0%	0.6%	1.1%	0.8%	0.9%	0.7%	0.8%	1.0%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Age unknown</i>	5.5%	7.4%	10.4%	12.6%	13.8%	12.6%	13.3%	3.4%	3.9%	2.9%
Male and Female — Survey Respondents										
Under 25	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
25-29	0.0%	0.2%	0.1%	0.3%	0.2%	0.1%	0.1%	0.0%	0.1%	0.1%
30-34	5.0%	4.5%	3.6%	3.3%	4.1%	4.1%	5.3%	4.6%	5.1%	4.5%
35-39	14.8%	15.6%	15.0%	13.9%	13.9%	12.9%	11.9%	14.0%	13.8%	13.9%
40-44	16.5%	16.2%	16.5%	16.5%	17.3%	17.2%	16.6%	16.7%	17.3%	16.7%
45-49	18.6%	18.1%	17.3%	16.5%	16.2%	16.0%	16.1%	14.5%	15.6%	15.8%
50-54	14.9%	15.4%	15.8%	16.9%	17.2%	17.1%	16.6%	14.8%	14.1%	14.2%
55-59	11.0%	11.3%	12.5%	12.9%	12.5%	12.6%	13.1%	13.4%	13.9%	13.7%
60-64	8.5%	7.8%	7.9%	7.9%	7.8%	8.6%	8.8%	9.8%	9.4%	9.6%
65-69	6.2%	6.3%	6.4%	6.6%	6.0%	6.1%	5.9%	5.9%	4.8%	5.5%
70-74	2.4%	2.6%	3.1%	3.1%	3.1%	3.4%	3.6%	3.8%	3.3%	3.3%
Over 75	2.0%	1.9%	1.8%	1.9%	1.6%	1.9%	2.1%	2.7%	2.5%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Age unknown</i>	5.0%	5.8%	7.3%	8.2%	9.0%	8.9%	9.2%	2.4%	2.7%	2.3%
<i>Total unknown</i>								11.3%	2.9%	4.1%

Table 5.4 Estimated number of locations by sex, specialists working in NSW, 2003

No. of locations	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
One location only	33	41.3%	441	47.3%	1443	37.8%	1917	39.7%	23.4%
Two locations	23	28.8%	288	30.9%	1245	32.6%	1556	32.2%	18.8%
Three locations	24	30.0%	203	21.8%	1133	29.7%	1360	28.1%	15.2%
Total	80	100.0%	932	100.0%	3821	100.0%	4833	100.0%	19.6%
	21	20.8%	129	12.2%	427	10.1%	577	10.7%	

Notes

¹ Data has been estimated from Question 9 of the survey form, "What is the percentage of total hours worked in each locality over the last four weeks?", which was asked for up to three locations. This was not the same as data collected on jobs in previous profiles.

² "Location" refers to distinct locations although in some cases respondents provided the same postcode for more than one location.

Table 5.5 Main geographical location by sex, specialists working in NSW, 2003

Geographical location	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
Metropolitan Areas									
Central Coast	1	1.1%	20	2.1%	139	3.8%	160	3.0%	12.6%
Central Sydney	10	11.2%	153	16.0%	459	12.4%	622	11.8%	25.0%
Hunter	7	7.9%	58	6.1%	326	8.8%	391	7.4%	15.1%
Illawarra	4	4.5%	21	2.2%	151	4.1%	176	3.3%	12.2%
Northern Sydney	17	19.1%	209	21.9%	702	19.0%	928	17.6%	22.9%
South Eastern Sydney	20	22.5%	251	26.3%	988	26.7%	1259	23.8%	20.3%
South Western Sydney	12	13.5%	78	8.2%	329	8.9%	419	7.9%	19.2%
Wentworth	2	2.2%	35	3.7%	137	3.7%	174	3.3%	20.3%
Western Sydney	10	11.2%	127	13.3%	457	12.3%	594	11.3%	21.7%
Total Metropolitan	83	93.3%	952	99.8%	3688	99.6%	4723	89.5%	20.5%
Rural Areas									
Far West	0	0.0%	2	0.2%	7	0.2%	9	0.2%	0.0%
Greater Murray	0	0.0%	9	0.9%	104	2.8%	113	2.1%	8.0%
Macquarie	1	1.1%	2	0.2%	26	0.7%	29	0.5%	7.1%
Mid North Coast	2	2.2%	11	1.2%	111	3.0%	124	2.3%	9.0%
Mid Western	1	1.1%	14	1.5%	53	1.4%	68	1.3%	20.9%
New England	2	2.2%	13	1.4%	51	1.4%	66	1.3%	20.3%
Northern Rivers	1	1.1%	16	1.7%	83	2.2%	100	1.9%	16.2%
Southern	0	0.0%	6	0.6%	30	0.8%	36	0.7%	16.7%
Total Rural Areas	7	7.9%	73	7.7%	465	12.6%	545	10.3%	13.6%
Interstate (including ACT)	3	3.4%	1	0.1%	8	0.2%	12	0.2%	11.1%
Total	89	100.0%	954	100.0%	3704	100.0%	5280	100.0%	20.5%
Non-response:	8	8.2%	35	3.5%	87	2.3%	130	2.4%	

Table 5.6 Second geographical location by sex, specialists working in NSW, 2003

Geographical location	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Metropolitan Areas									
Central Coast	0	0.0%	13	2.4%	93	3.7%	106	3.4%	12.3%
Central Sydney	6	10.5%	92	16.7%	300	11.9%	398	12.7%	23.5%
Hunter	3	5.3%	26	4.7%	190	7.5%	219	7.0%	12.0%
Illawarra	0	0.0%	9	1.6%	95	3.8%	104	3.3%	8.7%
Northern Sydney	10	17.5%	119	21.6%	438	17.3%	567	18.1%	21.4%
South Eastern Sydney	8	14.0%	130	23.6%	487	19.3%	625	19.9%	21.1%
South Western Sydney	12	21.1%	41	7.4%	226	8.9%	279	8.9%	15.4%
Wentworth	2	3.5%	16	2.9%	79	3.1%	97	3.1%	16.8%
Western Sydney	7	12.3%	59	10.7%	294	11.6%	360	11.5%	16.7%
Total Metropolitan Areas	48	84.2%	505	91.7%	2202	87.1%	2755	87.9%	18.7%
Rural Areas									
Far West	0	0.0%	2	0.0%	5	0.0%	7	0.0%	28.6%
Greater Murray	0	0.0%	4	0.7%	31	1.2%	35	1.1%	11.4%
Macquarie	1	1.8%	1	0.2%	16	0.6%	18	0.6%	5.9%
Mid North Coast	2	3.5%	12	2.2%	68	2.7%	82	2.6%	15.0%
Mid Western	1	1.8%	7	1.3%	49	1.9%	57	1.8%	12.5%
New England	1	1.8%	5	0.9%	38	1.5%	44	1.4%	11.6%
Northern Rivers	0	0.0%	7	1.3%	51	2.0%	58	1.8%	12.1%
Southern	1	1.8%	4	0.7%	20	0.8%	25	0.8%	16.7%
Total Rural Areas	6	10.5%	42	7.6%	278	11.0%	326	10.4%	13.1%
Interstate (including ACT)	3	5.3%	4	0.7%	48	1.9%	55	1.8%	7.7%
Total	57	100.0%	551	100.0%	2528	100.0%	3136	100.0%	17.9%
<i>Non-response:</i>	44	43.6%	510	48.1%	1720	40.5%	2274	42.0%	

Table 5.7 Third geographical location by sex, specialists working in NSW, 2003

Geographical location	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Metropolitan Areas									
Central Coast	0	0.0%	8	3.5%	44	3.6%	52	3.5%	15.4%
Central Sydney	2	8.3%	20	8.8%	111	9.1%	133	9.0%	15.3%
Hunter	2	8.3%	13	5.7%	104	8.5%	119	8.1%	11.1%
Illawarra	1	4.2%	4	1.8%	46	3.8%	51	3.5%	8.0%
Northern Sydney	6	25.0%	49	21.5%	247	20.1%	302	20.4%	16.6%
South Eastern Sydney	1	4.2%	49	21.5%	194	15.8%	244	16.5%	20.2%
South Western Sydney	4	16.7%	21	9.2%	113	9.2%	138	9.3%	15.7%
Wentworth	1	4.2%	9	3.9%	36	2.9%	46	3.1%	20.0%
Western Sydney	1	4.2%	27	11.8%	154	12.6%	182	12.3%	14.9%
Total Metropolitan Areas	18	75.0%	200	87.7%	1049	85.6%	1267	85.7%	16.0%
Rural Areas									
Far West	0	0.0%	0	0.0%	2	0.0%	2	0.0%	0.0%
Greater Murray	0	0.0%	3	1.3%	22	1.8%	25	1.7%	12.0%
Macquarie	0	0.0%	2	0.0%	13	0.0%	15	0.0%	13.3%
Mid North Coast	2	8.3%	6	2.6%	37	3.0%	45	3.0%	14.0%
Mid Western	2	0.0%	5	0.0%	31	0.0%	38	0.0%	13.9%
New England	0	0.0%	1	0.0%	17	0.0%	18	0.0%	5.6%
Northern Rivers	0	0.0%	4	1.8%	23	1.9%	27	1.8%	14.8%
Southern	1	4.2%	2	0.9%	5	0.4%	8	0.5%	0.0%
Total Rural Areas	5	20.8%	23	10.1%	150	12.2%	178	12.0%	13.3%
Interstate (including ACT)	1	4.2%	5	2.2%	27	2.2%	33	2.2%	15.6%
Total	24	100.0%	228	100.0%	1226	100.0%	1478	100.0%	15.7%
<i>Non-response:</i>	77	76.2%	833	78.5%	3022	71.1%	3932	72.7%	

Table 5.8 Geographical location of main job, specialists working in NSW, 1993–2003

Location	1993 [†]	1994	1995	1996	1997	1998	1999	2000	2002	2003
Survey respondents										
Metropolitan Area Health Services										
Central Coast	103	113	116	135	135	145	142	152	142	160
Central Sydney	605	631	616	707	670	699	681	703	570	622
Hunter	333	339	335	360	381	352	383	404	359	391
Illawarra	165	161	156	180	179	186	178	190	157	176
Northern Sydney	755	736	781	838	877	952	910	986	873	928
South Eastern Sydney	1058	1080	1103	1237	1266	1264	1262	1346	1187	1259
South Western Sydney	267	296	300	350	406	426	401	419	354	419
Wentworth	124	128	132	154	144	159	152	175	159	174
Western Sydney	444	451	468	561	545	549	556	630	567	594
Total Metropolitan	3854	3935	4007	4522	4603	4732	4665	5005	4368	4723
Rural Area Health Services										
Far West	3	4	8	13	11	16	11	6	9	9
Greater Murray	94	108	112	117	121	118	123	118	103	113
Macquarie	27	22	22	27	31	34	30	32	27	29
Mid North Coast	104	99	108	128	87	90	87	125	124	124
Mid Western	64	63	64	68	66	71	71	74	59	68
New England	72	66	69	70	81	85	76	74	61	66
Northern Rivers	92	90	92	106	149	162	148	111	102	100
Southern	35	36	29	34	42	37	40	40	30	36
Total Rural	491	488	504	563	588	613	586	580	515	545
Interstate (incl. ACT)	3	7	2	7	4	6	4	14	9	12
Total	4348	4430	4513	5092	5195	5351	5255	5599	4892	5280
<i>Location unknown</i>	288	215	188	116	182	184	204	150	98	130
Percentage Distribution										
Metropolitan Area Health Services										
Central Coast	2.4%	2.6%	2.6%	2.7%	2.6%	2.7%	2.7%	2.7%	2.9%	3.4%
Central Sydney	13.9%	14.2%	13.6%	13.9%	12.9%	13.1%	13.0%	12.6%	11.7%	13.1%
Hunter	7.7%	7.7%	7.4%	7.1%	7.3%	6.6%	7.3%	7.2%	7.3%	8.2%
Illawarra	3.8%	3.6%	3.5%	3.5%	3.4%	3.5%	3.4%	3.4%	3.2%	3.7%
Northern Sydney	17.4%	16.6%	17.3%	16.5%	16.9%	17.8%	17.3%	17.6%	17.8%	19.5%
South Eastern Sydney	24.3%	24.4%	24.4%	24.3%	24.4%	23.6%	24.0%	24.0%	24.3%	26.5%
South Western Sydney	6.1%	6.7%	6.6%	6.9%	7.8%	8.0%	7.6%	7.5%	7.2%	8.8%
Wentworth	2.9%	2.9%	2.9%	3.0%	2.8%	3.0%	2.9%	3.1%	3.3%	3.7%
Western Sydney	10.2%	10.2%	10.4%	11.0%	10.5%	10.3%	10.6%	11.3%	11.6%	12.5%
Total Metropolitan	88.6%	88.8%	88.8%	88.8%	88.6%	88.4%	88.8%	89.4%	89.3%	99.5%
Rural Area Health Services										
Far West	0.1%	0.1%	0.2%	0.3%	0.2%	0.3%	0.2%	0.1%	0.2%	0.2%
Greater Murray	2.2%	2.4%	2.5%	2.3%	2.3%	2.2%	2.3%	2.1%	2.1%	2.4%
Macquarie	0.6%	0.5%	0.5%	0.5%	0.6%	0.6%	0.6%	0.6%	0.6%	0.6%
Mid North Coast	2.4%	2.2%	2.4%	2.5%	1.7%	1.7%	1.7%	2.2%	2.5%	2.6%
Mid Western	1.5%	1.4%	1.4%	1.3%	1.3%	1.3%	1.4%	1.3%	1.2%	1.4%
New England	1.7%	1.5%	1.5%	1.4%	1.6%	1.6%	1.4%	1.3%	1.2%	1.4%
Northern Rivers	2.1%	2.0%	2.0%	2.1%	2.9%	3.0%	2.8%	2.0%	2.1%	2.1%
Southern	0.8%	0.8%	0.6%	0.7%	0.8%	0.7%	0.8%	0.7%	0.6%	0.8%
Total Rural	11.3%	11.0%	11.2%	11.1%	11.3%	11.5%	11.2%	10.4%	10.5%	11.5%
Interstate (incl. ACT)	0.1%	0.2%	0.0%	0.1%	0.1%	0.1%	0.1%	0.3%	0.2%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Location unknown</i>	6.2%	4.6%	4.0%	2.2%	3.4%	3.3%	3.7%	2.6%	2.0%	2.7%

Table 5.9 Geographical location of main job by location of residence, specialists working in NSW, 2003

Geographical location of main job	Geographical location of residence																		Total	Location of residence unknown	Percentage living in different area to main job
	Central Coast	Central Sydney	Hunter	Illawarra	Northern Sydney	South Eastern Sydney	South Western Sydney	Wentworth	Western Sydney	Far West	Greater Murray	Macquarie	Mid North Coast	Mid Western	New England	Northern Rivers	Southern	Interstate			
Central Coast	128	1	5	0	21	2	0	1	0	0	0	0	0	0	0	0	0	1	159	1	19.5%
Central Sydney	1	213	0	1	231	144	14	3	4	0	0	0	2	0	1	1	0	0	615	7	65.4%
Hunter	6	2	368	0	3	3	2	1	0	0	0	0	1	1	1	0	0	1	389	2	5.4%
Illawarra	0	4	1	133	7	25	0	0	3	0	1	0	1	0	0	0	0	0	175	1	24.0%
Northern Sydney	1	59	1	1	733	92	17	4	3	0	1	1	0	0	2	1	0	0	916	12	20.0%
South Eastern Sydney	1	130	5	8	285	787	13	1	6	1	1	0	1	1	0	0	4	1	1245	14	36.8%
South Western Sydney	2	123	1	1	291	47	95	16	13	0	0	0	0	0	0	0	0	1	590	4	83.9%
Wentworth	0	21	0	0	38	12	16	82	3	0	1	0	0	0	0	0	0	0	173	1	52.6%
Western Sydney	1	95	0	3	99	91	22	3	95	0	0	0	0	0	0	0	0	1	410	9	76.8%
Far West	0	0	0	0	0	0	0	0	0	6	1	0	0	0	0	0	0	0	7	2	14.3%
Greater Murray	0	5	0	2	3	0	0	1	0	0	90	0	0	1	0	0	1	4	107	6	15.9%
Macquarie	0	2	0	0	5	2	0	0	0	0	0	0	113	0	1	1	0	0	124	0	100.0%
Mid North Coast	0	2	1	0	3	1	1	2	1	0	0	0	0	57	0	0	0	0	68	0	100.0%
Mid Western	0	2	3	1	0	3	0	0	0	0	0	0	2	0	55	0	0	0	66	0	100.0%
New England	0	1	1	0	0	0	0	0	0	0	1	0	2	0	1	86	0	4	96	4	99.0%
Northern Rivers	0	1	0	0	2	0	0	0	0	0	0	23	0	2	1	0	0	0	29	0	100.0%
Southern	0	1	0	0	1	2	1	0	3	0	0	0	0	0	0	0	25	2	35	1	28.6%
Interstate	1	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0	0	2	6	6	66.7%
Total	141	662	386	150	1722	1211	182	114	131	7	98	24	122	62	62	89	30	17	5210	70	47.1%
<i>Location unknown</i>	4	21	10	2	38	31	2	1	3	0	1	0	1	1	2	2	0	2	121	9	
Percentage working outside the area in which they live	9.2%	67.8%	4.7%	11.3%	57.4%	35.0%	47.8%	28.1%	27.5%	14.3%	8.2%	100.0%	100.0%	100.0%	98.4%	100.0%	16.7%	88.2%			

Table 5.10 Hours per week₁ usually worked in all medical jobs, specialists working in NSW, 2003

Hours per week	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Direct Patient Contact Hours²									
1-9	7	9.1%	113	13.0%	297	7.9%	417	8.8%	25.7%
10-19	8	10.4%	141	16.2%	339	9.0%	488	10.3%	24.0%
20-29	11	14.3%	215	24.7%	513	13.6%	739	15.6%	43.2%
30-34	9	11.7%	143	16.5%	464	12.3%	616	13.0%	47.7%
35-39	8	10.4%	75	8.6%	331	8.8%	414	8.8%	32.1%
40-44	18	23.4%	100	11.5%	662	17.5%	780	16.5%	23.3%
45-49	6	7.8%	21	2.4%	322	8.5%	349	7.4%	17.0%
50-59	5	6.5%	42	4.8%	557	14.7%	604	12.8%	14.8%
60-69	3	3.9%	12	1.4%	229	6.1%	244	5.2%	9.2%
70+	2	2.6%	7	0.8%	65	1.7%	74	1.6%	8.3%
Total	77	100.0%	869	100.0%	3779	100.0%	4725	100.0%	19.8%
<i>Hours u//k & no hours³</i>	24	23.8%	192	18.1%	469	11.0%	685	12.7%	
On Call — Hours Not Worked									
1-9	2	5.0%	57	11.3%	185	7.3%	244	7.9%	23.6%
10-19	6	15.0%	110	21.7%	482	18.9%	598	19.3%	18.6%
20-29	14	35.0%	88	17.4%	574	22.5%	676	21.9%	13.3%
30-34	2	5.0%	39	7.7%	222	8.7%	263	8.5%	14.9%
35-39	5	12.5%	14	2.8%	73	2.9%	92	3.0%	16.1%
40-44	2	5.0%	32	6.3%	186	7.3%	220	7.1%	14.7%
45-49	1	2.5%	24	4.7%	117	4.6%	142	4.6%	17.0%
50-59	0	0.0%	22	4.3%	112	4.4%	134	4.3%	16.4%
60-69	1	2.5%	17	3.4%	86	3.4%	104	3.4%	16.5%
70+	7	17.5%	103	20.4%	510	20.0%	620	20.0%	16.8%
Total	40	100.0%	506	100.0%	2547	100.0%	3093	100.0%	16.6%
<i>Hours u//k & no hours³</i>	61	60.4%	555	52.3%	1701	40.0%	2317	42.8%	
Total Hours Actually Worked (excluding on call not worked)									
1-9	6	6.4%	37	3.6%	107	2.6%	150	2.8%	25.7%
10-19	3	3.2%	49	4.8%	155	3.7%	207	3.9%	24.0%
20-29	11	11.7%	149	14.5%	196	4.7%	356	6.7%	43.2%
30-34	5	5.3%	122	11.9%	134	3.2%	261	4.9%	47.7%
35-39	3	3.2%	72	7.0%	152	3.6%	227	4.3%	32.1%
40-44	14	14.9%	191	18.6%	628	15.1%	833	15.7%	23.3%
45-49	10	10.6%	89	8.6%	435	10.4%	534	10.1%	17.0%
50-59	18	19.1%	200	19.4%	1148	27.5%	1366	25.8%	14.8%
60-69	19	20.2%	90	8.7%	887	21.3%	996	18.8%	9.2%
70+	5	5.3%	30	2.9%	330	7.9%	365	6.9%	8.3%
Total	94	100.0%	1029	100.0%	4172	100.0%	5295	100.0%	19.8%
<i>Hours u//k & no hours³</i>	7	6.9%	32	3.0%	76	1.8%	115	2.1%	

Figure 5.2 Distribution of total hours worked per week by sex, specialists working in NSW, 2003




Table 5.11 Employment setting of main job by sex, specialists working in NSW, 2003

Employment setting	Sex unknown		Female		Male		Total		Per cent female
	No.	%	No.	%	No.	%	No.	%	
Public sector									
Ambulatory centre, day surgery, community health centre, outpatient clinic	3	3.3%	63	6.2%	129	3.2%	195	3.8%	32.8%
Aboriginal health service	0	0.0%	1	0.1%	3	0.1%	4	0.1%	0.0%
Hospital, including psychiatric hospital	34	37.4%	420	41.3%	1301	31.8%	1755	33.8%	24.4%
Other residential health facility	0	0.0%	7	0.7%	7	0.2%	14	0.3%	50.0%
Tertiary education institution	6	6.6%	38	3.7%	96	2.3%	140	2.7%	28.4%
Defence forces	0	0.0%	1	0.1%	4	0.1%	5	0.1%	20.0%
Government department/agency	0	0.0%	23	2.3%	56	1.4%	79	1.5%	29.1%
Other	2	2.2%	19	1.9%	47	1.1%	68	1.3%	28.8%
Total public sector	45	49.5%	572	56.3%	1643	40.2%	2260	43.5%	25.8%
Private sector									
Private rooms/surgery	33	36.3%	338	33.3%	1884	46.1%	2255	43.4%	15.2%
Ambulatory centre, day surgery, community health centre, outpatient clinic	3	3.3%	15	1.5%	70	1.7%	88	1.7%	17.6%
24 hour/other medical centre	0	0.0%	1	0.1%	14	0.3%	15	0.3%	6.7%
Aboriginal health service	1	1.1%	0	0.0%	1	0.0%	2	0.0%	0.0%
Hospital, including psychiatric hospital	6	6.6%	54	5.3%	324	7.9%	384	7.4%	14.3%
Other residential health facility	0	0.0%	1	0.1%	2	0.0%	3	0.1%	0.0%
Tertiary education institution	0	0.0%	2	0.2%	12	0.3%	14	0.3%	14.3%
Other	3	3.3%	33	3.2%	137	3.4%	173	3.3%	19.4%
Total private sector	46	50.5%	444	43.7%	2444	59.8%	2934	56.5%	15.4%
Total	91	100.0%	1016	100.0%	4087	100.0%	5194	100.0%	19.9%
<i>Non-response:</i>	10	9.9%	45	4.2%	161	3.8%	216	4.0%	

Table 5.12 Main specialist qualification, by specialisation and sex, 2003

Qualifications	No.	%	No.	%	No.	%	No.	%	Per cent female	
	Sex unknown		Female		Male		Total			
Internal Medicine										
Cardiology	3	3.2%	14	1.4%	183	4.5%	200	3.8%	7.0%	
Clinical haematology	0	0.0%	12	1.2%	40	1.0%	52	1.0%	23.1%	
Clinical immunology	1	1.1%	4	0.4%	30	0.7%	35	0.7%	11.4%	
Clinical pharmacology	0	0.0%	1	0.1%	7	0.2%	8	0.2%	12.5%	
Endocrinology	0	0.0%	19	1.8%	58	1.4%	77	1.5%	24.7%	
Gastroenterology	2	2.2%	16	1.5%	95	2.3%	113	2.2%	14.2%	
General medicine	0	0.0%	14	1.4%	103	2.5%	117	2.2%	12.0%	
Geriatrics	4	4.3%	20	1.9%	44	1.1%	68	1.3%	29.4%	
Infectious diseases	0	0.0%	8	0.8%	22	0.5%	30	0.6%	26.7%	
Medical oncology	4	4.3%	15	1.4%	36	0.9%	55	1.1%	27.3%	
Neurology	1	1.1%	11	1.1%	77	1.9%	89	1.7%	12.4%	
Nuclear medicine	4	4.3%	9	0.9%	53	1.3%	66	1.3%	13.6%	
Paediatric medicine	2	2.2%	87	8.4%	174	4.2%	263	5.0%	33.1%	
Renal medicine	1	1.1%	13	1.3%	38	0.9%	52	1.0%	25.0%	
Rheumatology	2	2.2%	22	2.1%	44	1.1%	68	1.3%	32.4%	
Thoracic medicine	2	2.2%	15	1.4%	68	1.7%	85	1.6%	17.6%	
Pathology										
General pathology	0	0.0%	12	1.2%	40	1.0%	52	1.0%	23.1%	
Anatomical pathology	3	3.2%	50	4.8%	86	2.1%	139	2.7%	36.0%	
Clinical chemistry	0	0.0%	2	0.2%	12	0.3%	14	0.3%	14.3%	
Cytopathology	0	0.0%	2	0.2%	1	0.0%	3	0.1%	66.7%	
Forensic pathology	0	0.0%	1	0.1%	6	0.1%	7	0.1%	14.3%	
Haematology	0	0.0%	11	1.1%	18	0.4%	29	0.6%	37.9%	
Immunology	0	0.0%	2	0.2%	4	0.1%	6	0.1%	33.3%	
Microbiology	1	1.1%	9	0.9%	19	0.5%	29	0.6%	31.0%	
Surgery										
General surgery	9	9.7%	15	1.4%	258	6.3%	282	5.4%	5.3%	
Cardio-thoracic surgery	1	1.1%	2	0.2%	25	0.6%	28	0.5%	7.1%	
Neurosurgery	0	0.0%	2	0.2%	32	0.8%	34	0.7%	5.9%	
Orthopaedic surgery	4	4.3%	6	0.6%	214	5.2%	224	4.3%	2.7%	
Otolaryngology	1	1.1%	8	0.8%	70	1.7%	79	1.5%	3.6%	
Paediatric surgery	1	1.1%	2	0.2%	17	0.4%	20	0.4%	10.0%	
Plastic/reconstructive surg	1	1.1%	4	0.4%	63	1.5%	68	1.3%	5.9%	
Urology	0	0.0%	1	0.1%	50	1.2%	51	1.0%	2.0%	
Vascular Surgery	2	2.2%	3	0.3%	35	0.9%	40	0.8%	7.5%	
Other Specialties										
Anaesthesia	7	7.5%	127	12.3%	452	11.0%	586	11.2%	20.6%	
Clinical Genetics	0	0.0%	11	1.1%	9	0.2%	20	0.4%	55.6%	
Dermatology	0	0.0%	42	4.1%	63	1.5%	105	2.0%	36.0%	
Diagnostic Radiology	4	4.3%	65	6.3%	259	6.3%	328	6.3%	14.7%	
Emergency Medicine	2	2.2%	21	2.0%	80	2.0%	103	2.0%	18.0%	
I. C. Anaesthesia	1	1.1%	5	0.5%	23	0.6%	29	0.6%	16.0%	
I. C. Internal Medicine	0	0.0%	3	0.3%	44	1.1%	47	0.9%	10.6%	
Medical Administration	2	2.2%	16	1.5%	49	1.2%	67	1.3%	23.6%	
Obst. & Gyn.	6	6.5%	51	4.9%	243	5.9%	300	5.7%	13.7%	
Occupational Medicine	2	2.2%	11	1.1%	49	1.2%	62	1.2%	14.4%	
Ophthalmology	6	6.5%	27	2.6%	172	4.2%	205	3.9%	11.8%	
Psychiatry	10	10.8%	152	14.7%	395	9.6%	557	10.7%	26.7%	
Public Health Medicine	2	2.2%	25	2.4%	33	0.8%	60	1.1%	25.0%	
Radiation Oncology	1	1.1%	14	1.4%	31	0.8%	46	0.9%	16.7%	
Rehabilitation Medicine	1	1.1%	15	1.4%	73	1.8%	89	1.7%	20.3%	
Other	0	0.0%	38	3.7%	100	2.4%	138	2.6%	27.5%	
Total	93	100.0%	1035	100.0%	4097	100.0%	5,225	100.0%	19.8%	
Summary by major areas										
Internal medicine	26	28.0%	280	27.1%	1,072	26.2%	1,378	26.4%	20.3%	
Pathology	4	4.3%	89	8.6%	186	4.5%	279	5.3%	31.9%	
Surgery	19	20.4%	43	4.2%	764	18.6%	826	15.8%	5.2%	
Other specialties	44	47.3%	623	60.2%	2,075	50.6%	2,742	52.5%	22.7%	
Qualifications unknown	8	1.6%	26	2.5%	151	3.6%	185	3.4%		

Table 5.13 Number of specialist qualifications held by specialists, by specialisation and sex, 2003

Qualifications	No.	%	No.	%	No.	%	No.	%	Per cent female
	Sex unknown		Female		Male		Total		
Internal Medicine									
Cardiology	3	2.7%	15	1.2%	198	3.9%	216	3.4%	7.0%
Clinical haematology	0	0.0%	15	1.2%	54	1.1%	69	1.1%	21.7%
Clinical immunology	1	0.9%	12	1.0%	33	0.7%	46	0.7%	26.7%
Clinical pharmacology	0	0.0%	3	0.2%	15	0.3%	18	0.3%	16.7%
Endocrinology	0	0.0%	26	2.1%	67	1.3%	93	1.5%	28.0%
Gastroenterology	2	1.8%	17	1.4%	111	2.2%	130	2.0%	13.3%
General medicine	5	4.5%	40	3.2%	267	5.3%	312	4.9%	13.0%
Geriatrics	4	3.6%	21	1.7%	56	1.1%	81	1.3%	27.3%
Infectious diseases	0	0.0%	13	1.1%	33	0.7%	46	0.7%	28.3%
Medical oncology	4	3.6%	15	1.2%	48	1.0%	67	1.0%	23.8%
Neurology	1	0.9%	15	1.2%	81	1.6%	97	1.5%	15.6%
Nuclear medicine	4	3.6%	10	0.8%	72	1.4%	86	1.3%	12.2%
Paediatric medicine	2	1.8%	100	8.1%	206	4.1%	308	4.8%	32.7%
Renal medicine	1	0.9%	13	1.1%	43	0.9%	57	0.9%	23.2%
Rheumatology	3	2.7%	22	1.8%	56	1.1%	81	1.3%	28.2%
Thoracic medicine	2	1.8%	21	1.7%	92	1.8%	115	1.8%	18.6%
Pathology									
General pathology	0	0.0%	13	1.1%	48	1.0%	61	1.0%	21.3%
Anatomical pathology	3	2.7%	53	4.3%	93	1.8%	149	2.3%	36.3%
Clinical chemistry	1	0.9%	4	0.3%	16	0.3%	21	0.3%	20.0%
Cytopathology	0	0.0%	27	2.2%	37	0.7%	64	1.0%	42.2%
Forensic pathology	0	0.0%	2	0.2%	10	0.2%	12	0.2%	16.7%
Haematology	1	0.9%	25	2.0%	56	1.1%	82	1.3%	30.9%
Immunology	0	0.0%	5	0.4%	24	0.5%	29	0.5%	17.2%
Microbiology	1	0.9%	11	0.9%	32	0.6%	44	0.7%	25.6%
Surgery									
General surgery	9	8.1%	20	1.6%	311	6.2%	340	5.3%	6.0%
Cardio-thoracic surgery	1	0.9%	2	0.2%	27	0.5%	30	0.5%	6.9%
Neurosurgery	0	0.0%	2	0.2%	34	0.7%	36	0.6%	5.6%
Orthopaedic surgery	4	3.6%	6	0.5%	226	4.5%	236	3.7%	2.6%
Otolaryngology	1	0.9%	8	0.6%	79	1.6%	88	1.4%	9.2%
Paediatric surgery	2	1.8%	3	0.2%	42	0.8%	47	0.7%	6.7%
Plastic/reconstructive surg	1	0.9%	5	0.4%	69	1.4%	75	1.2%	6.8%
Urology	0	0.0%	1	0.1%	54	1.1%	55	0.9%	1.8%
Vascular Surgery	2	1.8%	3	0.2%	42	0.8%	47	0.7%	6.7%
Other Specialties									
Anaesthesia	7	6.3%	133	10.8%	494	9.8%	634	9.9%	21.2%
Clinical Genetics	0	0.0%	14	1.1%	16	0.3%	30	0.5%	46.7%
Dermatology	0	0.0%	42	3.4%	63	1.2%	105	1.6%	40.0%
Diagnostic Radiology	4	3.6%	66	5.3%	284	5.6%	354	5.5%	18.9%
Emergency Medicine	2	1.8%	21	1.7%	85	1.7%	108	1.7%	19.8%
I. C. Anaesthesia	1	0.9%	6	0.5%	45	0.9%	52	0.8%	11.8%
I. C. Internal Medicine	1	0.9%	6	0.5%	61	1.2%	68	1.1%	9.0%
Medical Administration	2	1.8%	16	1.3%	49	1.0%	67	1.0%	24.6%
Obst. & Gyn.	6	5.4%	57	4.6%	261	5.2%	324	5.1%	17.9%
Occupational Medicine	4	3.6%	14	1.1%	57	1.1%	75	1.2%	19.7%
Ophthalmology	6	5.4%	28	2.3%	184	3.7%	218	3.4%	13.2%
Psychiatry	11	9.9%	153	12.4%	399	7.9%	563	8.8%	27.7%
Public Health Medicine	3	2.7%	29	2.3%	52	1.0%	84	1.3%	35.8%
Radiation Oncology	1	0.9%	22	1.8%	50	1.0%	73	1.1%	30.6%
Rehabilitation Medicine	3	2.7%	17	1.4%	92	1.8%	112	1.8%	15.6%
Other	2	1.8%	64	5.2%	217	4.3%	283	4.4%	22.8%
Total qualifications	111	100.0%	1236	100.0%	5041	100.0%	6388	100.0%	19.7%
Nos. reporting qualifications	98		1035		4097		5225		20.2%
Summary by major areas									
Internal medicine	32	28.8%	358	29.0%	1432	28.4%	1822	28.5%	20.0%
Pathology	6	5.4%	140	11.3%	316	6.3%	462	7.2%	30.7%
Surgery	20	18.0%	50	4.0%	884	17.5%	954	14.9%	5.4%
Other specialties	53	47.7%	688	55.7%	2409	47.8%	3150	49.3%	22.2%
<i>Qualifications unknown</i>	<i>8</i>	<i>1.6%</i>	<i>26</i>	<i>1.5%</i>	<i>151</i>	<i>1.6%</i>	<i>185</i>	<i>1.5%</i>	

Table 5.14 Main area of specialty practice by sex, specialists working in NSW, 2003

Area of practice	No.	%	No.	%	No.	%	No.	%	Per cent female
	Sex unknown		Female		Male		Total		
Internal Medicine									
Cardiology	3	4.3%	14	1.7%	153	4.6%	170	4.0%	8.4%
Clinical haematology	0	0.0%	11	1.4%	37	1.1%	48	1.1%	22.9%
Clinical immunology	1	1.4%	4	0.5%	28	0.8%	33	0.8%	12.5%
Clinical pharmacology	0	0.0%	1	0.1%	5	0.2%	6	0.1%	16.7%
Endocrinology	0	0.0%	18	2.2%	53	1.6%	71	1.7%	25.4%
Gastroenterology	0	0.0%	11	1.4%	85	2.6%	96	2.3%	11.5%
General medicine	1	1.4%	10	1.2%	62	1.9%	73	1.7%	13.9%
Geriatrics	4	5.7%	20	2.5%	42	1.3%	66	1.6%	32.3%
Infectious diseases	0	0.0%	7	0.9%	21	0.6%	28	0.7%	25.0%
Medical oncology	3	4.3%	14	1.7%	34	1.0%	51	1.2%	29.2%
Neurology	0	0.0%	7	0.9%	68	2.0%	75	1.8%	9.3%
Nuclear medicine	2	2.9%	8	1.0%	47	1.4%	57	1.4%	14.5%
Paediatric medicine	1	1.4%	62	7.7%	131	3.9%	194	4.6%	32.1%
Renal medicine	1	1.4%	9	1.1%	38	1.1%	48	1.1%	19.1%
Rheumatology	2	2.9%	14	1.7%	37	1.1%	53	1.3%	27.5%
Thoracic medicine	3	4.3%	15	1.9%	61	1.8%	79	1.9%	19.7%
Total internal medicine	21	30.0%	225	27.8%	902	27.1%	1148	27.3%	20.0%
Pathology									
General pathology	0	0.0%	1	0.1%	24	0.7%	25	0.6%	4.0%
Anatomical pathology	1	1.6%	48	1.6%	86	1.6%	135	1.6%	35.8%
Clinical chemistry	0	0.0%	2	0.0%	11	0.0%	13	0.0%	15.4%
Cytopathology	0	0.0%	3	0.0%	2	0.0%	5	0.0%	60.0%
Forensic pathology	0	0.0%	3	0.0%	8	0.0%	11	0.0%	27.3%
Haematology	0	0.5%	8	0.5%	12	0.5%	20	0.5%	40.0%
Immunology	0	0.3%	2	0.3%	5	0.3%	7	0.3%	28.6%
Microbiology	1	0.5%	7	0.5%	12	0.5%	20	0.5%	36.8%
Total pathology	2	2.9%	74	9.1%	160	4.8%	236	5.6%	31.6%
Surgery									
General surgery	3	4.3%	6	0.7%	169	5.1%	178	4.2%	3.4%
Cardio-thoracic surgery	0	0.0%	1	0.1%	20	0.6%	21	0.5%	4.8%
Neurosurgery	0	0.0%	1	0.1%	26	0.8%	27	0.6%	3.7%
Orthopaedic surgery	6	8.6%	6	0.7%	155	4.7%	167	4.0%	3.7%
Otolaryngology	2	2.9%	3	0.4%	53	1.6%	58	1.4%	5.4%
Paediatric surgery	1	1.4%	2	0.2%	10	0.3%	13	0.3%	16.7%
Plastic/reconst surgery	1	1.4%	4	0.5%	42	1.3%	47	1.1%	8.7%
Urology	1	1.4%	2	0.2%	41	1.2%	44	1.0%	4.7%
Vascular Surgery	0	0.0%	3	0.4%	25	0.8%	28	0.7%	10.7%
Total surgery	14	20.0%	28	3.5%	541	16.3%	583	13.9%	4.9%
Other Specialties									
Anaesthesia	3	4.3%	93	11.5%	357	10.7%	453	10.8%	20.7%
Clinical Genetics	0	0.0%	11	1.4%	9	0.3%	20	0.5%	55.0%
Dermatology	0	0.0%	33	4.1%	40	1.2%	73	1.7%	45.2%
Diagnostic Radiology	3	4.3%	48	5.9%	216	6.5%	267	6.3%	18.2%
Emergency Medicine	2	2.9%	16	2.0%	58	1.7%	76	1.8%	21.6%
I. C. Anaesthesia	1	1.4%	5	0.6%	26	0.8%	32	0.8%	16.1%
I. C. Internal Medicine	0	0.0%	2	0.2%	36	1.1%	38	0.9%	5.3%
Medical Administration	1	1.4%	17	2.1%	50	1.5%	68	1.6%	25.4%
Obst. & Gyn.	5	7.1%	40	4.9%	185	5.6%	230	5.5%	17.8%
Occupational Medicine	2	2.9%	6	0.7%	43	1.3%	51	1.2%	12.2%
Ophthalmology	4	5.7%	19	2.3%	127	3.8%	150	3.6%	13.0%
Psychiatry	8	11.4%	115	14.2%	319	9.6%	442	10.5%	26.5%
Public Health Medicine	1	1.4%	16	2.0%	33	1.0%	50	1.2%	32.7%
Radiation Oncology	0	0.0%	11	1.4%	24	0.7%	35	0.8%	31.4%
Rehabilitation Medicine	1	1.4%	12	1.5%	61	1.8%	74	1.8%	16.4%
Other	2	2.9%	39	4.8%	140	4.2%	181	4.3%	21.8%
Total other specialties	33	47.1%	483	59.6%	1724	51.8%	2240	53.2%	21.9%
Total	70	100.0%	810	100.0%	3327	100.0%	4207	100.0%	19.6%
<i>Specialty unknown</i>	31	30.7%	251	23.7%	921	21.7%	1203	22.2%	

Table 5.15 Total areas of specialty practice by sex, specialists working in NSW, 2003

Area of practice	No.	%	No.	%	No.	%	No.	%	Per cent female
	Sex unknown		Female		Male		Total		
Internal Medicine									
Cardiology	3	3.4%	17	1.7%	177	4.2%	197	3.7%	8.8%
Clinical haematology	0	0.0%	12	1.2%	50	1.2%	62	1.2%	19.4%
Clinical immunology	1	1.1%	12	1.2%	33	0.8%	46	0.9%	26.7%
Clinical pharmacology	0	0.0%	4	0.4%	16	0.4%	20	0.4%	20.0%
Endocrinology	0	0.0%	25	2.4%	67	1.6%	92	1.7%	27.2%
Gastroenterology	0	0.0%	15	1.5%	105	2.5%	120	2.3%	12.5%
General medicine	5	5.7%	25	2.4%	197	4.7%	227	4.3%	11.3%
Geriatrics	4	4.6%	22	2.1%	57	1.4%	83	1.6%	27.8%
Infectious diseases	0	0.0%	13	1.3%	35	0.8%	48	0.9%	27.1%
Medical oncology	3	3.4%	17	1.7%	42	1.0%	62	1.2%	28.8%
Neurology	0	0.0%	8	0.8%	75	1.8%	83	1.6%	9.6%
Nuclear medicine	2	2.3%	8	0.8%	64	1.5%	74	1.4%	11.1%
Paediatric medicine	1	1.1%	69	6.7%	160	3.8%	230	4.4%	30.1%
Renal medicine	1	1.1%	12	1.2%	46	1.1%	59	1.1%	20.7%
Rheumatology	3	3.4%	14	1.4%	48	1.1%	65	1.2%	22.6%
Thoracic medicine	3	3.4%	18	1.8%	82	1.9%	103	2.0%	18.0%
Pathology									
General pathology	1	1.1%	11	1.1%	43	1.0%	35	0.7%	20.4%
Anatomical pathology	1	1.1%	52	5.1%	95	2.3%	144	2.7%	35.4%
Clinical chemistry	0	0.0%	3	0.3%	16	0.4%	19	0.4%	15.8%
Cytopathology	1	1.1%	30	2.9%	39	0.9%	66	1.3%	43.5%
Forensic pathology	0	0.0%	8	0.8%	13	0.3%	13	0.2%	38.1%
Haematology	3	3.4%	28	2.7%	48	1.1%	59	1.1%	36.8%
Immunology	1	1.1%	4	0.4%	24	0.6%	25	0.5%	14.3%
Microbiology	1	1.1%	12	1.2%	27	0.6%	36	0.7%	30.8%
Surgery									
General surgery	3	3.4%	8	0.8%	195	4.6%	206	3.9%	3.9%
Cardio-thoracic surgery	0	0.0%	1	0.1%	22	0.5%	23	0.4%	4.3%
Neurosurgery	0	0.0%	1	0.1%	27	0.6%	28	0.5%	3.6%
Orthopaedic surgery	6	6.9%	6	0.6%	169	4.0%	181	3.4%	3.4%
Otolaryngology	2	2.3%	3	0.3%	55	1.3%	60	1.1%	5.2%
Paediatric surgery	1	1.1%	2	0.2%	17	0.4%	20	0.4%	10.5%
Plastic/reconst surgery	1	1.1%	2	0.2%	17	0.4%	20	0.4%	10.5%
Urology	1	1.1%	2	0.2%	47	1.1%	50	1.0%	4.1%
Vascular Surgery	0	0.0%	4	0.4%	33	0.8%	37	0.7%	10.8%
Other Specialties									
Anaesthesia	3	3.4%	94	9.2%	385	9.1%	482	9.2%	19.6%
Clinical Genetics	0	0.0%	12	1.2%	13	0.3%	25	0.5%	48.0%
Dermatology	0	0.0%	33	3.2%	40	0.9%	73	1.4%	45.2%
Diagnostic Radiology	3	3.4%	53	5.2%	235	5.6%	291	5.5%	18.4%
Emergency Medicine	2	2.3%	17	1.7%	69	1.6%	88	1.7%	19.8%
I. C. Anaesthesia	1	1.1%	10	1.0%	57	1.4%	68	1.3%	14.9%
I. C. Internal Medicine	1	1.1%	6	0.6%	64	1.5%	71	1.3%	8.6%
Medical Administration	1	1.1%	27	2.6%	74	1.8%	102	1.9%	26.7%
Obst. & Gyn.	6	6.9%	41	4.0%	189	4.5%	236	4.5%	17.8%
Occupational Medicine	2	2.3%	10	1.0%	54	1.3%	66	1.3%	15.6%
Ophthalmology	4	4.6%	19	1.9%	131	3.1%	154	2.9%	12.7%
Psychiatry	8	9.2%	117	11.4%	328	7.8%	453	8.6%	26.3%
Public Health Medicine	1	1.1%	25	2.4%	49	1.2%	75	1.4%	33.8%
Radiation Oncology	0	0.0%	11	1.1%	25	0.6%	36	0.7%	30.6%
Rehabilitation Medicine	4	4.6%	17	1.7%	80	1.9%	101	1.9%	17.5%
Other	3	3.4%	65	6.3%	279	6.6%	347	6.6%	18.9%
Total areas of practice	87	100.0%	1025	100.0%	4213	100.0%	5261	100.0%	19.6%
Nos. reporting areas of practice	70	80.5%	810	79.0%	3327	79.0%	4207	80.0%	19.6%
Summary by major areas									
Internal medicine	26	37.1%	291	35.9%	1254	37.7%	1571	37.3%	18.8%
Pathology	8	11.4%	148	18.3%	305	9.2%	397	9.4%	32.7%
Surgery	14	20.0%	29	3.6%	582	17.5%	625	14.9%	4.7%
Other specialties	39	55.7%	557	68.8%	2072	62.3%	2668	63.4%	21.2%
<i>Area of practice unknown</i>	<i>31</i>	<i>44.3%</i>	<i>251</i>	<i>31.1%</i>	<i>921</i>	<i>30.8%</i>	<i>1,203</i>	<i>31.1%</i>	

Table 5.16 Main area of specialty practice, specialists working in NSW, 1993–2003

Qualifications ¹	1993 ²	1994 [†]	1995 ³	1996 ³	1997	1998	1999	2000	2002	2003
Internal Medicine										
Cardiology	125	132	106	133	146	151	134	139	164	170
Clinical haematology	40	39	31	41	38	34	44	49	53	48
Clinical immunology	24	25	23	32	25	28	24	24	29	33
Clinical pharmacology	8	4	7	5	8	6	7	5	8	6
Endocrinology	55	55	42	48	63	51	50	71	67	71
Gastroenterology	85	88	60	93	92	87	89	102	97	96
General medicine	96	101	66	97	78	77	73	82	58	73
Geriatrics	44	50	37	45	44	63	45	64	53	66
Infectious diseases	15	18	13	16	18	16	24	22	32	28
Medical oncology	23	33	28	31	35	42	38	51	39	51
Neurology	76	81	55	67	71	86	68	73	75	75
Nuclear medicine	41	45	25	30	30	34	30	46	45	57
Paediatric medicine	178	181	121	146	157	151	143	198	184	194
Renal medicine	44	44	28	41	37	38	41	46	44	48
Rheumatology	48	54	43	42	49	46	47	59	43	53
Thoracic medicine	53	65	59	58	60	69	64	82	76	79
All internal medicine	955	1015	744	925	951	979	921	1113	1067	1148
Pathology										
General pathology	40	44	22	25	25	28	32	35	27	25
Anatomical pathology	81	95	81	75	65	84	107	135	132	135
Clinical chemistry	10	10	8	10	7	11	12	11	14	13
Cytopathology	2	3	12	13	7	9	8	9	4	5
Forensic pathology	8	9	6	8	7	7	7	14	9	11
Haematology	23	19	15	13	13	13	13	21	16	20
Immunology	11	6	4	4	4	6	4	3	2	7
Microbiology	19	20	21	12	19	11	18	22	18	20
All pathology	194	206	169	160	147	169	201	250	222	236
Surgery										
General surgery	195	195	135	138	141	152	194	230	172	178
Cardio-thoracic surgery	17	20	11	14	14	19	18	24	22	21
Neurosurgery	19	29	18	22	17	16	17	18	31	27
Orthopaedic surgery	151	149	108	98	109	115	127	167	162	167
Otolaryngology	84	76	54	60	60	47	61	63	68	58
Paediatric surgery	12	16	9	14	12	21	21	13	13	13
Plastic/reconst surgery	41	40	31	39	38	31	31	49	34	47
Urology	50	45	29	32	33	32	40	42	47	44
Vascular Surgery	31	29	24	33	20	24	28	43	32	28
All surgery	600	599	419	450	444	457	537	649	581	583
Other Specialties										
Anaesthesia	476	435	315	387	384	394	389	426	432	453
Intensive care	56	69	74	87	84	0	0	0	0	0
I. C. Anaesthesia	0	0	0	0	0	33	27	30	36	32
I. C. Internal Medicine	0	0	0	0	0	51	35	31	40	38
Dermatology	70	85	54	68	72	65	56	67	74	73
Diagnostic radiology	303	290	186	236	222	214	199	264	235	267
Emergency medicine	0	51	34	63	64	74	63	79	89	76
Medical administration	59	92	53	59	59	69	45	55	60	68
Obstetrics & gynaecology	256	234	149	202	186	218	198	218	205	38
Occupational medicine	82	100	79	108	115	47	49	55	43	68
Ophthalmology	237	185	117	140	132	137	114	141	137	230
Clinical Genetics	0	0	0	0	0	32	22	19	24	20
Psychiatry	488	470	339	396	380	374	387	457	412	442
Radiation oncology	44	25	18	23	29	38	37	36	34	35
Rehabilitation medicine	52	68	48	59	51	32	25	68	66	74
Public health medicine	47	39	28	32	38	58	53	49	41	35
Other	143	146	95	112	113	124	104	232	231	74
All other specialties	2313	2289	1589	1972	1929	1960	1803	2227	2159	2240
All specialties	4062	4109	2921	3507	3471	3565	3462	4239	4029	4207
<i>Specialty unknown</i>	<i>574</i>	<i>536</i>	<i>1780</i>	<i>1701</i>	<i>1906</i>	<i>1970</i>	<i>1997</i>	<i>1510</i>	<i>961</i>	<i>1203</i>

Table 5.17 Percentage distribution, main area of practice, specialists working in NSW 1993–2003

Qualifications	1993 ²	1994 ¹	1995 ³	1996 ³	1997	1998	1999	2000	2002	2003
Internal Medicine										
Cardiology	3.1%	3.2%	3.6%	3.8%	4.2%	4.2%	3.9%	3.3%	4.1%	4.0%
Clinical haematology	1.0%	0.9%	1.1%	1.2%	1.1%	1.0%	1.3%	1.2%	1.3%	1.1%
Clinical immunology	0.6%	0.6%	0.8%	0.9%	0.7%	0.8%	0.7%	0.6%	0.7%	0.8%
Clinical pharmacology	0.0%	0.0%	0.2%	0.1%	0.2%	0.2%	0.2%	0.1%	0.2%	0.1%
Endocrinology	1.4%	1.3%	1.4%	1.4%	1.8%	1.4%	1.4%	1.7%	1.7%	1.7%
Gastroenterology	2.1%	2.1%	2.1%	2.7%	2.7%	2.4%	2.6%	2.4%	2.4%	2.3%
General medicine	2.4%	2.5%	2.3%	2.8%	2.2%	2.2%	2.1%	1.9%	1.4%	1.7%
Geriatrics	1.1%	1.2%	1.3%	1.3%	1.3%	1.8%	1.3%	1.5%	1.3%	1.6%
Infectious diseases	0.0%	0.0%	0.4%	0.5%	0.5%	0.4%	0.7%	0.5%	0.8%	0.7%
Medical oncology	0.6%	0.8%	1.0%	0.9%	1.0%	1.2%	1.1%	1.2%	1.0%	1.2%
Neurology	1.9%	2.0%	1.9%	1.9%	2.0%	2.4%	2.0%	1.7%	1.9%	1.8%
Nuclear medicine	1.0%	1.1%	0.9%	0.9%	0.9%	1.0%	0.9%	1.1%	1.1%	1.4%
Paediatric medicine	4.4%	4.4%	4.1%	4.2%	4.5%	4.2%	4.1%	4.7%	4.6%	4.6%
Renal medicine	1.1%	1.1%	1.0%	1.2%	1.1%	1.1%	1.2%	1.1%	1.1%	1.1%
Rheumatology	1.2%	1.3%	1.5%	1.2%	1.4%	1.3%	1.4%	1.4%	1.1%	1.3%
Thoracic medicine	1.3%	1.6%	2.0%	1.7%	1.7%	1.9%	1.8%	1.9%	1.9%	1.9%
All internal medicine	23.5%	24.7%	25.5%	26.4%	27.4%	27.5%	26.6%	26.3%	26.5%	27.3%
Pathology										
General pathology	0.0%	0.0%	0.8%	0.7%	0.7%	0.8%	0.9%	0.8%	0.7%	0.6%
Anatomical pathology	2.0%	2.3%	2.8%	2.1%	1.9%	2.4%	3.1%	3.2%	3.3%	1.6%
Clinical chemistry	0.2%	0.2%	0.3%	0.3%	0.2%	0.3%	0.3%	0.3%	0.3%	0.0%
Cytopathology	0.0%	0.0%	0.4%	0.4%	0.2%	0.3%	0.2%	0.2%	0.1%	0.0%
Forensic pathology	0.0%	0.0%	0.2%	0.2%	0.2%	0.2%	0.2%	0.3%	0.2%	0.0%
Haematology	0.0%	0.0%	0.5%	0.4%	0.4%	0.4%	0.4%	0.5%	0.4%	0.5%
Immunology	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%	0.1%	0.1%	0.0%	0.3%
Microbiology	0.5%	0.5%	0.7%	0.3%	0.5%	0.3%	0.5%	0.5%	0.4%	0.5%
All pathology	4.8%	5.0%	5.8%	4.6%	4.2%	4.7%	5.8%	5.9%	5.5%	5.6%
Surgery										
General surgery	4.8%	4.7%	4.6%	3.9%	4.1%	4.3%	5.6%	5.4%	4.3%	4.2%
Cardio-thoracic surgery	0.4%	0.5%	0.4%	0.4%	0.4%	0.5%	0.5%	0.6%	0.5%	0.5%
Neurosurgery	0.5%	0.7%	0.6%	0.6%	0.5%	0.4%	0.5%	0.4%	0.8%	0.6%
Orthopaedic surgery	3.7%	3.6%	3.7%	2.8%	3.1%	3.2%	3.7%	3.9%	4.0%	4.0%
Otolaryngology	2.1%	1.8%	1.8%	1.7%	1.7%	1.3%	1.8%	1.5%	1.7%	1.4%
Paediatric surgery	0.3%	0.4%	0.3%	0.4%	0.3%	0.6%	0.6%	0.3%	0.3%	0.3%
Plastic/reconst surgery	1.0%	1.0%	1.1%	1.1%	1.1%	0.9%	0.9%	1.2%	0.8%	1.1%
Urology	1.2%	1.1%	1.0%	0.9%	1.0%	0.9%	1.2%	1.0%	1.2%	1.0%
Vascular Surgery	0.8%	0.7%	0.8%	0.9%	0.6%	0.7%	0.8%	1.0%	0.8%	0.7%
All surgery	14.8%	14.6%	14.3%	12.8%	12.8%	12.8%	15.5%	15.3%	14.4%	13.9%
Other Specialties										
Anaesthesia	11.7%	10.6%	10.8%	11.0%	11.1%	11.1%	11.2%	10.0%	10.7%	10.8%
Intensive care	0.0%	0.0%	2.5%	2.5%	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%
I. C. Anaesthesia	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%	0.8%
I. C. Internal Medicine	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.9%
Dermatology	1.7%	2.1%	1.8%	1.9%	2.1%	1.8%	1.6%	1.6%	1.8%	1.7%
Diagnostic radiology	7.5%	7.1%	6.4%	6.7%	6.4%	6.0%	5.7%	6.2%	5.8%	6.3%
Emergency medicine	0.0%	1.2%	0.0%	0.0%	1.8%	2.1%	1.8%	1.9%	2.2%	1.8%
Medical administration	0.0%	0.0%	0.0%	1.7%	1.7%	1.9%	1.3%	1.3%	1.5%	1.6%
Obstetrics & gynaecology	6.3%	5.7%	5.1%	5.8%	5.4%	6.1%	5.7%	5.1%	5.1%	5.5%
Occupational medicine	2.0%	2.4%	2.7%	3.1%	3.3%	1.3%	1.4%	1.3%	1.1%	1.2%
Ophthalmology	5.8%	4.5%	4.0%	4.0%	3.8%	3.8%	3.3%	3.3%	3.4%	3.6%
Clinical Genetics	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	0.5%
Psychiatry	12.0%	11.4%	11.6%	11.3%	10.9%	10.5%	11.2%	10.8%	10.2%	10.5%
Radiation oncology	1.1%	0.6%	0.6%	0.7%	0.8%	1.1%	1.1%	0.8%	0.8%	0.8%
Rehabilitation medicine	1.3%	1.7%	1.6%	1.7%	1.5%	0.9%	0.7%	1.6%	1.6%	1.8%
Public health medicine	1.2%	0.9%	1.0%	0.9%	1.1%	1.6%	1.5%	1.2%	1.0%	4.3%
Other	3.5%	3.6%	3.3%	3.2%	3.3%	3.5%	3.0%	5.5%	5.7%	53.2%
All other specialties	56.9%	55.7%	54.4%	56.2%	55.6%	55.0%	52.1%	52.5%	53.6%	53.2%
All specialties	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Specialty unknown</i>	6.3%	0.7%	11.3%	12.4%	11.5%	37.9%	32.7%	35.4%	35.6%	22.1%

6

SPECIALISTS IN TRAINING WORKING IN NSW

Table 6.1 Age and sex distribution of specialists in training working in NSW, 2003

Age group	No.		%		No.		%		Per cent female
	Female	Male	Female	Male	Total	Total	Total		
Under 25	0	0	0.0%	0.0%	0	0.0%	0.0%	0.0%	
25-29	193	222	28.3%	24.6%	415	26.2%	46.5%	46.5%	
30-34	325	444	47.7%	49.1%	769	48.5%	42.3%	42.3%	
35-39	82	132	12.0%	14.6%	214	13.5%	38.3%	38.3%	
40-44	43	59	6.3%	6.5%	102	6.4%	42.2%	42.2%	
45-49	28	31	4.1%	3.4%	59	3.7%	47.5%	47.5%	
50-54	6	11	0.9%	1.2%	17	1.1%	35.3%	35.3%	
55-59	4	3	0.6%	0.3%	7	0.4%	57.1%	57.1%	
60-64	1	2	0.0%	0.2%	3	0.2%	0.0%	0.0%	
65+	0	0	0.0%	0.0%	0	0.0%	0.0%	0.0%	
Total	682	904	100.0%	100.0%	1586	100.0%	43.0%	43.0%	
Age unknown	2	6	0.3%	0.7%	8	0.5%			
Age & sex unknown					87	5.2%			
Total unknown					95	5.7%			

Figure 6.1 Age and sex distribution of specialists in training working in NSW, 2003




Table 6.2 Age and sex of specialists in training working in NSW, 1993 – 2003

Age group	1993	1994	1995	1996	1997	1998	1999	2000	2002	2003
Male — Survey Respondents										
Under 25	0	0	0	2	0	0	1	1	0	0
25-29	200	252	248	282	359	330	302	217	252	222
30-34	203	220	263	355	368	429	464	456	447	444
35-39	82	81	84	108	116	120	109	118	110	132
40-44	41	29	40	43	41	47	44	48	46	59
45-49	10	8	15	15	20	20	19	18	26	31
50-54	3	4	1	4	5	5	4	12	12	11
55-59	1	3	1	4	2	5	2	6	1	3
60-64	3	2	0	0	0	0	0	3	1	2
Over 64	4	1	1	0	0	0	0	0	2	0
Total	547	600	653	813	911	956	945	879	897	904
<i>Age unknown</i>	277	234	167	124	96	69	53	12	4	6
Female — Survey Respondents										
Under 25	0	0	1	0	0	1	0	0	1	0
25-29	97	116	142	134	200	198	216	173	196	193
30-34	99	100	107	162	183	207	231	262	284	325
35-39	42	34	55	60	58	55	65	69	73	82
40-44	25	19	21	26	26	26	38	36	56	43
45-49	2	9	9	13	11	22	10	14	19	28
50-54	6	3	2	5	9	5	11	8	3	6
55-59	1	1	0	2	2	0	1	2	6	4
60-64	0	0	0	0	0	0	0	0	0	1
Over 64	0	0	0	0	0	0	0	0	0	0
Total	272	282	337	402	489	514	572	564	638	682
<i>Age unknown</i>	117	111	76	65	51	44	29	12	9	2
Male and Female — Survey Respondents										
Under 25	0	0	1	2	0	1	1	1	1	0
25-29	297	368	390	416	559	528	518	390	448	415
30-34	302	320	370	517	551	636	695	718	731	769
35-39	124	115	139	168	174	175	174	187	183	214
40-44	66	48	61	69	67	73	82	84	102	102
45-49	12	17	24	28	31	42	29	32	45	59
50-54	9	7	3	9	14	10	15	20	15	17
55-59	2	4	1	6	4	5	3	8	7	7
60-64	3	2	0	0	0	0	0	3	1	3
Over 64	4	1	1	0	0	0	0	0	2	0
Total	819	882	990	1215	1400	1470	1517	1443	1535	1586
<i>Age & sex unknown</i>	394	345	243	189	147	113	82	108	13	95
Proportion Female										
All Ages	32.1%	32.0%	33.5%	33.3%	34.9%	35.2%	37.6%	37.1%	41.8%	42.9%

Table 6.3 Percentage distribution of age and sex of specialists in training working in NSW, 1993 – 2003

Age group	1993 [†]	1994	1995	1996	1997	1998	1999	2000	2002	2003
Males — Percentage Distribution										
Under 25	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%
25-29	36.6%	42.0%	38.0%	34.7%	39.4%	34.5%	32.0%	24.7%	28.1%	24.6%
30-34	37.1%	36.7%	40.3%	43.7%	40.4%	44.9%	49.1%	51.9%	49.8%	49.1%
35-39	15.0%	13.5%	12.9%	13.3%	12.7%	12.6%	11.5%	13.4%	12.3%	14.6%
40-44	7.5%	4.8%	6.1%	5.3%	4.5%	4.9%	4.7%	5.5%	5.1%	6.5%
45-49	1.8%	1.3%	2.3%	1.8%	2.2%	2.1%	2.0%	2.0%	2.9%	3.4%
50-54	0.5%	0.7%	0.2%	0.5%	0.5%	0.5%	0.4%	1.4%	1.3%	1.2%
55-59	0.2%	0.5%	0.2%	0.5%	0.2%	0.5%	0.2%	0.7%	0.1%	0.3%
60-64	0.5%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%	0.2%
Over 65	0.7%	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age unknown	33.6%	28.1%	20.4%	13.2%	9.5%	6.7%	5.3%	1.3%	0.4%	0.7%
Females — Percentage Distribution										
Under 25	0.0%	0.0%	0.3%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%	0.0%
25-29	35.7%	41.1%	42.1%	33.3%	40.9%	38.5%	37.8%	30.7%	30.7%	28.3%
30-34	36.4%	35.5%	31.8%	40.3%	37.4%	40.3%	40.4%	46.5%	44.5%	47.7%
35-39	15.4%	12.1%	16.3%	14.9%	11.9%	10.7%	11.4%	12.2%	11.4%	12.0%
40-44	9.2%	6.7%	6.2%	6.5%	5.3%	5.1%	6.6%	6.4%	8.8%	6.3%
45-49	0.7%	3.2%	2.7%	3.2%	2.2%	4.3%	1.7%	2.5%	3.0%	4.1%
50-54	2.2%	1.1%	0.6%	1.2%	1.8%	1.0%	1.9%	1.4%	0.5%	0.9%
55-59	0.4%	0.4%	0.0%	0.5%	0.4%	0.0%	0.2%	0.4%	0.9%	0.6%
60-64	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Over 65	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age unknown	30.1%	28.2%	18.4%	13.9%	9.4%	7.9%	4.8%	2.1%	1.4%	0.3%
Males and Females — Percentage Distribution										
Under 25	0.0%	0.0%	0.1%	0.2%	0.0%	0.1%	0.1%	0.1%	0.1%	0.0%
25-29	36.3%	41.7%	39.4%	34.2%	39.9%	35.9%	34.1%	27.0%	29.2%	26.2%
30-34	36.9%	36.3%	37.4%	42.6%	39.4%	43.3%	45.8%	49.8%	47.6%	48.5%
35-39	15.1%	13.0%	14.0%	13.8%	12.4%	11.9%	11.5%	13.0%	11.9%	13.5%
40-44	8.1%	5.4%	6.2%	5.7%	4.8%	5.0%	5.4%	5.8%	6.6%	6.4%
45-49	1.5%	1.9%	2.4%	2.3%	2.2%	2.9%	1.9%	2.2%	2.9%	3.7%
50-54	1.1%	0.8%	0.3%	0.7%	1.0%	0.7%	1.0%	1.4%	1.0%	1.1%
55-59	0.2%	0.5%	0.1%	0.5%	0.3%	0.3%	0.2%	0.6%	0.5%	0.4%
60-64	0.4%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.2%
Over 65	0.5%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age unknown	32.5%	28.1%	19.7%	13.5%	9.5%	7.1%	5.1%	7.0%	0.8%	5.7%

Table 6.4 Estimated number of employment locations by sex, specialists in training in NSW, 2002

No. of locations	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total	Sex unknown	Female	Male	Total	
One location only	58	81.7%	483	83.0%	651	80.9%	1192	81.8%	42.6%
Two locations	10	14.1%	78	13.4%	119	14.8%	207	14.2%	39.6%
Three locations	3	4.2%	21	3.6%	35	4.3%	59	4.0%	37.5%
Total	71	100.0%	582	100.0%	805	100.0%	1458	100.0%	42.0%
<i>Non-response</i>	16	18.4%	102	14.9%	105	11.5%	223	13.3%	

Notes

- 1 Data has been estimated from Question 9 of the survey form, "What is the percentage of total hours worked in each locality over the last four weeks?", which was asked for up to three locations. This was not the same as data collected on jobs in previous profiles.
- 2 "Location" refers to distinct locations although in some cases respondents provided the same postcode for more than one location.

Table 6.5 Main geographical location by sex, specialists in training in NSW, 2002

Geographical location	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total	Sex unknown	Female	Male	Total	
Metropolitan Areas									
Central Coast	5	5.9%	10	1.6%	16	1.8%	31	1.9%	38.5%
Central Sydney	8	9.4%	93	14.4%	122	13.9%	223	13.9%	43.3%
Hunter	6	7.1%	54	8.4%	56	6.4%	116	7.2%	49.1%
Illawarra	4	4.7%	7	1.1%	30	3.4%	41	2.5%	18.9%
Northern Sydney	5	5.9%	86	13.3%	91	10.4%	182	11.3%	48.6%
South Eastern Sydney	18	21.2%	178	27.6%	226	25.7%	422	26.2%	44.1%
South Western Sydney	6	7.1%	50	7.8%	92	10.5%	148	9.2%	35.2%
Wentworth	2	2.4%	18	2.8%	31	3.5%	51	3.2%	36.7%
Western Sydney	22	25.9%	124	19.2%	139	15.8%	285	17.7%	47.1%
Total Metropolitan Areas	76	89.4%	620	96.1%	803	91.4%	1499	93.2%	43.6%
Rural Areas									
Far West	0	0.0%	0	0.0%	1	0.1%	1	0.1%	0.0%
Greater Murray	0	0.0%	5	0.8%	7	0.8%	12	0.7%	41.7%
Macquarie	1	0.0%	1	0.2%	6	0.7%	8	0.5%	14.3%
Mid North Coast	4	4.7%	4	0.6%	17	1.9%	25	1.6%	19.0%
Mid Western	1	0.0%	4	0.6%	12	1.4%	17	1.1%	25.0%
New England	0	0.0%	2	0.3%	8	0.9%	10	0.6%	20.0%
Northern Rivers	2	2.4%	5	0.8%	16	1.8%	23	1.4%	23.8%
Southern	1	0.0%	0	0.0%	2	0.2%	3	0.2%	0.0%
Total Rural Areas	9	10.6%	21	3.3%	69	7.8%	99	6.2%	23.3%
Interstate (including ACT)	0	0.0%	4	0.6%	7	0.8%	11	0.7%	36.4%
Total	85	100.0%	645	100.0%	879	100.0%	1609	100.0%	42.3%
<i>Location Unknown</i>	2	2.3%	39	5.7%	31	3.4%	72	4.3%	

Table 6.6 Second geographical location by sex, specialists in training working in NSW, 2003

Geographical location	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
Metropolitan Areas									
Central Coast	1	0.0%	2	1.7%	2	1.2%	5	1.6%	50.0%
Central Sydney	4	23.5%	11	9.6%	11	6.4%	26	8.5%	50.0%
Hunter	2	11.8%	13	11.3%	13	7.5%	28	9.2%	50.0%
Illawarra	0	0.0%	4	3.5%	11	6.4%	15	4.9%	26.7%
Northern Sydney	1	5.9%	16	13.9%	20	11.6%	37	12.1%	44.4%
South Eastern Sydney	3	17.6%	25	21.7%	33	19.1%	61	20.0%	43.1%
South Western Sydney	4	23.5%	10	8.7%	24	13.9%	38	12.5%	29.4%
Wentworth	0	0.0%	4	3.5%	8	4.6%	12	3.9%	33.3%
Western Sydney	1	0.0%	18	15.7%	30	17.3%	49	16.1%	37.5%
Total Metropolitan Areas	16	94.1%	103	89.6%	152	87.9%	271	88.9%	40.4%
Rural Areas									
Far West	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Greater Murray	0	0.0%	4	0.0%	2	0.0%	6	0.0%	0.0%
Macquarie	0	0.0%	2	1.7%	0	0.0%	2	0.7%	100.0%
Mid North Coast	0	0.0%	0	0.0%	4	2.3%	4	1.3%	0.0%
Mid Western	0	0.0%	2	0.0%	4	2.3%	6	2.0%	0.0%
New England	0	0.0%	1	0.9%	2	0.0%	3	1.0%	100.0%
Northern Rivers	1	0.0%	1	0.9%	1	0.6%	3	1.0%	50.0%
Southern	0	0.0%	0	0.0%	4	2.3%	4	1.3%	0.0%
Total Rural Areas	1	5.9%	10	8.7%	17	9.8%	28	9.2%	37.0%
Interstate (including ACT)	0	0.0%	2	1.7%	4	2.3%	6	2.0%	33.3%
Total	17	100.0%	115	100.0%	173	97.7%	305	98.0%	39.9%
<i>Non-response:</i>	70	80.5%	569	83.2%	737	81.0%	1376	81.9%	

Table 6.7 Third geographical location by sex, specialists in training working in NSW, 2003

Geographical location	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
Metropolitan Areas									
Central Coast	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Central Sydney	2	0.0%	0	0.0%	2	5.0%	4	6.1%	0.0%
Hunter	1	0.0%	3	0.0%	5	12.5%	9	13.6%	37.5%
Illawarra	0	0.0%	1	0.0%	3	0.0%	4	0.0%	25.0%
Northern Sydney	0	0.0%	7	30.4%	7	17.5%	14	21.2%	50.0%
South Eastern Sydney	0	0.0%	4	17.4%	7	17.5%	11	16.7%	36.4%
South Western Sydney	0	0.0%	2	8.7%	4	10.0%	6	9.1%	33.3%
Wentworth	0	0.0%	1	4.3%	1	2.5%	2	3.0%	50.0%
Western Sydney	0	0.0%	5	21.7%	9	22.5%	14	21.2%	35.7%
Total Metropolitan Areas	3	100.0%	23	100.0%	38	95.0%	64	97.0%	37.7%
Rural Areas									
Far West	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Greater Murray	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Macquarie	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Mid North Coast	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Mid Western	0	0.0%	0	0.0%	1	0.0%	1	0.0%	0.0%
New England	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Northern Rivers	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Southern	0	0.0%	0	0.0%	1	0.0%	1	0.0%	0.0%
Total Rural Areas	0	0.0%	0	0.0%	2	5.0%	2	3.0%	0.0%
Interstate (including ACT)	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Total	3	100.0%	23	100.0%	40	87.5%	66	100.0%	36.5%
<i>Non-response:</i>	84	96.6%	661	96.6%	870	95.6%	1615	96.1%	

Table 6.8 Main geographical location by sex, specialists in training working in NSW, 1993-2003

Geographical location	1993 [†]	1994	1995	1996	1997	1998	1999	2000	2002	2003
Survey respondents										
Metropolitan Area Health Services										
Central Coast	19	18	24	30	23	23	28	29	33	31
Central Sydney	208	227	246	207	237	252	246	225	227	223
Hunter	96	95	99	121	132	121	129	108	133	116
Illawarra	22	21	18	20	30	23	23	42	47	41
Northern Sydney	172	152	169	177	196	195	191	191	196	182
South Eastern Sydney	362	359	355	384	440	444	454	410	363	422
South Western Sydney	43	59	57	84	96	125	114	108	99	148
Wentworth	17	20	17	23	33	41	26	51	48	51
Western Sydney	163	150	142	216	244	238	257	245	247	285
Total Metropolitan	1102	1101	1127	1262	1431	1462	1468	1409	1393	1499
Rural Area Health Services										
Far West	1	1	2	2	2	0	3	3	2	1
Greater Murray	2	4	3	10	11	12	14	13	22	12
Macquarie	2	1	1	2	0	3	2	5	5	8
Mid North Coast	2	2	0	2	3	4	3	12	17	25
Mid Western	2	5	3	6	6	5	6	12	13	17
New England	3	5	5	6	3	3	6	6	13	10
Northern Rivers	2	1	4	3	6	3	9	16	21	23
Southern	1	2	3	2	9	3	0	3	1	3
Total Rural	15	21	21	33	40	33	43	70	94	99
Interstate (incl. ACT)	0	1	0	7	4	6	1	17	14	11
Total	1117	1123	1148	1302	1475	1501	1512	1496	1501	1609
<i>Location unknown</i>	96	104	85	102	72	86	87	55	47	72
Percentage Distribution										
Metropolitan Area Health Services										
Central Coast	1.7%	1.6%	2.1%	2.3%	1.6%	1.5%	1.9%	1.9%	2.2%	1.9%
Central Sydney	18.6%	20.2%	21.4%	15.9%	16.1%	16.8%	16.3%	15.0%	15.1%	13.9%
Hunter	8.6%	8.5%	8.6%	9.3%	8.9%	8.1%	8.5%	7.2%	8.9%	7.2%
Illawarra	2.0%	1.9%	1.6%	1.5%	2.0%	1.5%	1.5%	2.8%	3.1%	2.5%
Northern Sydney	15.4%	13.5%	14.7%	13.6%	13.3%	13.0%	12.6%	12.8%	13.1%	11.3%
South Eastern Sydney	32.4%	32.0%	30.9%	29.5%	29.8%	29.6%	30.0%	27.4%	24.2%	26.2%
South Western Sydney	3.8%	5.3%	5.0%	6.5%	6.5%	8.3%	7.5%	7.2%	6.6%	9.2%
Wentworth	1.5%	1.8%	1.5%	1.8%	2.2%	2.7%	1.7%	3.4%	3.2%	3.2%
Western Sydney	14.6%	13.4%	12.4%	16.6%	16.5%	15.9%	17.0%	16.4%	16.5%	17.7%
Total Metropolitan	98.7%	98.0%	98.2%	96.9%	97.0%	97.4%	97.1%	94.2%	92.8%	93.2%
Rural Area Health Services										
Far West	0.1%	0.1%	0.2%	0.2%	0.1%	0.0%	0.2%	0.2%	0.1%	0.1%
Greater Murray	0.2%	0.4%	0.3%	0.8%	0.7%	0.8%	0.9%	0.9%	1.5%	0.7%
Macquarie	0.2%	0.1%	0.1%	0.2%	0.0%	0.2%	0.1%	0.3%	0.3%	0.5%
Mid North Coast	0.2%	0.2%	0.0%	0.2%	0.2%	0.3%	0.2%	0.8%	1.1%	1.6%
Mid Western	0.2%	0.4%	0.3%	0.5%	0.4%	0.3%	0.4%	0.8%	0.9%	1.1%
New England	0.3%	0.4%	0.4%	0.5%	0.2%	0.2%	0.4%	0.4%	0.9%	0.6%
Northern Rivers	0.2%	0.1%	0.3%	0.2%	0.4%	0.2%	0.6%	1.1%	1.4%	1.4%
Southern	0.1%	0.2%	0.3%	0.2%	0.6%	0.2%	0.0%	0.2%	0.1%	0.2%
Total Rural	1.3%	1.9%	1.8%	2.5%	2.7%	2.2%	2.8%	4.7%	6.3%	6.2%
Interstate (incl. ACT)	0.0%	0.1%	0.0%	0.5%	0.3%	0.4%	0.1%	1.1%	0.9%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Location unknown</i>	7.9%	8.5%	6.9%	7.3%	4.7%	5.4%	5.4%	3.5%	3.0%	4.3%

Table 6.9 Main geographical location of work by location of residence, specialists in training working in NSW, 2003

Geographical location of main job	Geographical location of residence																		Total	Location of residence unknown	Percentage living in different area to main job
	Central Coast	Central Sydney	Hunter	Illawarra	Northern Sydney	South Eastern Sydney	South Western Sydney	Wentworth	Western Sydney	Far West	Greater Murray	Macquarie	Mid North Coast	Mid Western	New England	Northern Rivers	Southern	Interstate			
Central Coast	13	1	6	0	6	0	1	0	0	0	0	0	0	0	0	0	0	0	27	4	51.9%
Central Sydney	0	105	0	0	49	51	9	1	4	0	0	0	0	1	0	0	0	1	221	2	52.5%
Hunter	0	0	108	0	3	2	0	1	0	0	0	0	0	0	1	0	0	1	116	0	6.9%
Illawarra	0	5	1	20	4	7	1	0	0	0	0	0	0	0	1	0	2	0	41	0	51.2%
Northern Sydney	0	32	1	0	103	30	10	2	2	0	0	0	0	0	0	0	0	0	180	2	42.8%
South Eastern Sydney	1	96	8	0	64	236	6	0	5	0	1	0	0	0	0	0	0	2	419	3	43.7%
South Western Sydney	1	79	2	0	83	34	70	3	9	0	0	0	0	0	0	0	0	0	281	4	75.1%
Wentworth	0	12	0	0	4	3	12	14	3	0	0	0	0	0	0	0	0	0	48	3	70.8%
Western Sydney	1	42	0	1	20	36	14	1	29	0	0	0	0	0	1	1	0	2	148	0	80.4%
Far West	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	100.0%
Greater Murray	0	2	0	0	0	3	0	0	0	0	5	0	0	0	0	0	0	2	12	0	58.3%
Macquarie	0	3	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	8	0	37.5%
Mid North Coast	1	5	1	0	2	3	2	1	0	0	0	0	10	0	0	0	0	0	25	0	60.0%
Mid Western	0	3	0	0	1	1	0	0	0	0	0	0	0	12	0	0	0	0	17	0	29.4%
New England	0	1	1	0	1	0	0	0	0	0	0	0	0	0	7	0	0	0	10	0	30.0%
Northern Rivers	0	1	0	0	2	2	1	0	0	0	0	0	1	0	0	14	0	0	21	2	33.3%
Southern	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	3	0	100.0%
Interstate	0	5	1	0	2	1	0	0	0	0	0	0	0	0	0	1	0	0	10	1	100.0%
Total	17	393	129	21	345	409	127	23	52	0	6	5	11	13	10	16	3	8	1588	21	52.6%
<i>Location unknown</i>	1	16	7	0	24	15	5	0	0	0	2	0	0	0	0	0	0	0	70	2	
Percentage working outside the area in which they live	23.5%	73.3%	16.3%	4.8%	70.1%	42.3%	44.9%	39.1%	44.2%	0.0%	16.7%	0.0%	9.1%	7.7%	30.0%	12.5%	100.0%	100.0%			

Table 6.10 Hours per week₁ usually worked in all medical jobs, specialists in training working in NSW, 2003

Hours per week	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Direct Patient Contact Hours²									
1-9	4	5.4%	31	5.3%	39	4.7%	74	5.0%	44.3%
10-19	1	1.4%	35	6.0%	31	3.8%	67	4.5%	53.0%
20-29	10	13.5%	58	10.0%	50	6.1%	118	8.0%	53.7%
30-34	8	10.8%	68	11.7%	60	7.3%	136	9.2%	53.1%
35-39	5	6.8%	38	6.5%	35	4.2%	78	5.3%	52.1%
40-44	10	13.5%	106	18.2%	177	21.5%	293	19.8%	37.5%
45-49	5	6.8%	54	9.3%	73	8.8%	132	8.9%	42.5%
50-59	7	9.5%	117	20.1%	185	22.4%	309	20.9%	38.7%
60-69	17	23.0%	47	8.1%	115	13.9%	179	12.1%	29.0%
70+	7	9.5%	27	4.6%	60	7.3%	94	6.4%	31.0%
Total	74	100.0%	581	100.0%	825	92.6%	1480	100.0%	41.3%
<i>Hours u//k & no hours 3</i>	13	14.9%	103	15.1%	85	9.3%	201	12.0%	
On Call — Hours Not Worked									
1-9	9	25.0%	28	11.9%	45	11.7%	82	12.5%	38.4%
10-19	9	25.0%	68	28.8%	99	25.8%	176	28.9%	40.7%
20-29	10	27.8%	52	22.0%	89	23.2%	151	28.9%	36.9%
30-34	1	2.8%	10	4.2%	30	7.8%	41	5.3%	25.0%
35-39	0	0.0%	4	1.7%	12	3.1%	16	2.6%	25.0%
40-44	2	5.6%	16	6.8%	27	7.0%	45	2.6%	37.2%
45-49	1	2.8%	7	3.0%	17	4.4%	25	0.0%	29.2%
50-59	1	2.8%	10	4.2%	12	3.1%	23	2.6%	45.5%
60-69	1	2.8%	8	3.4%	14	3.6%	23	2.6%	36.4%
70+	2	5.6%	33	14.0%	39	10.2%	74	13.2%	45.8%
Total	36	100.0%	236	100.0%	384	100.0%	656	100.0%	38.1%
<i>Hours u//k & no hours 3</i>	51	58.6%	448	65.5%	526	57.8%	1025	61.0%	
Total Hours Actually Worked (excluding on call not worked)									
1-9	2	2.4%	2	0.3%	4	0.4%	8	0.5%	33.3%
10-19	1	1.2%	9	1.4%	7	0.8%	17	1.0%	56.3%
20-29	5	5.9%	50	7.6%	22	2.4%	77	4.7%	69.4%
30-34	4	4.7%	24	3.6%	15	1.7%	43	2.6%	61.5%
35-39	1	1.2%	22	3.3%	14	1.6%	37	2.2%	61.1%
40-44	18	21.2%	156	23.6%	179	19.8%	353	21.4%	46.6%
45-49	10	11.8%	82	12.4%	100	11.1%	192	11.7%	45.1%
50-59	13	15.3%	201	30.5%	282	31.2%	496	30.1%	41.6%
60-69	19	22.4%	73	11.1%	183	20.3%	275	16.7%	28.5%
70+	12	14.1%	41	6.2%	97	10.7%	150	9.1%	29.7%
Total	85	100.0%	660	100.0%	903	100.0%	1648	100.0%	42.2%
<i>Hours u//k & no hou</i>	2	2.3%	24	3.5%	7	0.8%	33	2.0%	

Figure 6.2 Distribution of total hours worked per week by sex, specialists in training working in NSW, 2003




Table 6.11 Employment setting of main job by sex, specialists in training working in NSW, 2003

Employment setting	No.		%		No.		%		Per cent female
	Sex unknown	Female	Female	Male	Total	Total			
Public sector									
Ambulatory centre, day surgery, community health centre, outpatient clinic	2	34	2.4%	5.2%	31	67	3.5%	4.1%	52.3%
Aboriginal health service	0	2	0.0%	0.3%	3	5	0.3%	0.3%	40.0%
Hospital, including psychiatric hospital	74	553	88.1%	84.9%	762	1389	85.3%	85.3%	42.1%
Other residential health facility	0	2	0.0%	0.3%	1	3	0.1%	0.2%	66.7%
Tertiary education institution	1	9	1.2%	1.4%	16	26	1.8%	1.6%	36.0%
Defence forces	0	1	0.0%	0.2%	1	2	0.1%	0.1%	0.0%
Government department/agency	1	10	1.2%	1.5%	13	24	1.5%	1.5%	43.5%
Other	0	5	0.0%	0.8%	7	12	0.8%	0.7%	41.7%
Total public sector	78	616	82.3%	92.4%	834	1528	85.5%	88.2%	42.5%
Private sector									
Private rooms/surgery	3	11	3.6%	1.7%	24	38	2.7%	2.3%	31.4%
Ambulatory centre, day surgery, community health centre, outpatient clinic	1	1	1.2%	0.2%	2	4	0.2%	0.2%	33.3%
24 hour/other medical centre	0	2	0.0%	0.3%	2	4	0.2%	0.2%	50.0%
Aboriginal health service	0	0	0.0%	0.0%	0	0	0.0%	0.0%	0.0%
Hospital, including psychiatric hospital	2	16	2.4%	2.5%	24	42	2.7%	2.6%	40.0%
Other residential health facility	0	0	0.0%	0.0%	1	1	0.1%	0.1%	0.0%
Tertiary education institution	0	0	0.0%	0.0%	0	0	0.0%	0.0%	0.0%
Other	0	5	0.0%	0.8%	6	11	0.7%	0.7%	45.5%
Total private sector	6	35	17.7%	7.6%	59	100	14.5%	11.8%	37.2%
Total	84	651	100.0%	100.0%	893	1628	100.0%	100.0%	42.2%
Non-response:	3	33	3.4%	4.8%	17	53	1.9%	3.2%	

Table 6.12 Year of completion of training, specialists in training working in NSW, 2003

Year	No.		%		No.		%		Per cent female
	Sex Unknown	Female	Female	Male	Total	Total			
2003	8	68	10.0%	10.4%	92	168	10.6%	10.5%	42.5%
2004	10	122	12.5%	18.7%	172	304	19.8%	19.0%	41.5%
2005	15	142	18.8%	21.7%	187	344	21.5%	21.5%	43.2%
2006	15	141	18.8%	21.6%	157	313	18.0%	19.5%	47.3%
2007	8	95	10.0%	14.5%	136	239	15.6%	14.9%	41.1%
2008	13	59	16.3%	9.0%	85	157	9.8%	9.8%	41.0%
2009	7	12	8.8%	1.8%	22	41	2.5%	2.6%	35.3%
2010	3	11	3.8%	1.7%	16	30	1.8%	1.9%	40.7%
2011	0	2	0.0%	0.3%	2	4	0.2%	0.2%	50.0%
2012	0	1	0.0%	0.2%	0	1	0.0%	0.1%	100.0%
2014	1	0	1.3%	0.0%	0	1	0.0%	0.1%	0.0%
2015	0	0	0.0%	0.0%	1	1	0.1%	0.1%	0.0%
Total	80	653	100.0%	100.0%	870	1603	100.0%	100.0%	42.9%
Year unknown	7	31	8.0%	4.5%	40	78	4.4%	4.6%	

Table 6.13 Distribution of specialist areas by sex, specialists in training working in NSW, 2003

Qualifications	No.		%		No.		%		Per Cent Female
	Sex Unknown	Female	Male	Total	Female	Male	Total		
Internal Medicine									
Cardiology	3	3.6%	8	1.2%	30	3.4%	41	2.5%	21.1%
Clinical haematology	0	0.0%	8	1.2%	5	0.6%	13	0.8%	61.5%
Clinical immunology	0	0.0%	2	0.3%	2	0.2%	4	0.2%	50.0%
Clinical pharmacology	0	0.0%	1	0.2%	2	0.2%	3	0.2%	33.3%
Endocrinology	0	0.0%	16	2.4%	6	0.7%	22	1.4%	72.7%
Gastroenterology	1	1.2%	6	0.9%	9	1.0%	16	1.0%	40.0%
General medicine	6	7.2%	31	4.7%	47	5.3%	84	5.2%	39.7%
Geriatrics	2	2.4%	9	1.4%	11	1.2%	22	1.4%	45.0%
Infectious diseases	0	0.0%	5	0.8%	9	1.0%	14	0.9%	35.7%
Medical oncology	1	1.2%	5	0.8%	7	0.8%	13	0.8%	41.7%
Neurology	0	0.0%	6	0.9%	5	0.6%	11	0.7%	54.5%
Nuclear medicine	0	0.0%	3	0.5%	5	0.6%	8	0.5%	37.5%
Paediatric medicine	6	7.2%	67	10.2%	42	4.8%	115	7.1%	61.5%
Renal medicine	0	0.0%	6	0.9%	7	0.8%	13	0.8%	46.2%
Rheumatology	2	2.4%	4	0.6%	3	0.3%	9	0.6%	57.1%
Thoracic medicine	1	1.2%	7	1.1%	9	1.0%	17	1.0%	43.8%
Total internal medicine	22	26.5%	184	27.9%	199	22.6%	405	24.9%	48.0%
Pathology									
General pathology	0	0.0%	1	0.2%	0	0.0%	1	0.1%	100.0%
Anatomical pathology	2	2.4%	26	3.9%	16	1.8%	44	2.7%	61.9%
Clinical chemistry	0	0.0%	2	0.3%	1	0.1%	3	0.2%	100.0%
Cytopathology	1	1.2%	0	0.0%	0	0.0%	1	0.1%	0.0%
Forensic pathology	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Haematology	1	1.2%	4	0.6%	6	0.7%	11	0.7%	40.0%
Immunology	2	2.4%	3	0.5%	5	0.6%	10	0.6%	37.5%
Microbiology	0	0.0%	4	0.6%	2	0.2%	6	0.4%	66.7%
Total pathology	6	7.2%	40	6.1%	30	3.4%	76	4.7%	57.1%
Surgery									
General surgery	6	7.2%	29	4.4%	76	8.6%	111	6.8%	27.6%
Cardio-thoracic surgery	0	0.0%	3	0.5%	10	1.1%	13	0.8%	23.1%
Neurosurgery	4	4.8%	3	0.5%	6	0.7%	13	0.8%	0.0%
Orthopaedic surgery	1	1.2%	5	0.8%	64	7.3%	70	4.3%	0.0%
Otorhinolaryngology	3	3.6%	5	0.8%	12	1.4%	20	1.2%	0.0%
Paediatric surgery	0	0.0%	4	0.6%	1	0.1%	5	0.3%	0.0%
Plastic/reconst surgery	2	2.4%	2	0.3%	11	1.2%	15	0.9%	15.4%
Urology	0	0.0%	0	0.0%	12	1.4%	12	0.7%	0.0%
Vascular Surgery	0	0.0%	3	0.5%	5	0.6%	8	0.5%	0.0%
Total surgery	16	19.3%	54	8.2%	197	22.3%	267	16.4%	21.5%
Other Specialties									
Anaesthesia	8	9.6%	63	9.6%	108	12.2%	179	11.0%	36.8%
Clinical Genetics	0	0.0%	4	0.6%	0	0.0%	4	0.2%	100.0%
Dermatology	1	1.2%	9	1.4%	10	1.1%	20	1.2%	47.4%
Diagnostic Radiology	1	1.2%	17	2.6%	44	5.0%	62	3.8%	27.9%
Emergency Medicine	8	9.6%	53	8.0%	71	8.0%	132	8.1%	42.7%
I. C. Anaesthesia	0	0.0%	4	0.6%	16	1.8%	20	1.2%	20.0%
I. C. Internal Medicine	1	1.2%	1	0.2%	10	1.1%	12	0.7%	9.1%
Medical Administration	0	0.0%	7	1.1%	4	0.5%	11	0.7%	63.6%
Obst. & Gyn.	7	8.4%	41	6.2%	29	3.3%	77	4.7%	58.6%
Occupational Medicine	0	0.0%	6	0.9%	8	0.9%	14	0.9%	42.9%
Ophthalmology	0	0.0%	12	1.8%	27	3.1%	39	2.4%	30.8%
Psychiatry	8	9.6%	88	13.4%	80	9.1%	176	10.8%	52.4%
Public Health Medicine	0	0.0%	7	1.1%	4	0.5%	11	0.7%	63.6%
Radiation Oncology	1	1.2%	15	2.3%	10	1.1%	26	1.6%	60.0%
Rehabilitation Medicine	1	1.2%	24	3.6%	23	2.6%	48	3.0%	51.1%
Other	3	3.6%	30	4.6%	12	1.4%	45	2.8%	71.4%
Total other specialties	39	47.0%	381	57.8%	456	51.7%	876	53.9%	45.5%
Total specialties	83	100.0%	659	100.0%	882	100.0%	1624	100.0%	42.8%
<i>Specialty unknown</i>	4	4.6%	25	3.7%	28	3.1%	57	3.4%	

7

NON-SPECIALIST HOSPITAL SALARIED MEDICAL PRACTITIONERS WORKING IN NSW

Table 7.1 Age and sex distribution of non-specialist hospital salaried medical practitioners working in NSW, 2003

Age group	No.	%	No.	%	No.	%	
	Female		Male		Total		Per cent female
Under 25	15	2.3%	6	0.7%	21	1.4%	71.4%
25-29	253	38.3%	285	35.3%	538	36.7%	47.0%
30-34	115	17.4%	155	19.2%	270	18.4%	42.6%
35-39	91	13.8%	90	11.2%	181	12.3%	50.3%
40-44	71	10.8%	87	10.8%	158	10.8%	44.9%
45-49	53	8.0%	75	9.3%	128	8.7%	41.4%
50-54	27	4.1%	53	6.6%	80	5.5%	33.8%
55-59	23	3.5%	22	2.7%	45	3.1%	51.1%
60-64	6	0.9%	16	2.0%	22	1.5%	27.3%
65-69	4	0.6%	11	1.4%	15	1.0%	26.7%
70-74	2	0.3%	3	0.4%	5	0.3%	40.0%
over 75	0	0.0%	4	0.5%	4	0.3%	0.0%
Total	660	100.0%	807	100.0%	1467	100.0%	45.0%
Age unknown	6	0.9%	20	2.4%	26	1.7%	
Age & sex unknown					379		
Total unknown					405	21.6%	

Figure 7.1 Age and sex distribution of non-specialist hospital salaried medical practitioners working in NSW, 2003




Table 7.2 Age and sex of non-specialist hospital salaried medical practitioners working in NSW, 1993 – 2003

Age group	1993 [†]	1994	1995	1996	1997	1998	1999	2000	2002	2003
Male — Survey Respondents										
Under 25	11	67	55	51	103	122	92	57	60	6
25-29	320	434	451	491	484	504	501	468	384	285
30-34	94	131	123	154	181	180	190	140	139	155
35-39	63	78	86	111	140	146	125	121	98	90
40-44	45	41	60	58	89	87	92	97	90	87
45-49	17	33	26	39	64	63	70	54	55	75
50-54	11	20	18	21	38	22	43	43	43	53
55-59	8	12	14	22	33	30	32	20	15	22
60-64	5	5	9	9	17	14	27	17	15	16
65-69	6	7	8	9	12	4	6	11	9	11
70-74	1	3	2	4	10	6	17	12	5	3
Over 75	1	3	2	1	4	2	14	13	3	4
Total	582	834	854	970	1175	1180	1209	1053	916	807
<i>Age unknown</i>	87	86	70	63	73	61	74	18	19	20
Female — Survey Respondents										
Under 25	17	51	48	47	105	95	76	58	55	15
25-29	199	277	326	395	347	365	375	389	292	253
30-34	50	75	79	108	135	132	121	111	115	115
35-39	57	60	61	82	118	91	94	90	92	91
40-44	31	34	28	41	79	80	83	81	61	71
45-49	24	20	21	24	38	44	46	43	44	53
50-54	10	11	9	17	33	33	28	23	27	27
55-59	10	8	8	10	14	16	18	20	9	23
60-64	6	3	3	6	9	9	7	11	11	6
65-69	0	0	1	5	6	4	4	5	3	4
70-74	1	0	1	1	0	0	4	2	1	2
Over 75	0	0	0	0	0	0	1	2	1	0
Total	405	539	585	736	884	869	857	835	711	660
<i>Age unknown</i>	32	27	28	31	31	29	22	9	10	6
Male and Female — Survey Respondents										
Under 25	28	118	103	98	208	217	168	115	115	21
25-29	519	711	777	886	831	869	876	857	676	538
30-34	144	206	202	262	316	312	311	251	254	270
35-39	120	138	147	193	258	237	219	211	190	181
40-44	76	75	88	99	168	167	175	178	151	158
45-49	41	53	47	63	102	107	116	97	99	128
50-54	21	31	27	38	71	55	71	66	70	80
55-59	18	20	22	32	47	46	50	40	24	45
60-64	11	8	12	15	26	23	34	28	26	22
65-69	6	7	9	14	18	8	10	16	12	15
70-74	2	3	3	5	10	6	21	14	6	5
Over 75	1	3	2	1	4	2	15	15	4	4
Total	987	1373	1439	1706	2059	2049	2066	1888	1627	1467
<i>Age unknown</i>	119	113	98	94	104	90	96	27	29	26
<i>Age & sex unknown</i>										379
Proportion Female										
All Ages	39.5%	38.1%	39.9%	42.6%	42.3%	42.0%	40.7%	44.1%	43.5%	44.6%

Table 7.3 Percentage distribution of age and sex of non-specialist hospital salaried medical practitioners working in NSW, 1993 – 2003

Age Range	1993 [†]	1994	1995	1996	1997	1998	1999	2000	2002	2003
Percentage Distribution — Males										
Under 25	1.9%	8.0%	6.4%	5.3%	8.8%	10.3%	7.6%	5.4%	6.6%	0.7%
25-29	55.0%	52.0%	52.8%	50.6%	41.2%	42.7%	41.4%	44.4%	41.9%	35.3%
30-34	16.2%	15.7%	14.4%	15.9%	15.4%	15.3%	15.7%	13.3%	15.2%	19.2%
35-39	10.8%	9.4%	10.1%	11.4%	11.9%	12.4%	10.3%	11.5%	10.7%	11.2%
40-44	7.7%	4.9%	7.0%	6.0%	7.6%	7.4%	7.6%	9.2%	9.8%	10.8%
45-49	2.9%	4.0%	3.0%	4.0%	5.4%	5.3%	5.8%	5.1%	6.0%	9.3%
50-54	1.9%	2.4%	2.1%	2.2%	3.2%	1.9%	3.6%	4.1%	4.7%	6.6%
55-59	1.4%	1.4%	1.6%	2.3%	2.8%	2.5%	2.6%	1.9%	1.6%	2.7%
60-64	0.9%	0.6%	1.1%	0.9%	1.4%	1.2%	2.2%	1.6%	1.6%	2.0%
65-69	1.0%	0.8%	0.9%	0.9%	1.0%	0.3%	0.5%	1.0%	1.0%	1.4%
70-74	0.2%	0.4%	0.2%	0.4%	0.9%	0.5%	1.4%	1.1%	0.5%	0.4%
Over 75	0.2%	0.4%	0.2%	0.1%	0.3%	0.2%	1.2%	1.2%	0.3%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Age unknown</i>	13.0%	9.3%	7.6%	6.1%	5.8%	4.9%	5.8%	1.7%	2.0%	2.4%
Percentage Distribution — Females										
Under 25	4.2%	9.5%	8.2%	6.4%	11.9%	10.9%	8.9%	6.9%	7.7%	2.3%
25-29	49.1%	51.4%	55.7%	53.7%	39.3%	42.0%	43.8%	46.6%	41.1%	38.3%
30-34	12.3%	13.9%	13.5%	14.7%	15.3%	15.2%	14.1%	13.3%	16.2%	17.4%
35-39	14.1%	11.1%	10.4%	11.1%	13.3%	10.5%	11.0%	10.8%	12.9%	13.8%
40-44	7.7%	6.3%	4.8%	5.6%	8.9%	9.2%	9.7%	9.7%	8.6%	10.8%
45-49	5.9%	3.7%	3.6%	3.3%	4.3%	5.1%	5.4%	5.1%	6.2%	8.0%
50-54	2.5%	2.0%	1.5%	2.3%	3.7%	3.8%	3.3%	2.8%	3.8%	4.1%
55-59	2.5%	1.5%	1.4%	1.4%	1.6%	1.8%	2.1%	2.4%	1.3%	3.5%
60-64	1.5%	0.6%	0.5%	0.8%	1.0%	1.0%	0.8%	1.3%	1.5%	0.9%
65-69	0.0%	0.0%	0.2%	0.7%	0.7%	0.5%	0.5%	0.6%	0.4%	0.6%
70-74	0.2%	0.0%	0.2%	0.1%	0.0%	0.0%	0.5%	0.2%	0.1%	0.3%
Over 75	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Age unknown</i>	7.3%	4.8%	4.6%	4.0%	3.4%	3.2%	2.5%	1.1%	1.4%	0.9%
Percentage Distribution - Males & Females										
Under 25	2.8%	8.6%	7.2%	5.7%	10.1%	10.6%	8.1%	6.1%	7.1%	1.4%
25-29	52.6%	51.8%	54.0%	51.9%	40.4%	42.4%	42.4%	45.4%	41.5%	36.7%
30-34	14.6%	15.0%	14.0%	15.4%	15.3%	15.2%	15.1%	13.3%	15.6%	18.4%
35-39	12.2%	10.1%	10.2%	11.3%	12.5%	11.6%	10.6%	11.2%	11.7%	12.3%
40-44	7.7%	5.5%	6.1%	5.8%	8.2%	8.2%	8.5%	9.4%	9.3%	10.8%
45-49	4.2%	3.9%	3.3%	3.7%	5.0%	5.2%	5.6%	5.1%	6.1%	8.7%
50-54	2.1%	2.3%	1.9%	2.2%	3.4%	2.7%	3.4%	3.5%	4.3%	5.5%
55-59	1.8%	1.5%	1.5%	1.9%	2.3%	2.2%	2.4%	2.1%	1.5%	3.1%
60-64	1.1%	0.6%	0.8%	0.9%	1.3%	1.1%	1.6%	1.5%	1.6%	1.5%
65-69	0.6%	0.5%	0.6%	0.8%	0.9%	0.4%	0.5%	0.8%	0.7%	1.0%
70-74	0.2%	0.2%	0.2%	0.3%	0.5%	0.3%	1.0%	0.7%	0.4%	0.3%
Over 75	0.1%	0.2%	0.1%	0.1%	0.2%	0.1%	0.7%	0.8%	0.2%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Age unknown</i>	10.8%	7.6%	6.4%	5.2%	4.8%	4.2%	4.4%	1.4%	1.8%	1.7%
<i>Total unknown</i>										21.6%

Table 7.4 Estimated number of employment locations by sex, non-specialist hospital salaried medical practitioners working in NSW, 2003

Number of jobs	No.		%		No.		%		Per Cent Female
	Sex unknown	Female	Male	Total					
One job only	286	88.8%	448	79.6%	545	75.8%	1,279	79.7%	45.1%
Two jobs	30	9.3%	88	15.6%	132	18.4%	250	15.6%	40.0%
Three or more jobs	6	1.9%	27	4.8%	42	5.8%	75	4.7%	39.1%
Total	322	100.0%	563	100.0%	719	100.0%	1,604	100.0%	43.9%
<i>Unknown</i>	57	15.0%	103	15.5%	108	13.1%	268	14.3%	

Notes

¹ Data has been estimated from Question 9 of the survey form, "What is the percentage of total hours worked in each locality over the last four weeks?", which was asked for up to three locations. This was not the same as data collected on jobs in previous profiles.

² "Location" refers to distinct locations although in some cases respondents provided the same postcode for more than one location.

Table 7.5 Main geographical location by sex, non-specialist hospital salaried medical practitioners working in NSW, 2003

Geographical location	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
Metropolitan Area Health Services									
Central Coast	26	7.0%	27	4.3%	36	4.5%	89	4.9%	42.9%
Central Sydney	51	13.7%	67	10.6%	63	7.9%	181	10.0%	51.5%
Hunter	36	9.7%	47	7.4%	68	8.5%	151	8.4%	40.9%
Illawarra	20	5.4%	20	3.2%	59	7.4%	99	5.5%	25.3%
Northern Sydney	41	11.0%	74	11.7%	87	10.9%	202	11.2%	46.0%
South Eastern Sydney	64	17.2%	139	22.0%	124	15.5%	327	18.1%	52.9%
South Western Sydney	39	10.5%	62	9.8%	98	12.2%	199	11.0%	38.8%
Wentworth	16	4.3%	24	3.8%	39	4.9%	79	4.4%	38.1%
Western Sydney	38	10.2%	102	16.1%	93	11.6%	233	12.9%	52.3%
Total Metropolitan	331	89.0%	562	88.9%	667	83.3%	1560	86.4%	45.7%
Rural Area Health Services									
Far West	0	0.0%	0	0.0%	5	0.6%	5	0.3%	0.0%
Greater Murray	10	2.7%	10	1.6%	24	3.0%	44	2.4%	29.4%
Macquarie	4	1.1%	7	1.1%	8	1.0%	19	1.1%	46.7%
Mid North Coast	5	1.3%	14	2.2%	22	2.7%	41	2.3%	38.9%
Mid Western	8	2.2%	12	1.9%	20	2.5%	40	2.2%	37.5%
New England	6	0.0%	9	1.4%	16	2.0%	31	1.7%	36.0%
Northern Rivers	7	1.9%	14	2.2%	24	3.0%	45	2.5%	36.8%
Southern	0	0.0%	3	0.5%	8	1.0%	11	0.6%	27.3%
Total Rural	40	10.8%	69	10.9%	127	15.9%	236	13.1%	35.2%
Interstate (including ACT)	1	0.0%	1	0.2%	7	0.9%	9	0.5%	12.5%
Total	372	100.0%	632	100.0%	801	100.0%	1805	100.0%	44.1%
<i>Location unknown</i>	7	1.8%	34	5.1%	26	3.1%	67	3.6%	

Table 7.6 Second geographical location by sex, non-specialist hospital salaried medical practitioners working in NSW, 2003

Location	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Metropolitan Area Health Services									
Central Coast	6	0.0%	9	6.6%	10	4.9%	25	6.4%	47.4%
Central Sydney	7	14.3%	10	7.3%	17	8.4%	34	8.7%	37.0%
Hunter	5	10.2%	11	8.0%	23	11.3%	39	10.0%	32.4%
Illawarra	1	2.0%	9	6.6%	18	8.9%	28	7.2%	33.3%
Northern Sydney	10	20.4%	19	13.9%	23	11.3%	52	13.4%	45.2%
South Eastern Sydney	7	14.3%	23	16.8%	24	11.8%	54	13.9%	48.9%
South Western Sydney	3	0.0%	9	6.6%	21	10.3%	33	8.5%	30.0%
Wentworth	0	0.0%	7	5.1%	9	4.4%	16	4.1%	43.8%
Western Sydney	3	6.1%	24	17.5%	33	16.3%	60	15.4%	42.1%
Total Metropolitan	42	85.7%	121	88.3%	178	87.7%	341	87.7%	40.5%
Rural Area Health Services									
Far West	0	0.0%	1	0.7%	3	1.5%	4	1.0%	25.0%
Greater Murray	0	0.0%	3	2.2%	4	2.0%	7	1.8%	42.9%
Macquarie	2	0.0%	0	0.0%	0	0.0%	2	0.5%	0.0%
Mid North Coast	2	4.1%	3	2.2%	6	3.0%	11	2.8%	33.3%
Mid Western	0	0.0%	1	0.7%	2	1.0%	3	0.8%	33.3%
New England	3	0.0%	1	0.7%	1	0.5%	5	1.3%	50.0%
Northern Rivers	0	0.0%	5	3.6%	2	1.0%	7	1.8%	71.4%
Southern	0	0.0%	1	0.7%	5	2.5%	6	1.5%	16.7%
Total Rural	7	14.3%	15	10.9%	23	11.3%	45	11.6%	39.5%
Interstate (including ACT)	0	0.0%	1	0.7%	2	1.0%	3	0.8%	33.3%
Total	49	100.0%	137	100.0%	203	100.0%	389	100.0%	40.3%
<i>Unknown</i>	330	87.1%	529	79.4%	624	75.5%	1483	79.2%	

Table 7.7 Third geographical location by sex, non-specialist hospital salaried medical practitioners working in NSW, 2003

Location	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Metropolitan Area Health Services									
Central Coast	0	0.0%	1	2.8%	4	8.3%	5	5.5%	20.0%
Central Sydney	1	14.3%	2	5.6%	4	8.3%	7	7.7%	33.3%
Hunter	0	0.0%	2	5.6%	6	12.5%	8	8.8%	25.0%
Illawarra	1	14.3%	2	5.6%	5	10.4%	8	8.8%	28.6%
Northern Sydney	2	28.6%	3	8.3%	6	12.5%	11	12.1%	33.3%
South Eastern Sydney	2	0.0%	6	16.7%	3	6.3%	11	12.1%	66.7%
South Western Sydney	0	0.0%	4	11.1%	5	10.4%	9	9.9%	44.4%
Wentworth	0	0.0%	0	0.0%	7	14.6%	7	7.7%	0.0%
Western Sydney	1	14.3%	9	25.0%	3	6.3%	13	14.3%	75.0%
Total Metropolitan	7	100.0%	29	80.6%	43	89.6%	79	86.8%	40.3%
Rural Area Health Services									
Far West	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Greater Murray	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Macquarie	0	0.0%	0	0.0%	1	0.0%	1	0.0%	0.0%
Mid North Coast	0	0.0%	2	5.6%	1	2.1%	3	3.3%	66.7%
Mid Western	0	0.0%	2	5.6%	1	2.1%	3	3.3%	66.7%
New England	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Northern Rivers	0	0.0%	1	2.8%	0	0.0%	1	1.1%	100.0%
Southern	0	0.0%	1	0.0%	1	0.0%	2	0.0%	0.0%
Total Rural	0	0.0%	6	16.7%	4	8.3%	10	11.0%	60.0%
Interstate (including ACT)	0	0.0%	1	2.8%	1	0.0%	2	2.2%	100.0%
Total	7	100.0%	36	100.0%	48	93.8%	91	96.7%	42.9%
<i>Estimated location unknown</i>	372	98.2%	630	94.6%	779	94.2%	1781	95.1%	

Table 7.8 Main geographical location by sex, non-specialist hospital salaried medical practitioners working in NSW, 1993-2003

Location	1993,	1994	1995	1996	1997	1998	1999	2000	2002	2003
Survey Respondents										
Metropolitan Area Health Services										
Central Coast	47	72	79	88	92	108	92	89	70	89
Central Sydney	141	179	181	224	294	301	272	213	191	181
Hunter	72	107	138	152	158	142	149	149	120	151
Illawarra	53	78	68	86	107	114	116	105	89	99
Northern Sydney	140	203	203	200	236	239	240	238	181	202
South Eastern Sydney	244	326	323	376	433	395	393	355	290	327
South Western Sydney	53	73	100	125	203	196	232	183	153	199
Wentworth	24	21	31	64	78	68	66	69	83	79
Western Sydney	153	187	206	222	281	296	282	258	218	233
Total Metropolitan	927	1246	1329	1537	1882	1859	1842	1659	1395	1560
Rural Area Health Services										
Far West	2	1	2	0	4	7	8	10	7	5
Greater Murray	10	12	15	21	25	29	33	43	46	44
Macquarie	1	7	4	6	5	6	11	17	13	19
Mid North Coast	5	19	14	22	21	22	28	59	54	41
Mid Western	15	17	15	26	32	32	34	32	20	40
New England	20	26	16	24	34	24	24	35	24	31
Northern Rivers	26	22	31	30	53	51	59	49	34	45
Southern	12	13	9	10	20	16	18	15	10	11
Total Rural	91	117	106	139	194	187	215	260	208	236
Interstate (incl. ACT)	0	1	1	6	2	2	3	9	4	9
Total	1018	1364	1436	1682	2078	2048	2060	1928	1607	1805
<i>Location unknown</i>	88	122	101	118	85	91	102	92	49	67
Percentage Distribution										
Metropolitan Area Health Services										
Central Coast	4.6%	5.3%	5.5%	5.2%	4.4%	5.3%	4.5%	4.6%	4.4%	4.9%
Central Sydney	13.9%	13.1%	12.6%	13.3%	14.1%	14.7%	13.2%	11.0%	11.9%	10.0%
Hunter	7.1%	7.8%	9.6%	9.0%	7.6%	6.9%	7.2%	7.7%	7.5%	8.4%
Illawarra	5.2%	5.7%	4.7%	5.1%	5.1%	5.6%	5.6%	5.4%	5.5%	5.5%
Northern Sydney	13.8%	14.9%	14.1%	11.9%	11.4%	11.7%	11.7%	12.3%	11.3%	11.2%
South Eastern Sydney	24.0%	23.9%	22.5%	22.4%	20.8%	19.3%	19.1%	18.4%	18.0%	18.1%
South Western Sydney	5.2%	5.4%	7.0%	7.4%	9.8%	9.6%	11.3%	9.5%	9.5%	11.0%
Wentworth	2.4%	1.5%	2.2%	3.8%	3.8%	3.3%	3.2%	3.6%	5.2%	4.4%
Western Sydney	15.0%	13.7%	14.3%	13.2%	13.5%	14.5%	13.7%	13.4%	13.6%	12.9%
Total Metropolitan	91.1%	91.3%	92.5%	91.4%	90.6%	90.8%	89.4%	86.0%	86.8%	86.4%
Rural Area Health Services										
Far West	0.2%	0.1%	0.1%	0.0%	0.2%	0.3%	0.4%	0.5%	0.4%	0.3%
Greater Murray	1.0%	0.9%	1.0%	1.2%	1.2%	1.4%	1.6%	2.2%	2.9%	2.4%
Macquarie	0.1%	0.5%	0.3%	0.4%	0.2%	0.3%	0.5%	0.9%	0.8%	1.1%
Mid North Coast	0.5%	1.4%	1.0%	1.3%	1.0%	1.1%	1.4%	3.1%	3.4%	2.3%
Mid Western	1.5%	1.2%	1.0%	1.5%	1.5%	1.6%	1.7%	1.7%	1.2%	2.2%
New England	2.0%	1.9%	1.1%	1.4%	1.6%	1.2%	1.2%	1.8%	1.5%	1.7%
Northern Rivers	2.6%	1.6%	2.2%	1.8%	2.6%	2.5%	2.9%	2.5%	2.1%	2.5%
Southern	1.2%	1.0%	0.6%	0.6%	1.0%	0.8%	0.9%	0.8%	0.6%	0.6%
Total Rural	8.9%	8.6%	7.4%	8.3%	9.3%	9.1%	10.4%	13.5%	12.9%	13.1%
Interstate (incl. ACT)	0.0%	0.1%	0.1%	0.4%	0.1%	0.1%	0.1%	0.5%	0.2%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<i>Location unknown</i>	8.0%	8.2%	6.6%	6.6%	3.9%	4.3%	4.7%	4.6%	3.0%	3.6%

Table 7.9 Location of main job by location of residence, non-specialist hospital salaried medical practitioners working in NSW, 2003

Geographical location of main job	Geographical location of residence																		Total	Location of residence unknown	Percentage living in different area to main job
	Central Coast	Central Sydney	Hunter	Illawarra	Northern Sydney	South Eastern Sydney	South Western Sydney	Wentworth	Western Sydney	Far West	Greater Murray	Macquarie	Mid North Coast	Mid Western	New England	Northern Rivers	Southern	Interstate			
Central Coast	61	4	5	0	8	3	4	1	0	0	0	0	0	0	0	0	0	0	86	3	29.1%
Central Sydney	0	83	0	1	39	30	19	1	3	0	1	0	0	0	0	0	0	0	177	4	53.1%
Hunter	2	1	136	1	1	4	2	0	1	0	0	0	1	0	0	0	0	0	149	2	8.7%
Illawarra	1	3	2	51	7	21	3	0	8	0	0	0	0	0	0	1	1	1	99	0	48.5%
Northern Sydney	1	17	1	0	145	15	20	0	2	0	0	0	0	0	0	0	0	0	201	1	27.9%
South Eastern Sydney	1	52	8	1	33	207	7	1	7	0	1	0	0	0	1	1	1	0	321	6	35.5%
South Western Sydney	2	39	0	2	62	15	97	9	4	0	0	0	0	0	0	0	0	1	231	2	58.0%
Wentworth	0	12	0	0	5	6	21	32	2	0	0	0	0	1	0	0	0	0	79	0	59.5%
Western Sydney	0	49	0	1	29	37	30	1	49	0	0	0	0	0	0	0	0	0	196	3	75.0%
Far West	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	0	0	0	3	2	0.0%
Greater Murray	0	3	0	0	2	5	0	0	1	0	30	0	0	0	0	0	0	3	44	0	31.8%
Macquarie	0	2	1	0	1	4	1	0	0	0	0	7	0	0	0	0	0	2	18	1	61.1%
Mid North Coast	2	4	2	0	3	1	2	0	0	0	0	0	24	0	2	0	0	0	40	1	40.0%
Mid Western	1	4	0	1	1	3	2	1	0	0	1	1	0	24	0	0	0	0	39	1	38.5%
New England	0	0	1	0	1	2	1	0	0	0	0	0	2	0	23	0	0	0	30	1	23.3%
Northern Rivers	0	2	0	0	1	4	0	0	2	0	0	0	0	0	0	33	0	2	44	1	25.0%
Southern	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	5	3	11	0	54.5%
Interstate	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	2	5	4	60.0%
Total	71	276	156	59	340	359	210	46	79	1	33	8	27	25	26	35	8	14	1773	32	43.0%
<i>Unknown</i>	1	10	9	2	13	19	4	1	4	0	0	1	0	0	0	0	0	0	64	3	
Percentage working outside the area in which they live	14.1%	69.9%	12.8%	13.6%	57.4%	42.3%	53.8%	30.4%	38.0%	0.0%	9.1%	12.5%	11.1%	4.0%	11.5%	5.7%	37.5%	85.7%			

Table 7.10 Hours per week, usually worked in all medical jobs, non-specialist hospital salaried medical practitioners working in NSW, 2003

Hours per week	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
Direct Patient Contact Hours²									
1-9	1	0.3%	34	5.7%	13	1.7%	48	2.8%	72.3%
10-19	8	2.4%	43	7.2%	37	4.9%	88	5.2%	53.8%
20-29	30	8.8%	71	11.9%	58	7.7%	159	9.4%	55.0%
30-34	22	6.5%	71	11.9%	58	7.7%	151	9.0%	55.0%
35-39	10	2.9%	27	4.5%	44	5.9%	81	4.8%	38.0%
40-44	88	25.9%	143	24.0%	191	25.5%	422	25.0%	42.8%
45-49	35	10.3%	48	8.0%	76	10.1%	159	9.4%	38.7%
50-59	76	22.4%	107	17.9%	178	23.8%	361	21.4%	37.5%
60-69	48	14.1%	33	5.5%	57	7.6%	138	8.2%	36.7%
70+	22	6.5%	20	3.4%	37	4.9%	79	4.7%	35.1%
Total	340	100.0%	597	100.0%	749	100.0%	1686	100.0%	44.4%
<i>Hours u/k & no hours³</i>	39	10.3%	69	10.4%	78	9.4%	186	9.9%	
On Call — Hours Not Worked									
1-9	43	32.1%	35	21.1%	44	19.0%	122	22.9%	44.3%
10-19	51	38.1%	55	33.1%	66	28.4%	172	32.3%	45.5%
20-29	28	20.9%	41	24.7%	50	21.6%	119	22.4%	45.1%
30-34	3	2.2%	5	3.0%	12	5.2%	20	3.8%	29.4%
35-39	2	1.5%	2	1.2%	4	1.7%	8	1.5%	33.3%
40-44	2	1.5%	4	2.4%	11	4.7%	17	3.2%	26.7%
45-49	2	1.5%	5	3.0%	7	3.0%	14	2.6%	41.7%
50-59	0	0.0%	2	1.2%	5	2.2%	7	1.3%	28.6%
60-69	0	0.0%	0	0.0%	10	4.3%	10	1.9%	0.0%
70+	3	2.2%	17	10.2%	23	9.9%	43	8.1%	42.5%
Total	134	100.0%	166	100.0%	232	100.0%	532	100.0%	41.7%
<i>Hours u/k & no hours³</i>	245	64.6%	500	75.1%	595	71.9%	1,340	71.6%	
Total Hours Actually Worked (excluding on call not worked)									
1-9	2	0.5%	22	3.4%	4	0.5%	28	1.5%	84.6%
10-19	2	0.5%	34	5.3%	23	2.8%	59	3.2%	59.6%
20-29	3	0.8%	61	9.4%	32	4.0%	96	5.2%	65.6%
30-34	3	0.8%	38	5.9%	33	4.1%	74	4.0%	53.5%
35-39	5	1.3%	18	2.8%	36	4.4%	59	3.2%	33.3%
40-44	71	18.9%	155	24.0%	177	21.9%	403	22.0%	46.7%
45-49	41	10.9%	74	11.5%	98	12.1%	213	11.6%	43.0%
50-59	137	36.4%	163	25.2%	243	30.0%	543	29.6%	40.1%
60-69	81	21.5%	52	8.0%	103	12.7%	236	12.9%	33.5%
70+	31	8.2%	29	4.5%	61	7.5%	121	6.6%	32.2%
Total	376	100.0%	646	100.0%	810	100.0%	1832	100.0%	44.4%
<i>Hours u/k & no hours³</i>	3	0.8%	20	3.0%	17	2.1%	40	2.1%	

Figure 7.2 Distribution of total hours worked per week by sex, non-specialist hospital salaried medical practitioners working in NSW, 2003




Table 7.11 Employment setting of main job by sector, non-specialist hospital salaried medical practitioners working in NSW, 2003

Employment setting	No.		%		No.		%		Per cent Female
	Unknown	Female	Male	Total	Female	Male	Total		
Public sector									
Ambulatory centre, day surgery, community health centre, outpatient clinic	1	31	18	50	0.3%	4.8%	2.3%	2.8%	63.3%
Aboriginal health service	0	1	2	3	0.0%	0.2%	0.3%	0.2%	33.3%
Hospital, including psychiatric hospital	349	528	624	1501	95.4%	82.4%	78.0%	83.1%	45.8%
Other residential health facility	1	5	7	13	0.3%	0.8%	0.9%	0.7%	41.7%
Tertiary education institution	6	7	11	24	1.6%	1.1%	1.4%	1.3%	38.9%
Defence forces	0	0	3	3	0.0%	0.0%	0.4%	0.2%	0.0%
Government department/agency	0	6	9	15	0.0%	0.9%	1.1%	0.8%	40.0%
Other	3	9	10	22	0.8%	1.4%	1.3%	1.2%	47.4%
Total public sector	360	587	684	1631	98.4%	91.6%	85.5%	90.3%	46.2%
Private sector									
Private rooms/surgery	0	17	33	50	0.0%	2.7%	4.1%	2.8%	34.0%
Ambulatory centre, day surgery, community health centre, outpatient clinic	0	2	2	4	0.0%	0.3%	0.3%	0.2%	50.0%
24 hour/other medical centre	1	1	1	3	0.3%	0.2%	0.1%	0.2%	50.0%
Aboriginal health service		0	0	0	0.0%	0.0%	0.0%	0.0%	0.0%
Hospital, including psychiatric hospital	5	32	72	109	1.4%	5.0%	9.0%	6.0%	30.8%
Other residential health facility	0	0	0	0	0.0%	0.0%	0.0%	0.0%	0.0%
Tertiary education institution	0	0	0	0	0.0%	0.0%	0.0%	0.0%	0.0%
Other	0	2	8	10	0.0%	0.3%	1.0%	0.6%	20.0%
Total private sector	6	54	116	176	1.6%	8.4%	14.5%	9.7%	31.8%
Total	366	641	800	1807	100.0%	100.0%	100.0%	100.0%	44.5%
<i>Unknown</i>	13	25	27	65	3.4%	3.8%	3.3%	3.5%	

Table 7.12 Type of position by sex, non-specialist hospital salaried medical practitioners working in NSW, 2003

Salaried position	No.		%		No.		%		Per Cent Female
	Unknown Sex		Female		Male		Total		
Intern	291	77.6%	32	4.9%	20	2.5%	343	18.8%	61.5%
RMO Yr1	29	7.7%	160	24.7%	158	19.7%	347	19.0%	50.3%
RMO Yr2	11	2.9%	114	17.6%	114	14.2%	239	13.1%	50.0%
RMO Yr3	10	2.7%	80	12.4%	70	8.7%	160	8.8%	53.3%
CMO	17	4.5%	153	23.6%	271	33.7%	441	24.2%	36.1%
Other hospital medical officer	17	4.5%	108	16.7%	170	21.2%	295	16.2%	38.8%
Total	375	100.0%	647	100.0%	803	100.0%	1825	100.0%	44.6%
	4	1.1%	19	2.9%	24	2.9%	47	2.5%	

Table 7.13 Qualifications by sex, non-specialist hospital salaried medical practitioners working in NSW, 2003

Qualifications	No.		%		No.		%		Per Cent Female
	Unknown Sex		Female		Male		Total		
GP trainee	9	3.8%	59	11.7%	31	4.9%	99	7.2%	65.6%
Vocationally registered GP	3	1.3%	35	6.9%	55	8.7%	93	6.8%	38.9%
Other medical practitioner	226	95.0%	411	81.4%	547	86.4%	1184	86.0%	42.9%
Any qualification	238	100.0%	505	100.0%	633	100.0%	1376	100.0%	44.4%
Qualifications unknown	141	37.2%	161	24.2%	194	23.5%	496	26.5%	

Table 7.14 Awaiting entry into a specialist course, by sex, non-specialist hospital salaried medical practitioners working in NSW, 2003

Awaiting entry	No.		%		No.		%		Per Cent Female
	Unknown Sex		Female		Male		Total		
Yes	149	43.4%	260	43.3%	326	43.6%	735	43.5%	44.4%
No	194	56.6%	341	56.7%	421	56.4%	956	56.5%	44.8%
Total	343	100.0%	601	100.0%	747	100.0%	1691	100.0%	44.6%
Unknown	36	9.5%	65	9.8%	80	9.7%	181	9.7%	

Table 7.15 Years as a hospital non-specialist by sex, non-specialist hospital salaried medical practitioners working in NSW, 2003

Years	No.		%		No.		%		Per Cent Female
	Unknown Sex		Female		Male		Total		
less than 1 year	16	4.4%	88	14.2%	86	11.3%	190	10.9%	50.6%
1 year	41	11.4%	88	14.2%	103	13.5%	232	13.3%	46.1%
2 years	140	38.9%	124	20.0%	119	15.6%	383	22.0%	51.0%
3 or more years	163	45.3%	320	51.6%	455	59.6%	938	53.8%	41.3%
Total	360	100.0%	620	100.0%	763	100.0%	1743	100.0%	44.8%
Unknown	19	5.0%	46	6.9%	64	7.7%	129	6.9%	

Table 7.16 Right of Private Practice by sex, non-specialist hospital salaried medical practitioners working in NSW, 2003

Right of Private Practice	No.		%		No.		%		Per cent female
	Female		Female		Male		Total		
yes	10	2.9%	102	16.7%	172	22.5%	284	16.5%	37.2%
no	339	97.1%	509	83.3%	593	77.5%	1441	83.5%	46.2%
Subtotal	349	100.0%	611	100.0%	765	100.0%	1725	100.0%	44.4%
PP rights unknown	30	7.9%	55	8.3%	62	7.5%	147	7.9%	