


## 5

## SPECIALISTS AND CONSULTANTS WORKING IN NSW

**Table 5.1** Age and sex distribution of specialists working in NSW, 2005

Age group	No.		%		No.		%		Per cent Female
	Sex unknown	Female	Male	Total	Female	Male	Total		
Under 25	0	-	-	-	-	-	-	-	0.0%
25-29	0	2	0.2%	2	0.0%	4	-	0.0%	
30-34	0	94	7.5%	145	3.1%	239	4.1%	39.3%	
35-39	1	277	22.1%	569	12.3%	847	14.4%	32.7%	
40-44	1	262	20.9%	666	14.4%	929	15.8%	28.2%	
45-49	0	243	19.4%	734	15.9%	977	16.7%	24.9%	
50-54	0	151	12.1%	632	13.7%	783	13.3%	19.3%	
55-59	0	97	7.8%	688	14.9%	785	13.4%	12.4%	
60-64	1	65	5.2%	539	11.7%	605	10.3%	10.7%	
65-69	0	35	2.8%	339	7.3%	374	6.4%	9.4%	
70-74	0	18	1.4%	168	3.6%	186	3.2%	9.7%	
over 75	0	7	0.6%	131	2.8%	138	2.4%	5.1%	
<b>Total</b>	<b>3</b>	<b>1251</b>	<b>100.0%</b>	<b>4613</b>	<b>100.0%</b>	<b>5867</b>	<b>100.0%</b>	<b>21.3%</b>	
Age unknown		42	3.2%	84	1.8%	126	2.1%	21.0%	
Age & sex unknown						156	2.6%		
Total unknown						282	4.6%		

**Figure 5.1** Age and sex distribution of specialists working in NSW, 2005



**Table 5.2 Age and sex of specialists working in NSW, 1995 – 2005**

Age group	1995	1996	1997	1998	1999	2000 <sub>2</sub>	2002	2003	2004	2005
<b>Male — Survey Respondents</b>										
Under 25	2	2	-	-	-	-	-	-	-	-
25-29	1	10	8	4	5	-	1	2	1	2
30-34	111	108	141	136	173	148	164	144	135	145
35-39	507	517	512	492	448	498	448	485	494	569
40-44	578	619	661	692	646	634	653	643	683	666
45-49	667	682	670	668	653	585	592	649	654	734
50-54	606	706	739	749	709	656	575	609	621	632
55-59	484	550	543	562	582	605	593	627	650	688
60-64	313	341	354	396	382	445	414	447	501	539
65-69	261	297	277	287	275	277	214	261	286	339
70-74	128	139	145	162	166	184	152	160	166	168
Over 75	74	81	72	90	96	128	112	132	136	131
<b>Total</b>	<b>3,732</b>	<b>4,052</b>	<b>4,122</b>	<b>4,238</b>	<b>4,135</b>	<b>4,160</b>	<b>3,918</b>	<b>4159</b>	<b>4327</b>	<b>4613</b>
<i>Age unknown</i>	268	320	362	379	376	91	89	89	89	84
<b>Female — Survey Respondents</b>										
Under 25	1	-	-	-	-	-	-	-	-	-
25-29	4	3	-	1	2	-	2	2	2	2
30-34	48	51	58	70	88	85	84	91	88	94
35-39	146	150	169	158	143	216	223	234	245	277
40-44	140	172	186	174	178	221	190	226	249	262
45-49	89	108	124	138	146	158	168	171	201	243
50-54	81	102	103	115	114	100	111	126	145	151
55-59	60	68	69	72	65	79	84	86	104	97
60-64	30	38	29	39	52	55	44	51	57	65
65-69	18	21	17	19	17	23	21	25	31	35
70-74	7	10	9	9	11	9	9	13	9	18
Over 75	4	8	6	7	6	8	9	5	9	7
<b>Total</b>	<b>628</b>	<b>731</b>	<b>770</b>	<b>802</b>	<b>822</b>	<b>954</b>	<b>945</b>	<b>1030</b>	<b>1140</b>	<b>1251</b>
<i>Age unknown</i>	73	105	123	116	126	34	38	31	39	42
<b>Male and Female — Survey Respondents</b>										
Under 25	3	2	-	-	-	-	-	-	-	-
25-29	5	13	8	5	7	-	3	4	3	4
30-34	159	159	199	206	261	233	248	235	223	239
35-39	653	667	681	650	591	714	671	719	739	847
40-44	718	791	847	866	824	855	843	869	933	929
45-49	756	790	794	806	799	743	760	820	855	977
50-54	687	808	842	864	823	756	686	735	766	783
55-59	544	618	612	634	647	684	677	713	754	785
60-64	343	379	383	435	434	500	458	498	558	605
65-69	279	318	294	306	292	300	235	286	317	374
70-74	135	149	154	171	177	193	161	173	175	186
Over 75	78	89	78	97	102	136	121	137	145	138
<b>Total</b>	<b>4,360</b>	<b>4,783</b>	<b>4,892</b>	<b>5,040</b>	<b>4,957</b>	<b>5,114</b>	<b>4,863</b>	<b>5189</b>	<b>5468</b>	<b>5867</b>
<i>Age unknown</i>	341	425	485	495	502	125	137	120	128	126
<i>Age &amp; sex unknown</i>						528	10	101	415	156
<b>Proportion Female</b>										
<b>All Ages</b>	<b>14.9%</b>	<b>16.1%</b>	<b>16.6%</b>	<b>16.6%</b>	<b>17.4%</b>	<b>18.9%</b>	<b>19.7%</b>	<b>20.0%</b>	<b>21.1%</b>	<b>21.6%</b>

Table 5.3 Percentage distribution of age and sex of specialists working in NSW, 1995 – 2005

Age group	1995	1996	1997	1998	1999	2000 <sub>2</sub>	2002	2003	2004	2005
<b>Males — Percentage Distribution</b>										
Under 25	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
25-29	0.0%	0.2%	0.2%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
30-34	3.0%	2.7%	3.4%	3.2%	4.2%	3.6%	3.6%	3.5%	3.1%	3.1%
35-39	13.6%	12.8%	12.4%	11.6%	10.8%	12.0%	12.0%	11.7%	11.4%	12.3%
40-44	15.5%	15.3%	16.0%	16.3%	15.6%	15.2%	15.2%	15.5%	15.8%	14.4%
45-49	17.9%	16.8%	16.3%	15.8%	15.8%	14.1%	14.1%	15.6%	15.1%	15.9%
50-54	16.2%	17.4%	17.9%	17.7%	17.1%	15.8%	15.8%	14.6%	14.4%	13.7%
55-59	13.0%	13.6%	13.2%	13.3%	14.1%	14.5%	14.5%	15.1%	15.0%	14.9%
60-64	8.4%	8.4%	8.6%	9.3%	9.2%	10.7%	10.7%	10.7%	11.6%	11.7%
65-69	7.0%	7.3%	6.7%	6.8%	6.7%	6.7%	6.7%	6.3%	6.6%	7.3%
70-74	3.4%	3.4%	3.5%	3.8%	4.0%	4.4%	4.4%	3.8%	3.8%	3.6%
Over 75	2.0%	2.0%	1.7%	2.1%	2.3%	3.1%	3.1%	3.2%	3.1%	2.8%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>
<i>Age unknown</i>	6.7%	7.3%	8.1%	8.2%	8.3%	2.1%	2.1%	2.1%	2.0%	1.8%
<b>Females — Percentage Distribution</b>										
Under 25	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
25-29	0.6%	0.4%	0.0%	0.1%	0.2%	0.0%	0.2%	0.2%	0.2%	0.2%
30-34	7.6%	7.0%	7.5%	8.7%	10.7%	8.9%	8.9%	8.8%	7.7%	7.5%
35-39	23.2%	20.5%	21.9%	19.7%	17.4%	22.6%	23.6%	22.7%	21.5%	22.1%
40-44	22.3%	23.5%	24.2%	21.7%	21.7%	23.2%	20.1%	21.9%	21.8%	20.9%
45-49	14.2%	14.8%	16.1%	17.2%	17.8%	16.6%	17.8%	16.6%	17.6%	19.4%
50-54	12.9%	14.0%	13.4%	14.3%	13.9%	10.5%	11.7%	12.2%	12.7%	12.1%
55-59	9.6%	9.3%	9.0%	9.0%	7.9%	8.3%	8.9%	8.3%	9.1%	7.8%
60-64	4.8%	5.2%	3.8%	4.9%	6.3%	5.8%	4.7%	5.0%	5.0%	5.2%
65-69	2.9%	2.9%	2.2%	2.4%	2.1%	2.4%	2.2%	2.4%	2.7%	2.8%
70-74	1.1%	1.4%	1.2%	1.1%	1.3%	0.9%	1.0%	1.3%	0.8%	1.4%
Over 75	0.6%	1.1%	0.8%	0.9%	0.7%	0.8%	1.0%	0.5%	0.8%	0.6%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>
<i>Age unknown</i>	10.4%	12.6%	13.8%	12.6%	13.3%	3.4%	3.9%	2.9%	3.3%	3.2%
<b>Male and Female — Survey Respondents</b>										
Under 25	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
25-29	0.3%	0.1%	0.1%	0.2%	0.1%	0.0%	0.1%	0.1%	0.1%	0.1%
30-34	4.8%	5.5%	6.0%	7.4%	5.3%	4.6%	5.1%	4.5%	4.1%	4.1%
35-39	16.6%	17.2%	15.7%	14.1%	11.9%	14.0%	13.8%	13.9%	13.5%	14.4%
40-44	19.4%	20.1%	19.0%	18.6%	16.6%	16.7%	17.3%	16.7%	17.1%	15.8%
45-49	15.8%	16.2%	16.5%	16.8%	16.1%	14.5%	15.6%	15.8%	15.6%	16.7%
50-54	15.7%	15.7%	16.0%	15.5%	16.6%	14.8%	14.1%	14.2%	14.0%	13.3%
55-59	11.4%	11.1%	11.1%	11.0%	13.1%	13.4%	13.9%	13.7%	13.8%	13.4%
60-64	6.8%	6.2%	7.1%	7.8%	8.8%	9.8%	9.4%	9.6%	10.2%	10.3%
65-69	5.1%	4.5%	4.6%	4.4%	5.9%	5.9%	4.8%	5.5%	5.8%	6.4%
70-74	2.4%	2.3%	2.5%	2.7%	3.6%	3.8%	3.3%	3.3%	3.2%	3.2%
Over 75	1.5%	1.3%	1.5%	1.5%	2.1%	2.7%	2.5%	2.6%	2.7%	2.4%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>
<i>Age unknown</i>	9.0%	9.8%	9.4%	9.8%	9.2%	2.4%	2.7%	2.3%	2.3%	2.1%
<i>Total unknown</i>						11.3%	2.9%	4.1%	9.0%	4.6%

Table 5.4 Estimated number of locations by sex, specialists working in NSW, 2005

No. of locations	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
One location only	59	44.7%	547	48.0%	1628	38.9%	2234	41.0%	25.1%
Two locations	45	34.1%	360	31.6%	1378	32.9%	1783	32.7%	20.7%
Three locations	28	21.2%	232	20.4%	1177	28.1%	1437	26.3%	16.5%
<b>Total</b>	<b>132</b>	<b>100.0%</b>	<b>1139</b>	<b>100.0%</b>	<b>4183</b>	<b>100.0%</b>	<b>5454</b>	<b>100.0%</b>	<b>21.4%</b>
<i>Non-response:</i>	27	17.0%	154	11.9%	514	10.9%	695	11.3%	

**Notes**

<sup>1</sup> Data has been estimated from Question 9 of the survey form, "What is the percentage of total hours worked in each locality over the last four weeks?", which was asked for up to three locations. This was not the same as data collected on jobs in previous profiles.

<sup>2</sup> "Location" refers to distinct locations although in some cases respondents provided the same postcode for more than one location.

Table 5.5 Main geographical location by sex, specialists working in NSW, 2005

Geographical location	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
<b>Area Health Service</b>									
Greater Southern	4	2.6%	21	1.7%	138	3.0%	163	2.7%	13.2%
Greater Western	4	2.6%	22	1.8%	115	2.5%	141	2.4%	16.1%
Hunter & New England	19	12.4%	94	7.6%	450	9.8%	563	9.4%	17.3%
North Coast	6	3.9%	27	2.2%	212	4.6%	245	4.1%	11.3%
Northern Sydney & Central Coast	28	18.3%	272	21.9%	870	19.0%	1170	19.6%	23.8%
South Eastern Sydney & Illawarra	39	25.5%	314	25.3%	1226	26.8%	1579	26.5%	20.4%
Sydney South West	34	22.2%	260	21.0%	886	19.4%	1180	19.8%	22.7%
Sydney West	19	12.4%	231	18.6%	674	14.7%	924	15.5%	25.5%
<b>Total</b>	<b>153</b>	<b>100.0%</b>	<b>1241</b>	<b>100.0%</b>	<b>4571</b>	<b>100.0%</b>	<b>5965</b>	<b>100.0%</b>	<b>21.4%</b>
<i>Non-response:</i>	6	3.8%	52	4.0%	126	2.7%	184	3.0%	

Figure 5.3: Estimated number of specialists working in NSW (main job only) per 100,000 of the resident population, 2005




Table 5.6 Second geographical location by sex, specialists working in NSW, 2005

Geographical location	No.		%		No.		%		Per cent female
	Sex unknown		Female		Male		Total		
<b>Area Health Service</b>									
Greater Southern	2	2.4%	14	2.2%	70	2.6%	86	2.5%	16.7%
Greater Western	1	1.2%	13	2.0%	68	2.5%	82	2.4%	16.0%
Hunter & New England	10	11.8%	44	6.9%	282	10.4%	336	9.8%	13.5%
North Coast	2	2.4%	20	3.1%	98	3.6%	120	3.5%	16.9%
Northern Sydney & Central Coast	16	18.8%	148	23.3%	580	21.4%	744	21.7%	20.3%
South Eastern Sydney & Illawarra	24	28.2%	142	22.4%	632	23.3%	798	23.3%	18.3%
Sydney South West	17	20.0%	152	23.9%	567	20.9%	736	21.5%	21.1%
Sydney West	13	15.3%	102	16.1%	411	15.2%	526	15.3%	19.9%
<b>Total</b>	<b>85</b>	<b>100.0%</b>	<b>635</b>	<b>100.0%</b>	<b>2708</b>	<b>100.0%</b>	<b>3428</b>	<b>100.0%</b>	<b>19.0%</b>
<i>Non-response:</i>	74	46.5%	658	50.9%	1989	42.3%	2721	44.3%	

Table 5.7 Third geographical location by sex, specialists working in NSW, 2005

Geographical location	No.		%		No.		%		Per cent female
	Sex unknown		Female		Male		Total		
<b>Area Health Service</b>									
Greater Southern	0	0.0%	11	1.7%	40	1.5%	51	1.5%	21.6%
Greater Western	0	0.0%	4	0.6%	45	1.7%	49	1.4%	8.2%
Hunter & New England	4	4.7%	18	2.8%	139	5.1%	161	4.7%	11.5%
North Coast	2	2.4%	8	1.3%	45	1.7%	55	1.6%	15.1%
Northern Sydney & Central Coast	7	8.2%	64	10.1%	257	9.5%	328	9.6%	19.9%
South Eastern Sydney & Illawarra	9	10.6%	52	8.2%	246	9.1%	307	9.0%	17.4%
Sydney South West	7	8.2%	59	9.3%	266	9.8%	332	9.7%	18.2%
Sydney West	4	4.7%	41	6.5%	200	7.4%	245	7.1%	17.0%
<b>Total</b>	<b>33</b>	<b>38.8%</b>	<b>257</b>	<b>40.5%</b>	<b>1238</b>	<b>45.7%</b>	<b>1528</b>	<b>44.6%</b>	<b>17.2%</b>
<i>Non-response:</i>	126	79.2%	1036	80.1%	3459	73.6%	4621	75.2%	

**Table 5.8 Geographical location of main job, specialists working in NSW, 1995–2005**

Location	1995	1996	1997	1998	1999	2000	2002	2003	2004	2005
<b>Survey respondents</b>										
<b>Metropolitan Area Health Services</b>										
Central Coast	116	135	135	145	142	152	142	160	174	185
Central Sydney	616	707	670	699	681	703	570	622	693	694
Hunter	335	360	381	352	383	404	359	391	443	458
Illawarra	156	180	179	186	178	190	157	176	191	205
Northern Sydney	781	838	877	952	910	986	873	928	708	1020
South Eastern Sydney	1,103	1,237	1,266	1,264	1,262	1,346	1,187	1259	1354	1390
South Western Sydney	300	350	406	426	401	419	354	419	464	478
Wentworth	132	154	144	159	152	175	159	174	186	187
Western Sydney	468	561	545	549	556	630	567	594	666	692
<b>Total Metropolitan</b>	<b>4,007</b>	<b>4,522</b>	<b>4,603</b>	<b>4,732</b>	<b>4,665</b>	<b>5,005</b>	<b>4,368</b>	<b>4723</b>	<b>4879</b>	<b>5309</b>
<b>Rural Area Health Services</b>										
Far West	8	13	11	16	11	6	9	9	10	8
Greater Murray	112	117	121	118	123	118	103	113	126	126
Macquarie	22	27	31	34	30	32	27	29	33	40
Mid North Coast	108	128	87	90	87	125	124	124	140	145
Mid Western	64	68	66	71	71	74	59	68	90	92
New England	69	70	81	85	76	74	61	66	75	71
Northern Rivers	92	106	149	162	148	111	102	100	122	132
Southern	29	34	42	37	40	40	30	36	32	32
<b>Total Rural</b>	<b>504</b>	<b>563</b>	<b>588</b>	<b>613</b>	<b>586</b>	<b>580</b>	<b>515</b>	<b>545</b>	<b>628</b>	<b>646</b>
Interstate (incl. ACT)	2	7	4	6	4	14	9	12	15	24
<b>Total</b>	<b>4,513</b>	<b>5,092</b>	<b>5,195</b>	<b>5,351</b>	<b>5,255</b>	<b>5,599</b>	<b>4,892</b>	<b>5280</b>	<b>5522</b>	<b>5979</b>
<i>Location unknown</i>	188	116	182	184	204	150	98	130	200	170
<b>Percentage Distribution</b>										
<b>Metropolitan Area Health Services</b>										
Central Coast	2.6%	2.7%	2.6%	2.7%	2.7%	2.7%	2.9%	3.0%	3.2%	3.1%
Central Sydney	13.6%	13.9%	12.9%	13.1%	13.0%	12.6%	11.7%	11.8%	12.5%	11.6%
Hunter	7.4%	7.1%	7.3%	6.6%	7.3%	7.2%	7.3%	7.4%	8.0%	7.7%
Illawarra	3.5%	3.5%	3.4%	3.5%	3.4%	3.4%	3.2%	3.3%	3.5%	3.4%
Northern Sydney	17.3%	16.5%	16.9%	17.8%	17.3%	17.6%	17.8%	17.6%	12.8%	17.1%
South Eastern Sydney	24.4%	24.3%	24.4%	23.6%	24.0%	24.0%	24.3%	23.8%	24.5%	23.2%
South Western Sydney	6.6%	6.9%	7.8%	8.0%	7.6%	7.5%	7.2%	7.9%	8.4%	8.0%
Wentworth	2.9%	3.0%	2.8%	3.0%	2.9%	3.1%	3.3%	3.3%	3.4%	3.1%
Western Sydney	10.4%	11.0%	10.5%	10.3%	10.6%	11.3%	11.6%	11.3%	12.1%	11.6%
<b>Total Metropolitan</b>	<b>88.8%</b>	<b>88.8%</b>	<b>88.6%</b>	<b>88.4%</b>	<b>88.8%</b>	<b>89.4%</b>	<b>89.3%</b>	<b>89.5%</b>	<b>88.4%</b>	<b>88.8%</b>
<b>Rural Area Health Services</b>										
Far West	0.2%	0.3%	0.2%	0.3%	0.2%	0.1%	0.2%	0.2%	0.2%	0.1%
Greater Murray	2.5%	2.3%	2.3%	2.2%	2.3%	2.1%	2.1%	2.1%	2.3%	2.1%
Macquarie	0.5%	0.5%	0.6%	0.6%	0.6%	0.6%	0.6%	0.5%	0.6%	0.7%
Mid North Coast	2.4%	2.5%	1.7%	1.7%	1.7%	2.2%	2.5%	2.3%	2.5%	2.4%
Mid Western	1.4%	1.3%	1.3%	1.3%	1.4%	1.3%	1.2%	1.3%	1.6%	1.5%
New England	1.5%	1.4%	1.6%	1.6%	1.4%	1.3%	1.2%	1.3%	1.4%	1.2%
Northern Rivers	2.0%	2.1%	2.9%	3.0%	2.8%	2.0%	2.1%	1.9%	2.2%	2.2%
Southern	0.6%	0.7%	0.8%	0.7%	0.8%	0.7%	0.6%	0.7%	0.6%	0.5%
<b>Total Rural</b>	<b>11.2%</b>	<b>11.1%</b>	<b>11.3%</b>	<b>11.5%</b>	<b>11.2%</b>	<b>10.4%</b>	<b>10.5%</b>	<b>10.3%</b>	<b>11.4%</b>	<b>10.8%</b>
Interstate (incl. ACT)	0.0%	0.1%	0.1%	0.1%	0.1%	0.3%	0.2%	0.2%	0.3%	0.4%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>
<i>Location unknown</i>	4.0%	2.2%	3.4%	3.3%	3.7%	2.7%	2.0%	2.4%	3.5%	2.8%

**Table 5.9 Geographical location of main job by location of residence, specialists working in NSW, 2005**

Geographical location of main job	Geographical location of residence								Total	Unknown or no second job	Percentage with second job in different area to main job
	Greater Southern AHS	Greater Western AHS	Hunter & New England AHS	North Coast AHS	Northern Sydney & Central Coast AHS	South Eastern Sydney & Illawarra AHS	Sydney South West AHS	Sydney West AHS			
Greater Southern AHS	142	0	1	1	7	7	7	2	167	17	15.0%
Greater Western AHS	0	114	0	0	7	9	3	4	137	6	16.8%
Hunter & New England AHS	0	0	554	0	17	4	3	1	579	9	4.3%
North Coast AHS	0	0	2	221	5	3	3	0	234	17	5.6%
Northern Sydney & Central Coast AHS	0	0	6	2	1000	95	74	15	1192	13	16.1%
South Eastern Sydney & Illawarra AHS	0	1	7	0	267	1083	154	7	1519	26	28.7%
Sydney South West AHS	1	0	0	0	363	251	511	60	1186	13	56.9%
Sydney West AHS	0	1	0	1	371	68	181	304	926	16	67.2%
<b>Total</b>	<b>143</b>	<b>116</b>	<b>570</b>	<b>225</b>	<b>2037</b>	<b>1520</b>	<b>936</b>	<b>393</b>	<b>5940</b>	<b>117</b>	<b>33.9%</b>
<i>Unknown</i>	2	2	3	1	41	12	11	1	73	19	
<b>Percentage working outside the area in which they live</b>	<b>0.7%</b>	<b>1.7%</b>	<b>2.8%</b>	<b>1.8%</b>	<b>50.9%</b>	<b>28.8%</b>	<b>45.4%</b>	<b>22.6%</b>			


**Table 5.10** Hours per week<sup>1</sup>, usually worked in all medical jobs, specialists working in NSW, 2005

Hours per week	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
<b>Direct Patient Contact Hours<sup>2</sup></b>									
1-9	11	8.8%	121	11.4%	317	7.6%	449	8.3%	20.8%
10-19	17	13.6%	190	17.9%	364	8.7%	571	10.6%	31.8%
20-29	15	12.0%	280	26.4%	617	14.7%	912	16.9%	45.6%
30-34	26	20.8%	154	14.5%	546	13.0%	726	13.5%	40.4%
35-39	9	7.2%	98	9.2%	394	9.4%	501	9.3%	29.7%
40-44	18	14.4%	126	11.9%	757	18.0%	901	16.7%	23.8%
45-49	6	4.8%	30	2.8%	334	8.0%	370	6.9%	22.1%
50-59	17	13.6%	45	4.2%	604	14.4%	666	12.4%	16.2%
60-69	5	4.0%	13	1.2%	206	4.9%	224	4.2%	10.6%
70+	1	0.8%	5	0.5%	57	1.4%	63	1.2%	10.3%
<b>Total</b>	<b>125</b>	<b>100.0%</b>	<b>1062</b>	<b>100.0%</b>	<b>4196</b>	<b>100.0%</b>	<b>5383</b>	<b>100.0%</b>	<b>21.3%</b>
<i>Hours unknown &amp; no hours reported</i>	34	21.4%	231	17.9%	501	10.7%	766	12.5%	
<b>On Call — Hours Not Worked</b>									
1-9	11	12.2%	79	12.5%	229	8.1%	319	9.0%	25.6%
10-19	19	21.1%	150	23.7%	574	20.3%	743	20.9%	20.7%
20-29	16	17.8%	125	19.7%	637	22.5%	778	21.9%	16.4%
30-34	8	8.9%	35	5.5%	201	7.1%	244	6.9%	14.8%
35-39	2	2.2%	19	3.0%	95	3.4%	116	3.3%	16.7%
40-44	8	8.9%	37	5.8%	194	6.9%	239	6.7%	16.0%
45-49	6	6.7%	24	3.8%	156	5.5%	186	5.2%	13.3%
50-59	5	5.6%	27	4.3%	114	4.0%	146	4.1%	19.1%
60-69	2	2.2%	19	3.0%	108	3.8%	129	3.6%	15.0%
70+	13	14.4%	118	18.6%	522	18.4%	653	18.4%	18.4%
<b>Total</b>	<b>90</b>	<b>100.0%</b>	<b>633</b>	<b>100.0%</b>	<b>2830</b>	<b>100.0%</b>	<b>3553</b>	<b>100.0%</b>	<b>18.3%</b>
<i>Hours unknown &amp; no hours reported</i>	69	43.4%	660	51.0%	1867	39.7%	2596	42.2%	
<b>Total Hours Actually Worked (excluding on call not worked)</b>									
1-9	5	3.3%	20	1.6%	76	1.6%	101	1.7%	20.8%
10-19	11	7.2%	63	5.0%	135	2.9%	209	3.5%	31.8%
20-29	10	6.6%	200	15.9%	239	5.2%	449	7.4%	45.6%
30-34	9	5.9%	139	11.1%	205	4.4%	353	5.8%	40.4%
35-39	8	5.3%	84	6.7%	199	4.3%	291	4.8%	29.7%
40-44	26	17.1%	229	18.2%	733	15.8%	988	16.4%	23.8%
45-49	12	7.9%	117	9.3%	413	8.9%	542	9.0%	22.1%
50-59	34	22.4%	244	19.4%	1262	27.3%	1540	25.5%	16.2%
60-69	23	15.1%	111	8.8%	941	20.3%	1075	17.8%	10.6%
70+	14	9.2%	49	3.9%	425	9.2%	488	8.1%	10.3%
<b>Total</b>	<b>152</b>	<b>100.0%</b>	<b>1256</b>	<b>100.0%</b>	<b>4628</b>	<b>100.0%</b>	<b>6036</b>	<b>100.0%</b>	<b>21.3%</b>
<i>Hours unknown &amp; no hours reported</i>	7	4.4%	37	2.9%	69	1.5%	113	1.8%	

**Notes**

1. Respondents were asked to indicate "during the last 4 weeks how many hours per week did you usually work in medical jobs?", excluding time spent on travel between work locations, but including travel to home visits or other calls out, and excluding time spent on professional consultations
2. Hours per week in direct contact with patients are hours spent in scheduled patient sessions, and other face to face or telephone consultations
3. Due to the nature of the survey data it is not possible to distinguish "non-response" from "no hours".

**Figure 5.3** Distribution of total hours worked per week by sex, specialists working in NSW, 2005



**Table 5.11: Employment setting of main job by sex, specialists working in NSW, 2005**

Employment setting	Sex unknown		Female		Male		Total		Per cent female
	No.	%	No.	%	No.	%	No.	%	
<b>Public sector</b>									
Ambulatory centre, day surgery, community health centre, outpatient clinic	6	4.0%	96	7.7%	153	3.4%	255	4.3%	38.6%
Aboriginal health service	0	0.0%	0	0.0%	3	0.1%	3	0.1%	0.0%
Hospital, including psychiatric hospital	65	43.3%	537	43.2%	1512	33.4%	2114	35.7%	26.2%
Other residential health facility	0	0.0%	5	0.4%	6	0.1%	11	0.2%	45.5%
Tertiary education institution	4	2.7%	35	2.8%	104	2.3%	143	2.4%	25.2%
Defence forces	1	0.7%	0	0.0%	7	0.2%	8	0.1%	0.0%
Government department/agency	0	0.0%	35	2.8%	60	1.3%	95	1.6%	36.8%
Other	2	1.3%	18	1.4%	53	1.2%	73	1.2%	25.4%
<b>Total public sector</b>	<b>78</b>	<b>52.0%</b>	<b>726</b>	<b>58.5%</b>	<b>1898</b>	<b>41.9%</b>	<b>2702</b>	<b>45.7%</b>	<b>27.7%</b>
<b>Private sector</b>									
Private rooms/surgery	55	36.7%	377	30.4%	2009	44.4%	2441	41.2%	15.8%
Ambulatory centre, day surgery, community health centre, outpatient clinic	1	0.7%	21	1.7%	70	1.5%	92	1.6%	23.1%
24 hour/other medical centre	0	0.0%	0	0.0%	10	0.2%	10	0.2%	0.0%
Aboriginal health service	1	0.7%	2	0.2%	2	0.0%	5	0.1%	0.0%
Hospital, including psychiatric hospital	6	4.0%	68	5.5%	371	8.2%	445	7.5%	15.5%
Other residential health facility	1	0.7%	1	0.1%	3	0.1%	5	0.1%	0.0%
Tertiary education institution	0	0.0%	11	0.9%	10	0.2%	21	0.4%	52.4%
Other	8	5.3%	36	2.9%	153	3.4%	197	3.3%	19.0%
<b>Total private sector</b>	<b>72</b>	<b>48.0%</b>	<b>516</b>	<b>41.5%</b>	<b>2628</b>	<b>58.1%</b>	<b>3216</b>	<b>54.3%</b>	<b>16.4%</b>
<b>Total</b>	<b>150</b>	<b>100.0%</b>	<b>1242</b>	<b>100.0%</b>	<b>4526</b>	<b>100.0%</b>	<b>5918</b>	<b>100.0%</b>	<b>21.5%</b>
Non-response:	9	5.7%	51	3.9%	171	3.6%	231	3.8%	

Table 5.12 Main specialist qualification, by specialisation and sex, 2005

Qualifications	No.	%	No.	%	No.	%	No.	%	Per cent female
	Sex unknown		Female		Male		Total		
<b>Internal Medicine</b>									
Cardiology	4	2.6%	19	1.5%	206	4.5%	229	3.9%	8.3%
Clinical haematology	3	1.9%	14	1.1%	41	0.9%	58	1.0%	24.1%
Clinical immunology	1	0.6%	2	0.2%	29	0.6%	32	0.5%	6.3%
Clinical pharmacology		0.0%	1	0.1%	7	0.2%	8	0.1%	12.5%
Endocrinology	3	1.9%	26	2.1%	60	1.3%	89	1.5%	29.2%
Gastroenterology	3	1.9%	13	1.0%	104	2.3%	120	2.0%	10.8%
General medicine	6	3.9%	13	1.0%	109	2.4%	128	2.2%	10.2%
Geriatrics	5	3.2%	28	2.2%	57	1.3%	90	1.5%	31.1%
Infectious diseases	1	0.6%	13	1.0%	26	0.6%	40	0.7%	32.5%
Medical oncology	1	0.6%	21	1.7%	43	0.9%	65	1.1%	32.3%
Neurology	2	1.3%	14	1.1%	93	2.1%	109	1.8%	12.8%
Nuclear medicine	1	0.6%	14	1.1%	55	1.2%	70	1.2%	20.0%
Paediatric medicine	13	8.4%	106	8.4%	195	4.3%	314	5.3%	33.8%
Renal medicine	2	1.3%	17	1.4%	46	1.0%	65	1.1%	26.2%
Rheumatology	1	0.6%	18	1.4%	51	1.1%	70	1.2%	25.7%
Thoracic medicine	2	1.3%	18	1.4%	82	1.8%	102	1.7%	17.6%
<b>Pathology</b>									
General pathology	1	0.6%	14	1.1%	44	1.0%	59	1.0%	23.7%
Anatomical pathology	6	3.9%	53	4.2%	97	2.1%	156	2.6%	34.0%
Clinical chemistry	1	0.6%	2	0.2%	12	0.3%	15	0.3%	13.3%
Cytopathology		0.0%	1	0.1%	2	0.0%	3	0.1%	33.3%
Forensic pathology	2	1.3%	1	0.1%	9	0.2%	12	0.2%	8.3%
Haematology		0.0%	16	1.3%	14	0.3%	30	0.5%	53.3%
Immunology		0.0%	2	0.2%	6	0.1%	8	0.1%	25.0%
Microbiology	1	0.6%	14	1.1%	19	0.4%	34	0.6%	41.2%
<b>Surgery</b>									
General surgery	6	3.9%	22	1.7%	279	6.2%	307	5.2%	7.2%
Cardio-thoracic surgery	3	1.9%	1	0.1%	29	0.6%	33	0.6%	3.0%
Neurosurgery		0.0%	2	0.2%	33	0.7%	35	0.6%	5.7%
Orthopaedic surgery	7	4.5%	9	0.7%	261	5.8%	277	4.7%	3.2%
Otolaryngology	3	1.9%	8	0.6%	77	1.7%	88	1.5%	3.6%
Paediatric surgery		0.0%	3	0.2%	18	0.4%	21	0.4%	14.3%
Plastic/reconstructive surgery		0.0%	5	0.4%	68	1.5%	73	1.2%	6.8%
Urology	1	0.6%	1	0.1%	60	1.3%	62	1.0%	1.6%
Vascular Surgery	1	0.6%	2	0.2%	31	0.7%	34	0.6%	5.9%
<b>Other Specialties</b>									
Anaesthesia	19	12.3%	155	12.3%	495	10.9%	669	11.2%	20.6%
Clinical Genetics		0.0%	14	1.1%	10	0.2%	24	0.4%	55.6%
Dermatology	2	1.3%	45	3.6%	73	1.6%	120	2.0%	36.0%
Diagnostic Radiology	7	4.5%	69	5.5%	288	6.4%	364	6.1%	14.7%
Emergency Medicine	6	3.9%	41	3.3%	112	2.5%	159	2.7%	18.0%
I. C. Anaesthesia	2	1.3%	7	0.6%	32	0.7%	41	0.7%	16.0%
I. C. Internal Medicine	2	1.3%	5	0.4%	46	1.0%	53	0.9%	10.6%
Medical Administration	4	2.6%	22	1.7%	47	1.0%	73	1.2%	23.6%
Obst. & Gyn.	5	3.2%	67	5.3%	256	5.6%	328	5.5%	13.7%
Occupational Medicine	1	0.6%	12	1.0%	49	1.1%	62	1.0%	14.4%
Ophthalmology	2	1.3%	38	3.0%	191	4.2%	231	3.9%	11.8%
Psychiatry	19	12.3%	172	13.7%	417	9.2%	608	10.2%	26.7%
Public Health Medicine	1	0.6%	28	2.2%	43	0.9%	72	1.2%	25.0%
Radiation Oncology		0.0%	16	1.3%	40	0.9%	56	0.9%	16.7%
Rehabilitation Medicine		0.0%	24	1.9%	75	1.7%	99	1.7%	20.3%
Other	4	2.6%	51	4.1%	97	2.1%	152	2.6%	33.6%
<b>Total</b>	<b>154</b>	<b>100.0%</b>	<b>1259</b>	<b>100.0%</b>	<b>4534</b>	<b>100.0%</b>	<b>5,947</b>	<b>100.0%</b>	<b>21.2%</b>
<b>Summary by major areas</b>									
Internal medicine	48	31.2%	337	26.8%	1,204	26.6%	1,589	26.7%	21.2%
Pathology	11	7.1%	103	8.2%	203	4.5%	317	5.3%	32.5%
Surgery	21	13.6%	53	4.2%	856	18.9%	930	15.6%	5.7%
Other specialties	74	48.1%	766	60.8%	2,271	50.1%	3,111	52.3%	24.6%
Qualifications unknown	5	1.6%	34	2.6%	163	3.5%	202	3.3%	

**Table 5.13** Number of specialist qualifications held by specialists, by specialisation and sex, 2005

Qualifications	No.	%	No.	%	No.	%	No.	%	Per cent female
	Sex unknown		Female		Male		Total		
<b>Internal Medicine</b>									
Cardiology	5	2.6%	20	1.3%	224	4.1%	249	3.5%	8.2%
Clinical haematology	3	1.6%	17	1.1%	55	1.0%	75	1.0%	23.6%
Clinical immunology	2	1.1%	8	0.5%	34	0.6%	44	0.6%	19.0%
Clinical pharmacology	2	1.1%	7	0.5%	15	0.3%	24	0.3%	31.8%
Endocrinology	3	1.6%	33	2.2%	79	1.4%	115	1.6%	29.5%
Gastroenterology	4	2.1%	14	0.9%	118	2.1%	136	1.9%	10.6%
General medicine	11	5.8%	35	2.4%	294	5.3%	340	4.7%	10.6%
Geriatrics	5	2.6%	31	2.1%	67	1.2%	103	1.4%	31.6%
Infectious diseases	2	1.1%	17	1.1%	34	0.6%	53	0.7%	33.3%
Medical oncology	2	1.1%	21	1.4%	52	0.9%	75	1.0%	28.8%
Neurology	2	1.1%	18	1.2%	103	1.9%	123	1.7%	14.9%
Nuclear medicine	1	0.5%	15	1.0%	74	1.3%	90	1.3%	16.9%
Paediatric medicine	13	6.9%	126	8.5%	235	4.3%	374	5.2%	34.9%
Renal medicine	2	1.1%	19	1.3%	49	0.9%	70	1.0%	27.9%
Rheumatology	1	0.5%	20	1.3%	58	1.1%	79	1.1%	25.6%
Thoracic medicine	3	1.6%	24	1.6%	104	1.9%	131	1.8%	18.8%
<b>Pathology</b>									
General pathology	1	0.5%	18	1.2%	60	1.1%	79	1.1%	23.1%
Anatomical pathology	7	3.7%	54	3.6%	107	1.9%	168	2.3%	33.5%
Clinical chemistry	1	0.5%	2	0.1%	19	0.3%	22	0.3%	9.5%
Cytopathology	5	2.6%	22	1.5%	41	0.7%	68	0.9%	34.9%
Forensic pathology	2	1.1%	2	0.1%	17	0.3%	21	0.3%	10.5%
Haematology	3	1.6%	30	2.0%	52	0.9%	85	1.2%	36.6%
Immunology	1	0.5%	2	0.1%	25	0.5%	28	0.4%	7.4%
Microbiology	1	0.5%	17	1.1%	36	0.7%	54	0.8%	32.1%
<b>Surgery</b>									
General surgery	6	3.2%	26	1.8%	339	6.2%	371	5.2%	7.1%
Cardio-thoracic surgery	3	1.6%	1	0.1%	32	0.6%	36	0.5%	3.0%
Neurosurgery	0	0.0%	2	0.1%	35	0.6%	37	0.5%	5.4%
Orthopaedic surgery	7	3.7%	9	0.6%	265	4.8%	281	3.9%	3.3%
Otolaryngology	3	1.6%	8	0.5%	81	1.5%	92	1.3%	9.0%
Paediatric surgery	0	0.0%	3	0.2%	21	0.4%	24	0.3%	12.5%
Plastic/reconstructive surg	0	0.0%	7	0.5%	73	1.3%	80	1.1%	8.8%
Urology	1	0.5%	1	0.1%	63	1.1%	65	0.9%	1.6%
Vascular Surgery	1	0.5%	2	0.1%	36	0.7%	39	0.5%	5.3%
<b>Other Specialties</b>									
Anaesthesia	21	11.1%	165	11.1%	540	9.8%	726	10.1%	23.4%
Clinical Genetics	0	0.0%	18	1.2%	13	0.2%	31	0.4%	58.1%
Dermatology	2	1.1%	45	3.0%	74	1.3%	121	1.7%	37.8%
Diagnostic Radiology	8	4.2%	76	5.1%	309	5.6%	393	5.5%	19.7%
Emergency Medicine	6	3.2%	43	2.9%	120	2.2%	169	2.4%	26.4%
I. C. Anaesthesia	2	1.1%	5	0.3%	64	1.2%	71	1.0%	7.2%
I. C. Internal Medicine	3	1.6%	12	0.8%	49	0.9%	64	0.9%	19.7%
Medical Administration	4	2.1%	32	2.2%	71	1.3%	107	1.5%	31.1%
Obst. & Gyn.	5	2.6%	68	4.6%	262	4.8%	335	4.7%	20.6%
Occupational Medicine	2	1.1%	15	1.0%	58	1.1%	75	1.0%	20.5%
Ophthalmology	2	1.1%	39	2.6%	196	3.6%	237	3.3%	16.6%
Psychiatry	21	11.1%	175	11.8%	432	7.8%	628	8.7%	28.8%
Public Health Medicine	3	1.6%	39	2.6%	80	1.5%	122	1.7%	32.8%
Radiation Oncology	0	0.0%	16	1.1%	41	0.7%	57	0.8%	28.1%
Rehabilitation Medicine	0	0.0%	30	2.0%	96	1.7%	126	1.8%	23.8%
Other	7	3.7%	76	5.1%	204	3.7%	287	4.0%	27.1%
<b>Total qualifications</b>	<b>189</b>		<b>1485</b>		<b>5506</b>		<b>7180</b>		<b>21.2%</b>
<b>Nos. reporting qualifications</b>	<b>154</b>		<b>1259</b>		<b>4,534</b>		<b>5,947</b>		<b>21.7%</b>
<b>Summary by major areas</b>									
Internal medicine	61	32.3%	425	28.6%	1595	29.0%	2081	29.0%	21.0%
Pathology	21	11.1%	147	9.9%	357	6.5%	525	7.3%	29.2%
Surgery	21	11.1%	59	4.0%	945	17.2%	1025	14.3%	5.9%
Other specialties	86	45.5%	854	57.5%	2609	47.4%	3549	49.4%	24.7%
<i>Qualifications unknown</i>	5	1.6%	34	1.5%	163	1.6%	202	1.5%	

**Note**

1 Individual specialties do not add to "totals" as respondents were able to indicate multiple qualifications, and some respondents indicated the same specialty more than once. 908 respondents (93 sex unknown, 156 female and 659 male) indicated two different qualifications and 279 respondents (26 sex unknown, 38 female and 215 male) indicated three qualifications. Percentages represent the proportion of all respondents to the question who indicated they held the particular specialist qualification.

Table 5.14 Main area of specialty practice by sex, specialists working in NSW, 2005

Area of practice	No.	%	No.	%	No.	%	No.	%	Per cent female
	Sex unknown		Female		Male		Total		
<b>Internal Medicine</b>									
Cardiology	3	2.6%	10	1.0%	171	4.7%	184	3.9%	5.5%
Clinical haematology	3	2.6%	13	1.3%	35	1.0%	51	1.1%	27.1%
Clinical immunology	1	0.9%	6	0.6%	23	0.6%	30	0.6%	20.7%
Clinical pharmacology	0	0.0%	2	0.2%	7	0.2%	9	0.2%	22.2%
Endocrinology	3	2.6%	25	2.6%	58	1.6%	86	1.8%	30.1%
Gastroenterology	3	2.6%	13	1.3%	91	2.5%	107	2.3%	12.5%
General medicine	3	2.6%	9	0.9%	71	2.0%	83	1.8%	11.3%
Geriatrics	4	3.4%	24	2.5%	48	1.3%	76	1.6%	33.3%
Infectious diseases	0	0.0%	12	1.2%	22	0.6%	34	0.7%	35.3%
Medical oncology	1	0.9%	15	1.5%	35	1.0%	51	1.1%	30.0%
Neurology	2	1.7%	8	0.8%	74	2.1%	84	1.8%	9.8%
Nuclear medicine	1	0.9%	11	1.1%	40	1.1%	52	1.1%	21.6%
Paediatric medicine	7	6.0%	73	7.5%	153	4.2%	233	5.0%	32.3%
Renal medicine	2	1.7%	15	1.5%	47	1.3%	64	1.4%	24.2%
Rheumatology	0	0.0%	13	1.3%	41	1.1%	54	1.1%	24.1%
Thoracic medicine	2	1.7%	13	1.3%	70	1.9%	85	1.8%	15.7%
<b>Total internal medicine</b>	<b>35</b>	<b>29.9%</b>	<b>262</b>	<b>26.8%</b>	<b>986</b>	<b>27.4%</b>	<b>1283</b>	<b>27.3%</b>	<b>21.0%</b>
<b>Pathology</b>									
General pathology	0	0.0%	1	0.1%	14	0.4%	15	0.3%	6.7%
Anatomical pathology	4	1.6%	52	1.6%	96	1.6%	152	1.6%	35.1%
Clinical chemistry	0	0.0%	3	0.0%	10	0.0%	13	0.0%	23.1%
Cytopathology	0	0.0%	3	0.0%	0	0.0%	3	0.0%	100.0%
Forensic pathology	0	0.0%	2	0.0%	6	0.0%	8	0.0%	25.0%
Haematology	0	0.5%	13	0.5%	10	0.5%	23	0.5%	56.5%
Immunology	0	0.3%	3	0.3%	2	0.3%	5	0.3%	60.0%
Microbiology	1	0.5%	10	0.5%	19	0.5%	30	0.5%	34.5%
<b>Total pathology</b>	<b>5</b>	<b>4.3%</b>	<b>87</b>	<b>8.9%</b>	<b>157</b>	<b>4.4%</b>	<b>249</b>	<b>5.3%</b>	<b>35.7%</b>
<b>Surgery</b>									
General surgery	2	1.7%	17	1.7%	179	5.0%	198	4.2%	8.7%
Cardio-thoracic surgery	1	0.9%	1	0.1%	18	0.5%	20	0.4%	5.3%
Neurosurgery	0	0.0%	1	0.1%	21	0.6%	22	0.5%	4.5%
Orthopaedic surgery	5	4.3%	9	0.9%	190	5.3%	204	4.3%	4.5%
Otolaryngology	1	0.9%	8	0.8%	58	1.6%	67	1.4%	12.1%
Paediatric surgery	0	0.0%	3	0.3%	13	0.4%	16	0.3%	18.8%
Plastic/reconst surgery	1	0.9%	6	0.6%	43	1.2%	50	1.1%	12.2%
Urology	2	1.7%	1	0.1%	53	1.5%	56	1.2%	1.9%
Vascular Surgery	0	0.0%	4	0.4%	35	1.0%	39	0.8%	10.3%
<b>Total surgery</b>	<b>12</b>	<b>10.3%</b>	<b>50</b>	<b>5.1%</b>	<b>610</b>	<b>16.9%</b>	<b>672</b>	<b>14.3%</b>	<b>7.6%</b>
<b>Other Specialties</b>									
Anaesthesia	15	12.8%	117	12.0%	392	10.9%	524	11.2%	23.0%
Clinical Genetics	0	0.0%	18	1.8%	12	0.3%	30	0.6%	60.0%
Dermatology	2	1.7%	32	3.3%	55	1.5%	89	1.9%	36.8%
Diagnostic Radiology	7	6.0%	60	6.1%	221	6.1%	288	6.1%	21.4%
Emergency Medicine	5	4.3%	27	2.8%	82	2.3%	114	2.4%	24.8%
I. C. Anaesthesia	1	0.9%	5	0.5%	46	1.3%	52	1.1%	9.8%
I. C. Internal Medicine	1	0.9%	5	0.5%	28	0.8%	34	0.7%	15.2%
Medical Administration	7	6.0%	17	1.7%	54	1.5%	78	1.7%	23.9%
Obstetrics & Gynaecology	5	4.3%	43	4.4%	194	5.4%	242	5.2%	18.1%
Occupational Medicine	1	0.9%	6	0.6%	45	1.2%	52	1.1%	11.8%
Ophthalmology	1	0.9%	26	2.7%	139	3.9%	166	3.5%	15.8%
Psychiatry	17	14.5%	128	13.1%	325	9.0%	470	10.0%	28.3%
Public Health Medicine	0	0.0%	19	1.9%	36	1.0%	55	1.2%	34.5%
Radiation Oncology	0	0.0%	13	1.3%	25	0.7%	38	0.8%	34.2%
Rehabilitation Medicine	0	0.0%	16	1.6%	58	1.6%	74	1.6%	21.6%
Other	3	2.6%	46	4.7%	140	3.9%	189	4.0%	24.7%
<b>Total other specialties</b>	<b>65</b>	<b>55.6%</b>	<b>578</b>	<b>59.2%</b>	<b>1852</b>	<b>51.4%</b>	<b>2495</b>	<b>53.1%</b>	<b>23.8%</b>
<b>Total</b>	<b>117</b>	<b>100.0%</b>	<b>977</b>	<b>100.0%</b>	<b>3605</b>	<b>100.0%</b>	<b>4699</b>	<b>100.0%</b>	<b>21.3%</b>
<i>Specialty unknown</i>	42	26.4%	316	24.4%	1092	23.2%	1450	23.6%	

Table 5.15 Total areas of specialty practice by sex, specialists working in NSW, 2005

Area of practice	No.	%	No.	%	No.	%	No.	%	Per cent female
	Sex unknown		Female		Male		Total		
<b>Internal Medicine</b>									
Cardiology	4	2.8%	13	1.1%	192	4.2%	209	3.5%	6.3%
Clinical haematology	3	2.1%	17	1.4%	48	1.1%	68	1.2%	26.2%
Clinical immunology	2	1.4%	10	0.8%	28	0.6%	40	0.7%	26.3%
Clinical pharmacology	1	0.7%	6	0.5%	12	0.3%	19	0.3%	33.3%
Endocrinology	3	2.1%	31	2.5%	82	1.8%	116	2.0%	27.4%
Gastroenterology	5	3.5%	16	1.3%	107	2.4%	128	2.2%	13.0%
General medicine	8	5.6%	32	2.6%	227	5.0%	267	4.5%	12.4%
Geriatrics	4	2.8%	31	2.5%	71	1.6%	106	1.8%	30.4%
Infectious diseases	2	1.4%	21	1.7%	34	0.7%	57	1.0%	38.2%
Medical oncology	2	1.4%	18	1.5%	42	0.9%	62	1.1%	30.0%
Neurology	2	1.4%	10	0.8%	83	1.8%	95	1.6%	10.8%
Nuclear medicine	1	0.7%	11	0.9%	58	1.3%	70	1.2%	15.9%
Paediatric medicine	7	4.9%	94	7.7%	186	4.1%	287	4.9%	33.6%
Renal medicine	2	1.4%	20	1.6%	54	1.2%	76	1.3%	27.0%
Rheumatology	0	0.0%	15	1.2%	49	1.1%	64	1.1%	23.4%
Thoracic medicine	3	2.1%	19	1.6%	86	1.9%	108	1.8%	18.1%
<b>Pathology</b>									
General pathology	0	0.0%	11	0.9%	31	0.7%	42	0.7%	26.2%
Anatomical pathology	4	2.8%	55	4.5%	103	2.3%	162	2.7%	34.8%
Clinical chemistry	0	0.0%	3	0.2%	18	0.4%	21	0.4%	14.3%
Cytopathology	2	1.4%	27	2.2%	41	0.9%	70	1.2%	39.7%
Forensic pathology	0	0.0%	2	0.2%	11	0.2%	13	0.2%	15.4%
Haematology	1	0.7%	27	2.2%	42	0.9%	70	1.2%	39.1%
Immunology	1	0.7%	4	0.3%	18	0.4%	23	0.4%	18.2%
Microbiology	1	0.7%	13	1.1%	33	0.7%	47	0.8%	28.3%
<b>Surgery</b>									
General surgery	2	1.4%	22	1.8%	195	4.3%	219	3.7%	10.1%
Cardio-thoracic surgery	1	0.7%	1	0.1%	20	0.4%	22	0.4%	4.8%
Neurosurgery	0	0.0%	1	0.1%	24	0.5%	25	0.4%	4.0%
Orthopaedic surgery	5	3.5%	10	0.8%	197	4.3%	212	3.6%	4.8%
Otolaryngology	1	0.7%	8	0.7%	60	1.3%	69	1.2%	11.8%
Paediatric surgery	0	0.0%	3	0.2%	20	0.4%	23	0.4%	13.0%
Plastic/reconst surgery	1	0.7%	7	0.6%	51	1.1%	59	1.0%	12.1%
Urology	2	1.4%	1	0.1%	59	1.3%	62	1.1%	1.7%
Vascular Surgery	0	0.0%	5	0.4%	44	1.0%	49	0.8%	10.2%
<b>Other Specialties</b>									
Anaesthesia	16	11.3%	119	9.8%	422	9.3%	557	9.4%	22.0%
Clinical Genetics	0	0.0%	20	1.6%	15	0.3%	35	0.6%	57.1%
Dermatology	3	2.1%	32	2.6%	55	1.2%	90	1.5%	36.8%
Diagnostic Radiology	8	5.6%	65	5.3%	241	5.3%	314	5.3%	21.2%
Emergency Medicine	5	3.5%	31	2.5%	97	2.1%	133	2.3%	24.2%
I. C. Anaesthesia	2	1.4%	7	0.6%	68	1.5%	77	1.3%	9.3%
I. C. Internal Medicine	2	1.4%	11	0.9%	55	1.2%	68	1.2%	16.7%
Medical Administration	7	4.9%	27	2.2%	86	1.9%	120	2.0%	23.9%
Obst. & Gyn.	5	3.5%	44	3.6%	198	4.4%	247	4.2%	18.2%
Occupational Medicine	2	1.4%	7	0.6%	57	1.3%	66	1.1%	10.9%
Ophthalmology	1	0.7%	27	2.2%	140	3.1%	168	2.8%	16.2%
Psychiatry	17	12.0%	132	10.8%	332	7.3%	481	8.2%	28.4%
Public Health Medicine	1	0.7%	26	2.1%	65	1.4%	92	1.6%	28.6%
Radiation Oncology	0	0.0%	13	1.1%	27	0.6%	40	0.7%	32.5%
Rehabilitation Medicine	0	0.0%	24	2.0%	78	1.7%	102	1.7%	23.5%
Other	3	2.1%	71	5.8%	274	6.0%	348	5.9%	20.6%
<b>Total areas of practice</b>	<b>142</b>		<b>1220</b>		<b>4536</b>		<b>5898</b>		<b>21.2%</b>
<b>Nos. reporting areas of practice</b>	<b>117</b>		<b>977</b>		<b>3,605</b>		<b>4,699</b>		<b>21.3%</b>
<b>Summary by major areas</b>									
Internal medicine	49	41.9%	364	37.3%	1359	37.7%	1772	37.7%	21.1%
Pathology	9	7.7%	142	14.5%	297	8.2%	448	9.5%	32.3%
Surgery	12	10.3%	58	5.9%	670	18.6%	740	15.7%	8.0%
Other specialties	72	61.5%	656	67.1%	2210	61.3%	2938	62.5%	22.9%
<i>Area of practice unknown</i>	42		316		1,092		1,450		

Table 5.15 Main area of specialty practice, specialists working in NSW, 1995–2005

Qualifications <sup>1</sup>	1995 <sup>3</sup>	1996 <sup>3</sup>	1997	1998	1999	2000	2002	2003	2004	2005
<b>Internal Medicine</b>										
Cardiology	106	133	146	151	134	139	164	170	181	184
Clinical haematology	31	41	38	34	44	49	53	48	60	51
Clinical immunology	23	32	25	28	24	24	29	33	34	30
Clinical pharmacology	7	5	8	6	7	5	8	6	5	9
Endocrinology	42	48	63	51	50	71	67	71	88	86
Gastroenterology	60	93	92	87	89	102	97	96	104	107
General medicine	66	97	78	77	73	82	58	73	76	83
Geriatrics	37	45	44	63	45	64	53	66	71	76
Infectious diseases	13	16	18	16	24	22	32	28	31	34
Medical oncology	28	31	35	42	38	51	39	51	45	51
Neurology	55	67	71	86	68	73	75	75	83	84
Nuclear medicine	25	30	30	34	30	46	45	57	55	52
Paediatric medicine	121	146	157	151	143	198	184	194	239	233
Renal medicine	28	41	37	38	41	46	44	48	59	64
Rheumatology	43	42	49	46	47	59	43	53	56	54
Thoracic medicine	59	58	60	69	64	82	76	79	80	85
<b>All internal medicine</b>	<b>744</b>	<b>925</b>	<b>951</b>	<b>979</b>	<b>921</b>	<b>1113</b>	<b>1067</b>	<b>1148</b>	<b>1267</b>	<b>1283</b>
<b>Pathology</b>										
General pathology	22	25	25	28	32	35	27	25	20	15
Anatomical pathology	81	75	65	84	107	135	132	135	155	152
Clinical chemistry	8	10	7	11	12	11	14	13	17	13
Cytopathology	12	13	7	9	8	9	4	5	4	3
Forensic pathology	6	8	7	7	7	14	9	11	9	8
Haematology	15	13	13	13	13	21	16	20	25	23
Immunology	4	4	4	6	4	3	2	7	8	5
Microbiology	21	12	19	11	18	22	18	20	23	30
<b>All pathology</b>	<b>169</b>	<b>160</b>	<b>147</b>	<b>169</b>	<b>201</b>	<b>250</b>	<b>222</b>	<b>236</b>	<b>261</b>	<b>249</b>
<b>Surgery</b>										
General surgery	135	138	141	152	194	230	172	178	185	198
Cardio-thoracic surgery	11	14	14	19	18	24	22	21	22	20
Neurosurgery	18	22	17	16	17	18	31	27	22	22
Orthopaedic surgery	108	98	109	115	127	167	162	167	190	204
Otolaryngology	54	60	60	47	61	63	68	58	74	67
Paediatric surgery	9	14	12	21	21	13	13	13	19	16
Plastic/reconst surgery	31	39	38	31	31	49	34	47	44	50
Urology	29	32	33	32	40	42	47	44	49	56
Vascular Surgery	24	33	20	24	28	43	32	28	40	39
<b>All surgery</b>	<b>419</b>	<b>450</b>	<b>444</b>	<b>457</b>	<b>537</b>	<b>649</b>	<b>581</b>	<b>583</b>	<b>645</b>	<b>672</b>
<b>Other Specialties</b>										
Anaesthesia	315	387	384	394	389	426	432	453	523	524
Intensive care	74	87	84	—	—	—	—	—	0	—
I. C. Anaesthesia	—	—	—	33	27	30	36	32	50	52
I. C. Internal Medicine	—	—	—	51	35	31	40	38	37	34
Dermatology	54	68	72	65	56	67	74	73	78	89
Diagnostic radiology	186	236	222	214	199	264	235	267	300	288
Emergency medicine	34	63	64	74	63	79	89	76	91	114
Medical administration	53	59	59	69	45	55	60	68	60	78
Obstetrics & gynaecology	149	202	186	218	198	218	205	230	225	242
Occupational medicine	79	108	115	47	49	55	43	51	48	52
Ophthalmology	117	140	132	137	114	141	137	150	165	166
Clinical Genetics	—	—	—	32	22	19	24	20	21	30
Psychiatry	339	396	380	374	387	457	412	442	450	470
Radiation oncology	18	23	29	38	37	36	34	35	50	38
Rehabilitation medicine	48	59	51	32	25	68	66	74	34	74
Public health medicine	28	32	38	58	53	49	41	50	86	55
Other	95	112	113	124	104	232	231	181	190	189
<b>All other specialties</b>	<b>1,589</b>	<b>1,972</b>	<b>1,929</b>	<b>1,960</b>	<b>1,803</b>	<b>2,227</b>	<b>2,159</b>	<b>2,240</b>	<b>2,408</b>	<b>2,495</b>
<b>All specialties</b>	<b>2,921</b>	<b>3,507</b>	<b>3,471</b>	<b>3,565</b>	<b>3,462</b>	<b>4,239</b>	<b>4,029</b>	<b>4,207</b>	<b>4,581</b>	<b>4,699</b>
<i>Specialty unknown</i>	<i>1,780</i>	<i>1,701</i>	<i>1,906</i>	<i>1,970</i>	<i>1,997</i>	<i>1510</i>	<i>961</i>	<i>1203</i>	<i>1429</i>	<i>1450</i>

Table 5.16 Percentage distribution, main area of practice, specialists working in NSW, 1995–2005

Qualifications	1995 <sup>3</sup>	1996 <sup>3</sup>	1997	1998	1999	2000	2002	2003	2004	2005
<b>Internal Medicine</b>										
Cardiology	3.6%	3.8%	4.2%	4.2%	3.9%	3.3%	4.1%	4.0%	4.0%	3.9%
Clinical haematology	1.1%	1.2%	1.1%	1.0%	1.3%	1.2%	1.3%	1.1%	1.3%	1.1%
Clinical immunology	0.8%	0.9%	0.7%	0.8%	0.7%	0.6%	0.7%	0.8%	0.7%	0.6%
Clinical pharmacology	0.2%	0.1%	0.2%	0.2%	0.2%	0.1%	0.2%	0.1%	0.1%	0.2%
Endocrinology	1.4%	1.4%	1.8%	1.4%	1.4%	1.7%	1.7%	1.7%	1.9%	1.8%
Gastroenterology	2.1%	2.7%	2.7%	2.4%	2.6%	2.4%	2.4%	2.3%	2.3%	2.3%
General medicine	2.3%	2.8%	2.2%	2.2%	2.1%	1.9%	1.4%	1.7%	1.7%	1.8%
Geriatrics	1.3%	1.3%	1.3%	1.8%	1.3%	1.5%	1.3%	1.6%	1.5%	1.6%
Infectious diseases	0.4%	0.5%	0.5%	0.4%	0.7%	0.5%	0.8%	0.7%	0.7%	0.7%
Medical oncology	1.0%	0.9%	1.0%	1.2%	1.1%	1.2%	1.0%	1.2%	1.0%	1.1%
Neurology	1.9%	1.9%	2.0%	2.4%	2.0%	1.7%	1.9%	1.8%	1.8%	1.8%
Nuclear medicine	0.9%	0.9%	0.9%	1.0%	0.9%	1.1%	1.1%	1.4%	1.2%	1.1%
Paediatric medicine	4.1%	4.2%	4.5%	4.2%	4.1%	4.7%	4.6%	4.6%	5.2%	5.0%
Renal medicine	1.0%	1.2%	1.1%	1.1%	1.2%	1.1%	1.1%	1.1%	1.3%	1.4%
Rheumatology	1.5%	1.2%	1.4%	1.3%	1.4%	1.4%	1.1%	1.3%	1.2%	1.1%
Thoracic medicine	2.0%	1.7%	1.7%	1.9%	1.8%	1.9%	1.9%	1.9%	1.7%	1.8%
<b>All internal medicine</b>	<b>25.5%</b>	<b>26.4%</b>	<b>27.4%</b>	<b>27.5%</b>	<b>26.6%</b>	<b>26.3%</b>	<b>26.5%</b>	<b>27.3%</b>	<b>27.7%</b>	<b>27.3%</b>
<b>Pathology</b>										
General pathology	0.8%	0.7%	0.7%	0.8%	0.9%	0.8%	0.7%	0.6%	0.4%	0.3%
Anatomical pathology	2.8%	2.1%	1.9%	2.4%	3.1%	3.2%	3.3%	1.6%	3.4%	3.2%
Clinical chemistry	0.3%	0.3%	0.2%	0.3%	0.3%	0.3%	0.3%	0.0%	0.4%	0.3%
Cytopathology	0.4%	0.4%	0.2%	0.3%	0.2%	0.2%	0.1%	0.0%	0.1%	0.1%
Forensic pathology	0.2%	0.2%	0.2%	0.2%	0.2%	0.3%	0.2%	0.0%	0.2%	0.2%
Haematology	0.5%	0.4%	0.4%	0.4%	0.4%	0.5%	0.4%	0.5%	0.5%	0.5%
Immunology	0.1%	0.1%	0.1%	0.2%	0.1%	0.1%	0.0%	0.3%	0.2%	0.1%
Microbiology	0.7%	0.3%	0.5%	0.3%	0.5%	0.5%	0.4%	0.5%	0.5%	0.6%
<b>All pathology</b>	<b>5.8%</b>	<b>4.6%</b>	<b>4.2%</b>	<b>4.7%</b>	<b>5.8%</b>	<b>5.9%</b>	<b>5.5%</b>	<b>5.6%</b>	<b>5.7%</b>	<b>5.3%</b>
<b>Surgery</b>										
General surgery	4.6%	3.9%	4.1%	4.3%	5.6%	5.4%	4.3%	4.2%	4.0%	4.2%
Cardio-thoracic surgery	0.4%	0.4%	0.4%	0.5%	0.5%	0.6%	0.5%	0.5%	0.5%	0.4%
Neurosurgery	0.6%	0.6%	0.5%	0.4%	0.5%	0.4%	0.8%	0.6%	0.5%	0.5%
Orthopaedic surgery	3.7%	2.8%	3.1%	3.2%	3.7%	3.9%	4.0%	4.0%	4.1%	4.3%
Otolaryngology	1.8%	1.7%	1.7%	1.3%	1.8%	1.5%	1.7%	1.4%	1.6%	1.4%
Paediatric surgery	0.3%	0.4%	0.3%	0.6%	0.6%	0.3%	0.3%	0.3%	0.4%	0.3%
Plastic/reconst surgery	1.1%	1.1%	1.1%	0.9%	0.9%	1.2%	0.8%	1.1%	1.0%	1.1%
Urology	1.0%	0.9%	1.0%	0.9%	1.2%	1.0%	1.2%	1.0%	1.1%	1.2%
Vascular Surgery	0.8%	0.9%	0.6%	0.7%	0.8%	1.0%	0.8%	0.7%	0.9%	0.8%
<b>All surgery</b>	<b>14.3%</b>	<b>12.8%</b>	<b>12.8%</b>	<b>12.8%</b>	<b>15.5%</b>	<b>15.3%</b>	<b>14.4%</b>	<b>13.9%</b>	<b>14.1%</b>	<b>14.3%</b>
<b>Other Specialties</b>										
Anaesthesia	10.8%	11.0%	11.1%	11.1%	11.2%	10.0%	10.7%	10.8%	11.4%	11.2%
Intensive care	2.5%	2.5%	2.4%	—	—	—	—	0.0%	0.0%	0.0%
I. C. Anaesthesia	—	—	—	0.9%	0.8%	0.7%	0.9%	0.8%	1.1%	1.1%
I. C. Internal Medicine	—	—	—	1.4%	1.0%	0.7%	1.0%	0.9%	0.8%	0.7%
Dermatology	1.8%	1.9%	2.1%	1.8%	1.6%	1.6%	1.8%	1.7%	1.7%	1.9%
Diagnostic radiology	6.4%	6.7%	6.4%	6.0%	5.7%	6.2%	5.8%	6.3%	6.5%	6.1%
Emergency medicine	1.2%	1.8%	1.8%	2.1%	1.8%	1.9%	2.2%	1.8%	2.0%	2.4%
Medical administration	1.8%	1.7%	1.7%	1.9%	1.3%	1.3%	1.5%	1.6%	1.3%	1.7%
Obstetrics & gynaecology	5.1%	5.8%	5.4%	6.1%	5.7%	5.1%	5.1%	5.5%	4.9%	5.2%
Occupational medicine	2.7%	3.1%	3.3%	1.3%	1.4%	1.3%	1.1%	1.2%	1.0%	1.1%
Ophthalmology	4.0%	4.0%	3.8%	3.8%	3.3%	3.3%	3.4%	3.6%	3.6%	3.5%
Clinical Genetics	—	—	—	0.9%	0.6%	0.4%	0.6%	0.5%	0.5%	0.6%
Psychiatry	11.6%	11.3%	10.9%	10.5%	11.2%	10.8%	10.2%	10.5%	9.8%	10.0%
Radiation oncology	0.6%	0.7%	0.8%	1.1%	1.1%	0.8%	0.8%	0.8%	1.1%	0.8%
Rehabilitation medicine	1.6%	1.7%	1.5%	0.9%	0.7%	1.6%	1.6%	1.8%	0.7%	1.6%
Public health medicine	1.0%	0.9%	1.1%	1.6%	1.5%	1.2%	1.0%	4.3%	1.9%	1.2%
Other	3.3%	3.2%	3.3%	3.5%	3.0%	5.5%	5.7%	53.2%	4.1%	4.0%
<b>All other specialties</b>	<b>54.4%</b>	<b>56.2%</b>	<b>55.6%</b>	<b>55.0%</b>	<b>52.1%</b>	<b>52.5%</b>	<b>53.6%</b>	<b>53.2%</b>	<b>52.6%</b>	<b>53.1%</b>
<b>All specialties</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>
<i>Specialty unknown</i>	37.9%	32.7%	35.4%	35.6%	36.6%	26.3%	35.6%	22.1%	23.8%	23.6%


# 6

## SPECIALISTS IN TRAINING WORKING IN NSW

**Table 6.1** Age and sex distribution of specialists in training working in NSW, 2005

Age group	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total	Total	Total			
Under 25	0	0	0	0	0	0.0%	0	0.0%	0.0%
25-29	1	188	206	395	21.8%	22.8%	47.6%		
30-34	1	385	462	848	49.4%	49.0%	45.4%		
35-39	2	112	174	288	14.4%	18.4%	16.6%	38.9%	
40-44	1	48	59	108	6.2%	6.2%	44.4%		
45-49	0	30	26	56	3.9%	2.7%	3.2%	53.6%	
50-54	0	12	15	27	1.5%	1.6%	1.6%	44.4%	
55-59	0	4	3	7	0.5%	0.3%	0.4%	57.1%	
60-64	0	0	2	2	0.0%	0.2%	0.1%	0.0%	
65+	0	0	0	0	0.0%	0.0%	0.0%	0.0%	
<b>Total</b>	<b>5</b>	<b>779</b>	<b>947</b>	<b>1,731</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>45.0%</b>	
Age unknown	72	2	6	8					

**Figure 6.1** Age and sex distribution of specialists in training working in NSW, 2005



**Table 6.2 Age and sex of specialists in training working in NSW, 1995 – 2005**

Age group	1995	1996	1997	1998	1999	2000	2002	2003	2004	2005
<b>Male — Survey Respondents</b>										
Under 25	-	2	-	-	1	1	0	0	2	0
25-29	248	282	359	330	302	217	252	222	204	206
30-34	263	355	368	429	464	456	447	444	448	462
35-39	84	108	116	120	109	118	110	132	152	174
40-44	40	43	41	47	44	48	46	59	71	59
45-49	15	15	20	20	19	18	26	31	26	26
50-54	1	4	5	5	4	12	12	11	15	15
55-59	1	4	2	5	2	6	1	3	1	3
60-64	-	-	-	-	-	3	1	2	0	2
Over 64	1	-	-	-	-	-	2	0	-	0
<b>Total</b>	<b>653</b>	<b>813</b>	<b>911</b>	<b>956</b>	<b>945</b>	<b>879</b>	<b>897</b>	<b>904</b>	<b>919</b>	<b>947</b>
<i>Age unknown</i>	167	124	96	69	53	12	4	6	8	6
<b>Female — Survey Respondents</b>										
Under 25	1	-	-	1	-	0	1	193	1	0
25-29	142	134	200	198	216	173	196	193	168	188
30-34	107	162	183	207	231	262	284	325	346	385
35-39	55	60	58	55	65	69	73	82	94	112
40-44	21	26	26	26	38	36	56	43	52	48
45-49	9	13	11	22	10	14	19	28	30	30
50-54	2	5	9	5	11	8	3	6	6	12
55-59	-	2	2	-	1	2	6	4	3	4
60-64	-	-	-	-	-	-	0	1	1	0
Over 64	-	-	-	-	-	-	0	0	-	0
<b>Total</b>	<b>337</b>	<b>402</b>	<b>489</b>	<b>514</b>	<b>572</b>	<b>564</b>	<b>638</b>	<b>682</b>	<b>701</b>	<b>779</b>
<i>Age unknown</i>	76	65	51	44	29	12	9	2	5	2
<b>Male and Female — Survey Respondents</b>										
Under 25	1	2	-	1	1	1	1	0	3	0
25-29	390	416	559	528	518	390	448	415	372	395
30-34	370	517	551	636	695	718	731	769	795	848
35-39	139	168	174	175	174	187	183	214	248	288
40-44	61	69	67	73	82	84	102	102	123	108
45-49	24	28	31	42	29	32	45	59	56	56
50-54	3	9	14	10	15	20	15	17	21	27
55-59	1	6	4	5	3	8	7	7	4	7
60-64	-	-	-	-	-	3	1	3	1	2
Over 64	1	-	-	-	-	-	2	0	-	0
<b>Total</b>	<b>990</b>	<b>1,215</b>	<b>1,400</b>	<b>1,470</b>	<b>1,517</b>	<b>1,443</b>	<b>1,535</b>	<b>1,586</b>	<b>1,623</b>	<b>1,731</b>
<i>Age unknown</i>	243	189	147	113	82	108	13	8	220	8
<b>Proportion Female</b>										
<b>All Ages</b>	<b>33.5%</b>	<b>33.3%</b>	<b>34.9%</b>	<b>35.2%</b>	<b>37.6%</b>	<b>37.1%</b>	<b>41.8%</b>	<b>42.9%</b>	<b>38.3%</b>	<b>44.9%</b>

**Table 6.3 Percentage distribution of age and sex of specialists in training working in NSW, 1995 – 2005**

Age group	1995	1996	1997	1998	1999	2000	2002	2003	2004	2005
<b>Males — Percentage Distribution</b>										
Under 25	-	0.2%	-	-	0.1%	0.1%	0.0%	0.0%	0.2%	0.0%
25-29	38.0%	34.7%	39.4%	34.5%	32.0%	24.7%	28.1%	24.6%	22.2%	21.8%
30-34	40.3%	43.7%	40.4%	44.9%	49.1%	51.9%	49.8%	49.1%	48.7%	48.8%
35-39	12.9%	13.3%	12.7%	12.6%	11.5%	13.4%	12.3%	14.6%	16.5%	18.4%
40-44	6.1%	5.3%	4.5%	4.9%	4.7%	5.5%	5.1%	6.5%	7.7%	6.2%
45-49	2.3%	1.8%	2.2%	2.1%	2.0%	2.0%	2.9%	3.4%	2.8%	2.7%
50-54	0.2%	0.5%	0.5%	0.5%	0.4%	1.4%	1.3%	1.2%	1.6%	1.6%
55-59	0.2%	0.5%	0.2%	0.5%	0.2%	0.7%	0.1%	0.3%	0.1%	0.3%
60-64	-	-	-	-	-	0.3%	0.1%	0.2%	0.0%	0.2%
Over 65	0.2%	-	-	-	-	-	0.2%	0.0%	0.0%	0.0%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>
<i>Age unknown</i>	20.4%	13.2%	9.5%	6.7%	5.3%	2.7%	0.4%	0.7%	0.9%	0.6%
<b>Females — Percentage Distribution</b>										
Under 25	0.3%	-	-	0.2%	-	-	0.2%	0.0%	0.1%	0.0%
25-29	42.1%	33.3%	40.9%	38.5%	37.8%	30.7%	30.7%	28.3%	24.0%	24.1%
30-34	31.8%	40.3%	37.4%	40.3%	40.4%	46.5%	44.5%	47.7%	49.4%	49.4%
35-39	16.3%	14.9%	11.9%	10.7%	11.4%	12.2%	11.4%	12.0%	13.4%	14.4%
40-44	6.2%	6.5%	5.3%	5.1%	6.6%	6.4%	8.8%	6.3%	7.4%	6.2%
45-49	2.7%	3.2%	2.2%	4.3%	1.7%	2.5%	3.0%	4.1%	4.3%	3.9%
50-54	0.6%	1.2%	1.8%	1.0%	1.9%	1.4%	0.5%	0.9%	0.9%	1.5%
55-59	-	0.5%	0.4%	-	0.2%	0.4%	0.9%	0.6%	0.4%	0.5%
60-64	-	-	-	-	-	-	0	0.0%	0.1%	0.0%
Over 65	-	-	-	-	-	-	0	0.0%	0.0%	0.0%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>
<i>Age unknown</i>	18.4%	13.9%	9.4%	7.9%	4.8%	4.8%	1.4%	0.3%	0.7%	0.3%
<b>Males and Females — Percentage Distribution</b>										
Under 25	0.1%	0.2%	-	0.1%	0.1%	0.1%	0.1%	0.0%	0.2%	0.0%
25-29	39.4%	34.2%	39.9%	35.9%	34.1%	27.0%	29.2%	26.2%	22.9%	22.8%
30-34	37.4%	42.6%	39.4%	43.3%	45.8%	49.8%	47.6%	48.5%	49.0%	49.0%
35-39	14.0%	13.8%	12.4%	11.9%	11.5%	13.0%	11.9%	13.5%	15.3%	16.6%
40-44	6.2%	5.7%	4.8%	5.0%	5.4%	5.8%	6.6%	6.4%	7.6%	6.2%
45-49	2.4%	2.3%	2.2%	2.9%	1.9%	2.2%	2.9%	3.7%	3.5%	3.2%
50-54	0.3%	0.7%	1.0%	0.7%	1.0%	1.4%	1.0%	1.1%	1.3%	1.6%
55-59	0.1%	0.5%	0.3%	0.3%	0.2%	0.6%	0.5%	0.4%	0.2%	0.4%
60-64	-	-	-	-	-	0.2%	0.1%	0.2%	0.1%	0.1%
Over 65	0.1%	-	-	-	-	-	0.1%	0.0%	0.0%	0.0%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>
<i>Age unknown</i>	19.7%	13.5%	9.5%	7.1%	5.1%	7.0%	0.8%	0.5%	11.9%	0.5%

Table 6.4 Estimated number of locations by sex, specialists in training in NSW, 2005

No. of locations	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
One location only	47	81.0%	557	84.3%	714	84.5%	1318	84.3%	43.8%
Two locations	10	17.2%	84	12.7%	109	12.9%	203	13.0%	43.5%
Three locations	1	1.7%	20	3.0%	22	2.6%	43	2.7%	47.6%
<b>Total</b>	<b>58</b>	<b>100.0%</b>	<b>661</b>	<b>100.0%</b>	<b>845</b>	<b>100.0%</b>	<b>1564</b>	<b>100.0%</b>	<b>43.9%</b>
<i>Non-response</i>	19	24.7%	120	15.4%	108	11.3%	247	13.6%	


## Notes

- 1 Data has been estimated from Question 9 of the survey form, "What is the percentage of total hours worked in each locality over the last four weeks?", which was asked for up to three locations. This was not the same as data collected on jobs in previous profiles.
- 2 "Location" refers to distinct locations although in some cases respondents provided the same postcode for more than one location.

Table 6.5 Geographical location of main job by sex, specialists in training in NSW, 2005

Geographical location	No.		%		No.		%		Per cent female
	Sex unknown	Female	Male	Total					
<b>Area Health Service</b>									
Greater Southern	0	0.0%	11	1.5%	25	2.7%	36	2.1%	30.6%
Greater Western	3	4.1%	13	1.7%	16	1.7%	32	1.8%	44.8%
Hunter & New England	7	9.6%	74	10.0%	87	9.4%	168	9.6%	46.0%
North Coast	3	4.1%	15	2.0%	22	2.4%	40	2.3%	40.5%
Nthn Sydney & Central Coast	7	9.6%	135	18.2%	128	13.8%	270	15.5%	51.3%
Sth Eastern Sydney & Illawarra	25	34.2%	182	24.5%	248	26.8%	455	26.1%	42.3%
Sydney South West	13	17.8%	152	20.5%	209	22.6%	374	21.5%	42.1%
Sydney West	15	20.5%	161	21.7%	191	20.6%	367	21.1%	45.7%
<b>Total</b>	<b>73</b>	<b>100.0%</b>	<b>743</b>	<b>100.0%</b>	<b>926</b>	<b>100.0%</b>	<b>1742</b>	<b>100.0%</b>	<b>44.5%</b>
<i>Non-response:</i>	4	5.2%	38	4.9%	27	2.8%	69	3.8%	

Figure 6.2 : Estimated number of specialists in training working in NSW (main job only) per 100,000 of the resident population, 2005



**Table 6.6 Geographical location of second job by sex, specialists in training working in NSW, 2005**

Geographical location	No.	%	No.	%	No.	%	No.	%	Per cent female
	Sex unknown		Female		Male		Total		
<b>Area Health Service</b>									
Greater Southern	0	0.0%	6	4.6%	6	4.2%	12	4.2%	50.0%
Greater Western	0	0.0%	4	3.1%	2	1.4%	6	2.1%	66.7%
Hunter & New England	2	15.4%	12	9.2%	19	13.3%	33	11.5%	38.7%
North Coast	0	0.0%	1	0.8%	5	3.5%	6	2.1%	16.7%
Northern Sydney & Central Coast	3	23.1%	21	16.2%	20	14.0%	44	15.4%	51.2%
South Eastern Sydney & Illawarra	3	23.1%	27	20.8%	39	27.3%	69	24.1%	40.9%
Sydney South West	3	23.1%	34	26.2%	30	21.0%	67	23.4%	53.1%
Sydney West	2	15.4%	25	19.2%	22	15.4%	49	17.1%	53.2%
<b>Total</b>	<b>13</b>	<b>100.0%</b>	<b>130</b>	<b>100.0%</b>	<b>143</b>	<b>100.0%</b>	<b>286</b>	<b>100.0%</b>	<b>47.6%</b>
<i>Non-response:</i>	64	83.1%	651	83.4%	810	85.0%	1525	84.2%	

**Table 6.7 Geographical location of third job by sex, specialists in training working in NSW, 2005**

Geographical location	No.	%	No.	%	No.	%	No.	%	Per cent female
	Sex unknown		Female		Male		Total		
<b>Area Health Service</b>									
Greater Southern	0	0.0%	1	3.7%	0	0.0%	1	1.8%	100.0%
Greater Western	0	0.0%	0	0.0%	2	7.4%	2	3.6%	0.0%
Hunter & New England	0	0.0%	5	18.5%	4	14.8%	9	16.1%	55.6%
North Coast	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Northern Sydney & Central Coast	0	0.0%	7	25.9%	3	11.1%	10	17.9%	70.0%
South Eastern Sydney & Illawarra	1	50.0%	3	11.1%	8	29.6%	12	21.4%	27.3%
Sydney South West	1	50.0%	7	25.9%	4	14.8%	12	21.4%	63.6%
Sydney West	0	0.0%	4	14.8%	6	22.2%	10	17.9%	40.0%
<b>Total</b>	<b>2</b>	<b>100.0%</b>	<b>27</b>	<b>100.0%</b>	<b>27</b>	<b>100.0%</b>	<b>56</b>	<b>100.0%</b>	<b>50.0%</b>
<i>Non-response:</i>	75	97.4%	754	96.5%	926	97.2%	1755	96.9%	

Table 6.8: Geographical location of main job by sex, specialists in training working in NSW, 1995-2005

Geographical location	1995	1996	1997	1998	1999	2000	2002	2003	2004	2005
<b>Survey respondents</b>										
<b>Metropolitan Area Health Services</b>										
Central Coast	24	30	23	23	28	29	33	31	43	47
Central Sydney	246	207	237	252	246	225	227	223	245	227
Hunter	99	121	132	121	129	108	133	116	145	149
Illawarra	18	20	30	23	23	42	47	41	52	50
Northern Sydney	169	177	196	195	191	191	196	182	220	222
South Eastern Sydney	355	384	440	444	454	410	363	422	432	407
South Western Sydney	57	84	96	125	114	108	99	148	137	145
Wentworth	17	23	33	41	26	51	48	51	68	66
Western Sydney	142	216	244	238	257	245	247	285	294	300
<b>Total Metropolitan</b>	<b>1,127</b>	<b>1,262</b>	<b>1,431</b>	<b>1,462</b>	<b>1,468</b>	<b>1,409</b>	<b>1,393</b>	<b>1,499</b>	<b>1,636</b>	<b>1,613</b>
<b>Rural Area Health Services</b>										
Far West	2	2	2	0	3	3	2	1	2	4
Greater Murray	3	10	11	12	14	13	22	12	18	26
Macquarie	1	2	0	3	2	5	5	8	7	10
Mid North Coast	0	2	3	4	3	12	17	25	25	24
Mid Western	3	6	6	5	6	12	13	17	11	18
New England	5	6	3	3	6	6	13	10	16	16
Northern Rivers	4	3	6	3	9	16	21	23	28	19
Southern	3	2	9	3	0	3	1	3	4	5
<b>Total Rural</b>	<b>21</b>	<b>33</b>	<b>40</b>	<b>33</b>	<b>43</b>	<b>70</b>	<b>94</b>	<b>99</b>	<b>111</b>	<b>122</b>
Interstate (incl. ACT)	-	7	4	6	1	17	14	11	17	14
<b>Total</b>	<b>1,148</b>	<b>1,302</b>	<b>1,475</b>	<b>1,501</b>	<b>1,512</b>	<b>1,496</b>	<b>1,501</b>	<b>1,609</b>	<b>1,764</b>	<b>1,749</b>
<i>Location unknown</i>	85	102	72	86	87	55	47	72	79	62
<b>Percentage Distribution</b>										
<b>Metropolitan Area Health Services</b>										
Central Coast	2.1%	2.3%	1.6%	1.5%	1.9%	2.0%	2.2%	1.9%	2.4%	2.7%
Central Sydney	21.4%	15.9%	16.1%	16.8%	16.3%	14.8%	15.1%	13.9%	13.9%	13.0%
Hunter	8.6%	9.3%	8.9%	8.1%	8.5%	7.2%	8.9%	7.2%	8.2%	8.5%
Illawarra	1.6%	1.5%	2.0%	1.5%	1.5%	2.8%	3.1%	2.5%	2.9%	2.9%
Northern Sydney	14.7%	13.6%	13.3%	13.0%	12.6%	12.8%	13.1%	11.3%	12.5%	12.7%
South Eastern Sydney	30.9%	29.5%	29.8%	29.6%	30.0%	27.5%	24.2%	26.2%	24.5%	23.3%
South Western Sydney	5.0%	6.5%	6.5%	8.3%	7.5%	7.3%	6.6%	9.2%	7.8%	8.3%
Wentworth	1.5%	1.8%	2.2%	2.7%	1.7%	3.5%	3.2%	3.2%	3.9%	3.8%
Western Sydney	12.4%	16.6%	16.5%	15.9%	17.0%	16.5%	16.5%	17.7%	16.7%	17.2%
<b>Total Metropolitan</b>	<b>98.2%</b>	<b>96.9%</b>	<b>97.0%</b>	<b>97.4%</b>	<b>97.1%</b>	<b>94.2%</b>	<b>92.8%</b>	<b>93.2%</b>	<b>92.7%</b>	<b>92.2%</b>
<b>Rural Area Health Services</b>										
Far West	0.2%	0.2%	0.1%	0.0%	0.2%	0.2%	0.1%	0.1%	0.1%	0.2%
Greater Murray	0.3%	0.8%	0.7%	0.8%	0.9%	0.8%	1.5%	0.7%	1.0%	1.5%
Macquarie	0.1%	0.2%	0.0%	0.2%	0.1%	0.4%	0.3%	0.5%	0.4%	0.6%
Mid North Coast	0.0%	0.2%	0.2%	0.3%	0.2%	0.7%	1.1%	1.6%	1.4%	1.4%
Mid Western	0.3%	0.5%	0.4%	0.3%	0.4%	0.8%	0.9%	1.1%	0.6%	1.0%
New England	0.4%	0.5%	0.2%	0.2%	0.4%	0.4%	0.9%	0.6%	0.9%	0.9%
Northern Rivers	0.3%	0.2%	0.4%	0.2%	0.6%	1.1%	1.4%	1.4%	1.6%	1.1%
Southern	0.3%	0.2%	0.6%	0.2%	0.0%	0.2%	0.1%	0.2%	0.2%	0.3%
<b>Total Rural</b>	<b>1.8%</b>	<b>2.5%</b>	<b>2.7%</b>	<b>2.2%</b>	<b>2.8%</b>	<b>4.7%</b>	<b>6.3%</b>	<b>6.2%</b>	<b>6.3%</b>	<b>7.0%</b>
Interstate (incl. ACT)	-	0.5%	0.3%	0.4%	0.1%	1.1%	0.9%	0.7%	1.0%	0.8%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>
<i>Location unknown</i>	6.9%	7.3%	4.7%	5.4%	5.4%	3.6%	3.0%	4.3%	4.3%	3.4%

**Table 6.9 Geographical location of main job by location of residence, specialists in training working in NSW, 2005**

Geographical location of main job	Geographical location of residence									Unknown or no second job	Percentage with second job in different area to main job
	Greater Southern AHS	Greater Western AHS	Hunter & New England AHS	North Coast AHS	Northern Sydney & Central Coast AHS	South Eastern Sydney & Illawarra AHS	Sydney South West AHS	Sydney West AHS	Total		
Greater Southern AHS	18	0	0	1	1	7	10	2	39	1	53.8%
Greater Western AHS	0	8	0	0	6	10	3	3	30	1	73.3%
Hunter & New England AHS	0	0	160	0	8	5	1	4	178	1	10.1%
North Coast AHS	0	0	0	18	2	8	6	1	35	3	48.6%
Northern Sydney & Central Coast AHS	0	0	7	0	190	35	46	14	292	1	34.9%
South Eastern Sydney & Illawarra AHS	0	0	1	0	35	276	97	11	420	7	34.3%
Sydney South West AHS	0	0	0	0	66	90	217	27	400	4	45.8%
Sydney West AHS	0	0	0	0	77	22	103	171	373	5	54.2%
<b>Total</b>	<b>18</b>	<b>8</b>	<b>168</b>	<b>19</b>	<b>385</b>	<b>453</b>	<b>483</b>	<b>233</b>	<b>1767</b>	<b>23</b>	<b>40.1%</b>
<i>Unknown</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>3</i>	<i>3</i>	<i>6</i>	<i>0</i>	<i>14</i>	<i>7</i>	
<b>Percentage working outside the area in which they live</b>	<b>0.0%</b>	<b>0.0%</b>	<b>4.8%</b>	<b>5.3%</b>	<b>50.6%</b>	<b>39.1%</b>	<b>55.1%</b>	<b>26.6%</b>			

Table 6.10 Hours per week<sup>1</sup> usually worked in all medical jobs, specialists in training working in NSW, 2005

Hours per week	No.	%	No.	%	No.	%	No.	%	
	Sex unknown		Female		Male		Total		Per cent female
<b>Direct Patient Contact Hours<sup>2</sup></b>									
1-9	4	6.6%	32	4.8%	39	4.5%	75	4.7%	45.1%
10-19	2	3.3%	31	4.6%	34	3.9%	67	4.2%	47.7%
20-29	4	6.6%	75	11.2%	49	5.7%	128	8.0%	60.5%
30-34	3	4.9%	69	10.3%	69	8.0%	141	8.8%	50.0%
35-39	0	0.0%	50	7.5%	38	4.4%	88	5.5%	56.8%
40-44	12	19.7%	139	20.7%	175	20.3%	326	20.4%	44.3%
45-49	7	11.5%	42	6.3%	66	7.6%	115	7.2%	38.9%
50-59	15	24.6%	139	20.7%	223	25.8%	377	23.6%	38.4%
60-69	10	16.4%	62	9.2%	103	11.9%	175	11.0%	37.6%
70+	4	6.6%	32	4.8%	67	7.8%	103	6.5%	32.3%
<b>Total</b>	<b>61</b>	<b>100.0%</b>	<b>671</b>	<b>100.0%</b>	<b>863</b>	<b>92.6%</b>	<b>1595</b>	<b>100.0%</b>	<b>43.7%</b>
<i>Hours unknown &amp; no hours reported</i>	16	20.8%	110	14.1%	90	9.4%	216	11.9%	
<b>On Call — Hours Not Worked</b>									
1-9	3	13.0%	37	14.3%	52	12.5%	92	13.2%	41.6%
10-19	8	34.8%	84	32.6%	107	25.7%	199	28.6%	44.0%
20-29	3	13.0%	44	17.1%	90	21.6%	137	19.7%	32.8%
30-34	2	8.7%	11	4.3%	35	8.4%	48	6.9%	23.9%
35-39	2	8.7%	5	1.9%	6	1.4%	13	1.9%	45.5%
40-44	1	4.3%	22	8.5%	32	7.7%	55	7.9%	40.7%
45-49	1	4.3%	6	2.3%	15	3.6%	22	3.2%	28.6%
50-59	1	4.3%	7	2.7%	16	3.8%	24	3.4%	30.4%
60-69	1	4.3%	5	1.9%	14	3.4%	20	2.9%	26.3%
70+	1	4.3%	37	14.3%	49	11.8%	87	12.5%	43.0%
<b>Total</b>	<b>23</b>	<b>100.0%</b>	<b>258</b>	<b>100.0%</b>	<b>416</b>	<b>100.0%</b>	<b>697</b>	<b>100.0%</b>	<b>38.3%</b>
<i>Hours unknown &amp; no hours reported</i>	54	70.1%	523	67.0%	537	56.3%	1114	61.5%	
<b>Total Hours Actually Worked (excluding on call not worked)</b>									
1-9	1	1.3%	3	0.4%	3	0.3%	7	0.4%	50.0%
10-19	1	1.3%	11	1.4%	6	0.6%	18	1.0%	64.7%
20-29	3	4.0%	61	8.0%	14	1.5%	78	4.4%	81.3%
30-34	1	1.3%	24	3.2%	14	1.5%	39	2.2%	63.2%
35-39	1	1.3%	21	2.8%	16	1.7%	38	2.1%	56.8%
40-44	12	16.0%	185	24.3%	198	20.9%	395	22.2%	48.3%
45-49	10	13.3%	88	11.6%	94	9.9%	192	10.8%	48.4%
50-59	23	30.7%	212	27.9%	309	32.7%	544	30.5%	40.7%
60-69	17	22.7%	98	12.9%	175	18.5%	290	16.3%	35.9%
70+	6	8.0%	57	7.5%	117	12.4%	180	10.1%	32.8%
<b>Total</b>	<b>75</b>	<b>100.0%</b>	<b>760</b>	<b>100.0%</b>	<b>946</b>	<b>100.0%</b>	<b>1781</b>	<b>100.0%</b>	<b>44.5%</b>
<i>Hours unknown &amp; no hours reported</i>	2	2.6%	21	2.7%	7	0.7%	30	1.7%	

**Notes**

1. Respondents were asked to indicate "during the last 4 weeks how many hours per week did you usually work in medical jobs?", excluding time spent on travel between work locations, but including travel to home visits or other calls out, and excluding time spent on professional voluntary activities.
2. Hours per week in direct contact with patients are hours spent in scheduled patient sessions, and other face to face or telephone consultations
3. Due to the nature of the survey data it is not possible to distinguish "non-response" from "no hours".

Figure 6.3 Distribution of total hours worked per week by sex, specialists in training working in NSW, 2005




Table 6.11 Employment setting of main job by sex, specialists in training working in NSW, 2005

Employment setting	Sex unknown		Female		Male		Total		Per cent female
	No.	%	No.	%	No.	%	No.	%	
<b>Public sector</b>									
Ambulatory centre, day surgery, community health centre, outpatient clinic	4	5.6%	37	5.0%	29	3.1%	70	4.0%	56.1%
Aboriginal health service	0	0.0%	3	0.4%	0	0.0%	3	0.2%	100.0%
Hospital, including psychiatric hospital	60	84.5%	636	85.4%	816	87.6%	1512	86.5%	43.8%
Other residential health facility	0	0.0%	2	0.3%	1	0.1%	3	0.2%	66.7%
Tertiary education institution	1	1.4%	10	1.3%	16	1.7%	27	1.5%	38.5%
Defence forces	0	0.0%	1	0.1%	0	0.0%	1	0.1%	0.0%
Government department/agency	1	1.4%	13	1.7%	12	1.3%	26	1.5%	52.0%
Other	0	0.0%	7	0.9%	4	0.4%	11	0.6%	63.6%
<b>Total public sector</b>	<b>66</b>	<b>82.3%</b>	<b>709</b>	<b>92.4%</b>	<b>878</b>	<b>85.5%</b>	<b>1653</b>	<b>88.2%</b>	<b>44.7%</b>
<b>Private sector</b>									
Private rooms/surgery	2	2.8%	15	2.0%	21	2.3%	38	2.2%	41.7%
Ambulatory centre, day surgery, community health centre, outpatient clinic	0	0.0%	1	0.1%	2	0.2%	3	0.2%	33.3%
24 hour/other medical centre	0	0.0%	1	0.1%	0	0.0%	1	0.1%	100.0%
Aboriginal health service	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Hospital, including psychiatric hospital	3	4.2%	15	2.0%	20	2.1%	38	2.2%	42.9%
Other residential health facility	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Tertiary education institution	0	0.0%	0	0.0%	3	0.3%	3	0.2%	0.0%
Other	0	0.0%	4	0.5%	7	0.8%	11	0.6%	36.4%
<b>Total private sector</b>	<b>5</b>	<b>17.7%</b>	<b>36</b>	<b>7.6%</b>	<b>53</b>	<b>14.5%</b>	<b>94</b>	<b>11.8%</b>	<b>40.4%</b>
<b>Total</b>	<b>71</b>	<b>100.0%</b>	<b>745</b>	<b>100.0%</b>	<b>931</b>	<b>100.0%</b>	<b>1747</b>	<b>100.0%</b>	<b>44.5%</b>
<i>Non-response:</i>	6	7.8%	36	4.6%	22	2.3%	64	3.5%	

Table 6.12 Year of completion of training, specialists in training working in NSW, 2005

Year	Sex Unknown		Female		Male		Total		Per cent female
	No.	%	No.	%	No.	%	No.	%	
2005	4	5.4%	89	12.0%	101	11.2%	194	11.3%	46.8%
2006	11	14.9%	131	17.6%	182	20.1%	324	18.8%	41.9%
2007	10	13.5%	150	20.2%	203	22.4%	363	21.1%	42.5%
2008	15	20.3%	153	20.6%	162	17.9%	330	19.2%	48.6%
2009	17	23.0%	108	14.5%	108	11.9%	233	13.5%	50.0%
2010	12	16.2%	87	11.7%	100	11.0%	199	11.6%	46.5%
2011	3	4.1%	9	1.2%	30	3.3%	42	2.4%	23.1%
2012	2	2.7%	10	1.3%	13	1.4%	25	1.5%	43.5%
2013	0	0.0%	2	0.3%	1	0.1%	3	0.2%	66.7%
2014	0	0.0%	3	0.4%	2	0.2%	5	0.3%	60.0%
2015	0	0.0%	1	0.1%	3	0.3%	4	0.2%	0.0%
<b>Total</b>	<b>74</b>	<b>100.0%</b>	<b>743</b>	<b>100.0%</b>	<b>905</b>	<b>100.0%</b>	<b>1722</b>	<b>100.0%</b>	<b>45.1%</b>
<i>Year unknown</i>	3	3.9%	38	4.9%	48	5.0%	89	4.9%	

Table 6.13 Specialist areas by sex, specialists in training working in NSW, 2005

Qualifications	No.	%	No.	%	No.	%	No.	%	Per Cent Female
	Sex Unknown		Female		Male		Total		
<b>Internal Medicine</b>									
Cardiology	1	1.3%	6	0.8%	34	3.7%	41	2.4%	15.0%
Clinical haematology	0	0.0%	7	0.9%	6	0.7%	13	0.7%	53.8%
Clinical immunology	0	0.0%	4	0.5%	3	0.3%	7	0.4%	57.1%
Clinical pharmacology	0	0.0%	1	0.1%	1	0.1%	2	0.1%	50.0%
Endocrinology	0	0.0%	18	2.4%	4	0.4%	22	1.3%	81.8%
Gastroenterology	0	0.0%	6	0.8%	16	1.7%	22	1.3%	27.3%
General medicine	8	10.7%	36	4.8%	45	4.9%	89	5.1%	44.4%
Geriatrics	0	0.0%	13	1.7%	11	1.2%	24	1.4%	54.2%
Infectious diseases	1	1.3%	5	0.7%	2	0.2%	8	0.5%	71.4%
Medical oncology	0	0.0%	12	1.6%	8	0.9%	20	1.1%	60.0%
Neurology	0	0.0%	4	0.5%	6	0.7%	10	0.6%	40.0%
Nuclear medicine	0	0.0%	9	1.2%	7	0.8%	16	0.9%	56.3%
Paediatric medicine	3	4.0%	74	9.9%	45	4.9%	122	7.0%	62.2%
Renal medicine	0	0.0%	4	0.5%	2	0.2%	6	0.3%	66.7%
Rheumatology	0	0.0%	4	0.5%	5	0.5%	9	0.5%	44.4%
Thoracic medicine	0	0.0%	12	1.6%	10	1.1%	22	1.3%	54.5%
<b>Total internal medicine</b>	<b>13</b>	<b>17.3%</b>	<b>215</b>	<b>28.9%</b>	<b>205</b>	<b>22.2%</b>	<b>433</b>	<b>24.8%</b>	<b>51.2%</b>
<b>Pathology</b>									
General pathology	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Anatomical pathology	4	5.3%	27	3.6%	21	2.3%	52	3.0%	56.3%
Clinical chemistry	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Cytopathology	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Forensic pathology	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
Haematology	0	0.0%	7	0.9%	7	0.8%	14	0.8%	50.0%
Immunology	0	0.0%	3	0.4%	3	0.3%	6	0.3%	50.0%
Microbiology	0	0.0%	4	0.5%	6	0.7%	10	0.6%	40.0%
<b>Total pathology</b>	<b>4</b>	<b>5.3%</b>	<b>41</b>	<b>5.5%</b>	<b>37</b>	<b>4.0%</b>	<b>82</b>	<b>4.7%</b>	<b>52.6%</b>
<b>Surgery</b>									
General surgery	8	10.7%	33	4.4%	86	9.3%	127	7.3%	27.7%
Cardio-thoracic surgery	1	1.3%	3	0.4%	11	1.2%	15	0.9%	21.4%
Neurosurgery	2	2.7%	3	0.4%	14	1.5%	19	1.1%	0.0%
Orthopaedic surgery	3	4.0%	7	0.9%	60	6.5%	70	4.0%	0.0%
Otorhinolaryngology	1	1.3%	9	1.2%	16	1.7%	26	1.5%	0.0%
Paediatric surgery	0	0.0%	6	0.8%	0	0.0%	6	0.3%	0.0%
Plastic/reconst surgery	2	2.7%	2	0.3%	12	1.3%	16	0.9%	14.3%
Urology	1	1.3%	3	0.4%	8	0.9%	12	0.7%	0.0%
Vascular Surgery	0	0.0%	5	0.7%	8	0.9%	13	0.7%	0.0%
<b>Total surgery</b>	<b>18</b>	<b>24.0%</b>	<b>71</b>	<b>9.5%</b>	<b>215</b>	<b>23.3%</b>	<b>304</b>	<b>17.4%</b>	<b>24.8%</b>
<b>Other Specialties</b>									
Anaesthesia	9	12.0%	76	10.2%	106	11.5%	191	11.0%	41.8%
Clinical Genetics	0	0.0%	5	0.7%	1	0.1%	6	0.3%	83.3%
Dermatology	0	0.0%	11	1.5%	8	0.9%	19	1.1%	57.9%
Diagnostic Radiology	4	5.3%	21	2.8%	48	5.2%	73	4.2%	30.4%
Emergency Medicine	5	6.7%	48	6.4%	74	8.0%	127	7.3%	39.3%
I. C. Anaesthesia	1	1.3%	6	0.8%	12	1.3%	19	1.1%	33.3%
I. C. Internal Medicine	2	2.7%	6	0.8%	13	1.4%	21	1.2%	31.6%
Medical Administration	1	1.3%	7	0.9%	4	0.4%	12	0.7%	63.6%
Obst. & Gyn.	4	5.3%	53	7.1%	31	3.4%	88	5.0%	63.1%
Occupational Medicine	0	0.0%	5	0.7%	11	1.2%	16	0.9%	31.3%
Ophthalmology	3	4.0%	13	1.7%	24	2.6%	40	2.3%	35.1%
Psychiatry	6	8.0%	104	14.0%	80	8.7%	190	10.9%	56.5%
Public Health Medicine	0	0.0%	7	0.9%	5	0.5%	12	0.7%	58.3%
Radiation Oncology	2	2.7%	20	2.7%	9	1.0%	31	1.8%	69.0%
Rehabilitation Medicine	3	4.0%	20	2.7%	20	2.2%	43	2.5%	50.0%
Other	0	0.0%	16	2.1%	20	2.2%	36	2.1%	44.4%
<b>Total other specialties</b>	<b>40</b>	<b>53.3%</b>	<b>418</b>	<b>56.1%</b>	<b>466</b>	<b>50.5%</b>	<b>924</b>	<b>53.0%</b>	<b>47.3%</b>
<b>Total specialties</b>	<b>75</b>	<b>100.0%</b>	<b>745</b>	<b>100.0%</b>	<b>923</b>	<b>100.0%</b>	<b>1743</b>	<b>100.0%</b>	<b>44.7%</b>
<i>Specialty unknown</i>	2	2.6%	36	4.6%	30	3.1%	68	3.8%	