

Bibliography

- AHMAC National Mental Health Working Group (1996).
National Standards for Mental Health Services.
Canberra: Australian Government
- American Psychiatric Association (APA) (2000).
Diagnostic and Statistical Manual of Mental Disorders, 4th ed, Text Revised (DSM-IV-TR).
Washington: APA.
- Ask, A. and Roche, A.M. (2005).
Clinical Supervision Resource Kit for the Alcohol and Other Drugs Field.
Flinders University, Adelaide: NCETA.
- Australian Bureau of Statistics (2006).
National Health Survey: Summary of Results, Australia, 2004-05.
Cat. no. 4364.0, Canberra: ABS.
- Australian Bureau of Statistics (ABS) (1998).
Mental Health and Wellbeing: Profile of Adults, Australia.
ABS Cat. No. 4326.0. Canberra: ABS.
- Regier, D.A, Farmer, M.E., Rae, D., Locke, B.Z., Keith, S.J., Judd, L.L. and Goodwin, F.K. (1990).
Comorbidity in mental disorders with alcohol and other drug abuse.
Journal of American Medical Association, 246, 2511-2518.
- Andrews, G. and Slade, T. (2001).
Interpreting scores on the Kessler Psychological Distress Scale (K10).
Australian and New Zealand Journal of Public Health, 25(6), 494-497.
- Australian Health Ministers (2003).
National Mental Health Plan 2003- 2008.
Canberra: Australian Government.
- Australian Institute of Health and Welfare (2005).
National Comorbidity Initiative: A Review of Data Collections Relating to People with Coexisting Substance Use and Mental Health Disorders.
Canberra: AIHW.
- Baker, A., Lewin, T., Reichler, H., Clancy, R., Carr, V., Garrett, R., Sly, K., Devir, H. and Terry, M. (2002).
Motivational interviewing among psychiatric in-patients with substance use disorders.
ACTA Psychiatrica Scandinavica, 106, 233-240.
- Bloch, S. and Singh, B.S. (2004).
Understanding Troubled Minds: A Guide to Mental Illness and its Treatment.
Melbourne: Melbourne University Press
- Boardman, J. and Parsonage, M. (2005).
Defining a good mental health service: a discussion paper.
London: The Sainsbury Centre for Mental Health.
- Bourne, E. J. (2000).
The Anxiety and Phobia Workbook.
Oakland: New Harbinger Publications.
- Centre for Mental Health (2000).
The NSW Suicide Data Report: Suicide in NSW – We Need to Know More.
North Sydney: NSW Health.
- Centre for Mental Health (2003).
Mental Health Act Guide Book (Amended May 2003).
North Sydney: NSW Health.
- Commonwealth Department of Health and Aged Care (2000).
National Action Plan for Promotion, Prevention and Early Intervention for Mental Health.
Canberra: Mental Health and Special Programs Branch, Commonwealth Department of Health and Aged Care.
- Davies, J. (2000)
A Manual of Mental Health Care in General Practice.
Canberra: Commonwealth Department of Health and Aged Care.
- Davis, C. (2003).
Caught in the Gap: Dual Diagnosis and Young People: A Report on the Issues.
NSW Association for Adolescent Health.

- Degenhardt, L. and Hall, W. (2002).
Cannabis and Psychosis.
Current Psychiatry Reports, 4(3), 191-196.
- Edwards, G., Marshall, E.J., Cook, C.C. (2003).
The Treatment of Drinking Problems: A guide for helping professions.
Cambridge: Cambridge University Press.
- Goldenring J. and Cohen E. (1998).
Getting into adolescent heads.
Contemporary Paediatrics 5, 75-90
- Gregor, S. (2004).
Australian Suicide Trends: 1991-2001.
Inpsych, 26(4), 21.
- Hawkings, C. and Gilbert, H. (2004).
Dual Diagnosis Toolkit: Mental Health and Substance Misuse.
London: Rethink and Turning Point.
- Hawkins, P. and Shohet, R. (2000).
Supervision in the Helping Professions.
Milton Keynes: Open University Press.
- Holmwood, C. (2003).
Comorbidity of Mental Disorders and Substance Use: A brief guide for the primary care clinician.
National Comorbidity Project, National Drug Strategy, Commonwealth Department of Health and Ageing.
- Krawitz, R. and Watson, C. (2000).
Borderline Personality Disorder: Foundations of Treatment.
Adelaide: Seaview Press.
- Lawrence, K. and Melrose, J. (2002).
The Do-It-Yourself Guide to Peer Education with Parents.
MDECC: Sydney. <http://www.mdecc.org.au>
- Lee, N., Hocking, S., Smith, H., and Richards, J. (2003).
Clinical Treatment Guidelines for Alcohol and Drug Clinicians. No. 10: Managing Difficult and Complex Behaviours.
Fitzroy: Turning Point Alcohol and Drug Centre Inc.
- Maslach, C., Schaufeli, W.B. and Leiter, M.P. (2001).
Job Burnout.
Annual Review of Psychology, 52, 397-422.
- Mathers C.D., Vos, T.E., Stevenson, C.E. and Begg, S.J. (2000).
The Australian Burden of Disease Study: measuring the loss of health from diseases, injuries and risk factors.
Medical Journal of Australia, 172: 592-596
- McCabe, D and Holmwood, C (2003).
Comorbidity of Mental Disorders and Substance Use in General Practice.
National Comorbidity Project, National Drug Strategy, Commonwealth Department of Health and Ageing.
- Melrose, J. (1998).
Observations of the Triangle of Funding, Obsession and Health Discrimination. Conference Proceedings: Having it Both Ways, Problematic drug and alcohol use and mental illness
National Conference, Melbourne, Australia, February
- Mental Health Council of Australia (2006).
Where There's Smoke... Cannabis and Mental Health.
<http://www.mhca.org.au/documents/MHCACannabisfinalLR.pdf>
- MIDAS (n.d.).
Dual Disorder Training and Resource Manual for Nurses and Other Health Professionals.
Sydney: South Western Sydney Area Health Service.
- Miller, W. and Rollnick, S. (2002).
Motivational Interviewing: Preparing People to Change Addictive Behaviour.
New York: Guildford Press.
- McDonald, J. (2002).
Mentoring: An Age Old Strategy for a Rapidly Expanding Field, A What, Why and How Primer for the Alcohol and Other Drugs Field.
Flinders University, Adelaide: NCETA.
- Morawetz, D. (1994).
Sleep Better ... without Drugs!
<http://www.sleepbetter.com.au/>

- Montgomery, B. and Morris, L. (2000).
Surviving: Coping with a Life Crisis.
Arizona, USA: Fisher Books.
- Mueser, K. T., Yarnold, P. R., Levinson, D. F., Singh, H., Bellack, A. S., Kee, K., Morrison, R. L. & Yadam, K. G. (1990).
Prevalence of substance abuse in schizophrenia: demographic and clinical correlates.
Schizophrenia Bulletin, 16, 31-56.
- Murray, C. and Lopez, A. (1996).
The global burden of disease: a comprehensive assessment of mortality and disability from diseases, injuries and risk factors in 1990 and projected to 2020.
Harvard School of Public Health on behalf of the World Health Organisation and the World Bank. Harvard University
- Mrazek, P.J. and Haggerty, R.J. (1994).
Reducing the Risks of Mental Disorders: Frontiers for Preventive Intervention Research.
Washington DC: National Academy Press.
- National Centre for Education and Training on Addiction (NCETA) Consortium (2004).
Alcohol and Other Drugs: A Handbook for Health Professionals.
Canberra: Australian Government Department of Health and Ageing.
- National Media and Mental Health Group (2004).
Reporting Suicide and Mental Illness : a Resource for Media Professionals.
Australian Government Department of Health and Ageing, Canberra. <http://www.mindframe-media.info/about/nmmhg.php> accessed July 2006.
- NSW Department of Community Services (DoCS) (2005).
Dual Diagnosis: A Resource for Caseworkers.
Ashfield: DoCS.
- NSW Health (1998).
Caring for Mental Health: A Framework for Mental Health Care in NSW.
North Sydney: NSW Health.
- NSW Health (2001).
Getting in Early – A Framework for Early Intervention and Prevention in Mental Health for Young People in NSW.
North Sydney: NSW Health.
- NSW Health (2002).
Framework for Rehabilitation for Mental Health.
North Sydney: NSW Health.
- NSW Health (2003).
Family and Carers Training (FACT) Project: Research Report.
North Sydney: NSW Health.
- NSW Health (2004).
Framework for Suicide Risk Assessment and Management for NSW Health Staff.
North Sydney: NSW Health.
- NSW Health (2006a).
NSW: A New Direction for Mental Health.
North Sydney: NSW Health.
- NSW Health (2006b).
NSW Drug and Alcohol Clinical Supervision Guidelines. North Sydney: NSW Health.
- Patterson, J & Clapp, C. (2004).
Working with Families: Clinical Treatment Guidelines for Alcohol and Drug Clinicians, no 11.
Turning Point Alcohol and Drug Centre, Fitzroy: Victoria.
- Powell, D.J. and Brodsky, A. (2004).
Clinical Supervision in Alcohol and Drug Abuse Counseling: Principles, Models, Methods.
Brisbane: John Wiley and Sons.
- Prochaska, J.O., DiClemente, C.C. and Norcross, J. C. (1992).
In Search of How People Change: Applications to Addictive Behaviours.
American Psychologist, 47(9), 1102 – 1114.

- Raphael, B. (2000).
Promoting the Mental Health and Wellbeing of
*Children and Young People: Discussion Paper: Key
Principles and Directions.*
Canberra: National Mental Health Working Group,
Department of Health and Aged Care.
- Rickwood, D., Crowley, M., Dyer, K., Magor-Blatch, L.,
Melrose, J., Mentha, H., and Ryder, D. (2005).
Perspectives in Psychology: Substance Use.
Australian Psychological Society (APS) Position Paper on
Psychology and Substance Use. Melbourne: APS.
- Russell, K. and Shanley, C. (1991)
Core Training Manual: Introduction to Pharmacology.
Sydney: CEIDA.
- Sawyer, M.G., Arney, F.M., Baghurst, P.A., Clark, J.J., Graetz,
B.W., Kosky, R.J., Nurcombe, B., Patton, G.C., Prior, M.R.,
Raphael, B., Rey, J., Whaites, L.C. and Zubrick, S.R. (2000).
The Mental Health of Young People in Australia.
Canberra: Mental Health and Special Programs Branch,
Commonwealth Department of Health and Aged Care.
- Sciacca, K. (1997).
*Removing barriers: dual diagnosis and motivational
interviewing.*
Professional Counsellor, 12(1), 41-6.
- Skinner, N. & Roche, A.M. (2005).
*Stress and Burnout: A Prevention Handbook for the Alcohol
and Other Drugs Workforce.*
Flinders University, Adelaide: NCETA.
- Squires, D. and Moyers, T. (2001).
Motivational Enhancement for Dually Diagnosed Consumers.
<http://www.bhrm.org/guidelines/squiresmoyers.pdf>
Accessed 28th July, 2006.
- Sunshine Coast Mental Health Service (SCMHS) (2004)
Aggression Management Training, Module 1.
Nambour: SCMHS.
- Szirom, T., King, D. and Desmond, K. (2005).
*Barriers to Service Provision for Young People with
Presenting Substance Misuse and Mental Health Problems.*
NYARS.
- Teesson, M., Degenhardt, L., Proudfoot, H., Hall, W.,
and Lynskey, M. (2005).
How common is comorbidity and why does it occur?
Australian Psychologist, 40(2), 81-87.
- Teesson, M. and Proudfoot, H. (Eds.) (2003).
*Comorbid Mental Disorders and Substance Use Disorders:
Epidemiology, Prevention and Treatment.*
Commonwealth Department of Health and Ageing.
- Todd, F. (2002)
Coexisting Alcohol and Drug Use and Mental Health
*Disorders. In G. Hulse, J. White and G. Cape (Eds.)
Management of Alcohol and Drug Problems.*
South Melbourne: Oxford University Press.
- Treatment Protocol Project (2004).
*Management of Mental Disorders. 4th ed. World Health
Organisation Collaborating Centre for Evidence in Mental
Health Policy.*
Sydney: WHO.
- Utesch, W.E. (n.d.)
*From a glass half empty to a glass half full: A review of
the Transition from Deficit to Strength-Based approaches.*
[http://www.foellinger.org/GrantPacket/Strength-
Based%20Practices%20-%20Utesch_srg.pdf](http://www.foellinger.org/GrantPacket/Strength-Based%20Practices%20-%20Utesch_srg.pdf)
Accessed 28th July, 2006.
- Warner, R., Taylor, D., Wright, J., Sloat, A., Springett, G.,
Arnold, S. and Weinberg, H. (1994)
*Substance use among the mentally ill: prevalence reasons
for use and effects on illness.*
American Journal of Orthopsychiatry, 74, 30-39.
- World Health Organisation (WHO) (2001).
*World Health Report 2001: Mental Health:
New Understanding, New Hope.*
Geneva: WHO.

