

New South Wales Population Health Survey

2004

REPORT ON ADULT HEALTH



SHOALHAVEN
DIVISION OF GENERAL PRACTICE

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice

Acknowledgements:

The development and preparation of this edition of the General Practice Division Reports was a team effort involving staff from the NSW Health Survey Program, the Centre for Epidemiology and Research, and the Alliance of NSW Divisions of General Practice. The development of these reports was part funded by the Program for Enhanced Population Health Infostructure.

Source: New South Wales Population Health Survey 2002, 2003 and 2004 (HOIST). Centre for Epidemiology and Research, NSW Department of Health.

Produced by: Centre for Epidemiology and Research, Population Health Division, NSW Department of Health.

Last updated on: 26 September 2005

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Introduction

This report is the first of a series of triennial reports that will be produced for each division of general practice from the New South Wales Population Health Survey. The Shoalhaven Division of General Practice Report aims to assist divisions in monitoring the health status of their population, and to support needs assessment, monitoring and improving quality of care in general practice, and policy planning and service development.

The NSW Department of Health in conjunction with the Alliance of NSW Divisions of General Practice has identified a number of indicators for inclusion in the reports. The indicators are:

Health behaviours

Alcohol risk drinking behaviour
Fruit intake
Vegetable intake
Adequate physical activity
Smoking status
Cancer screening
Influenza immunisation last 12 months 65 years and over
Pneumococcal immunisation last 5 years 65 years and over
Homes with a smoke alarm

Health services

Difficulties getting health care when needing it
Emergency department care rating
Hospital care rating

Social Capital

Attended a community event in the last 6 months
Most people can be trusted
Visit neighbours


Health Status

Excellent, very good or good self-rated health status
Current asthma
Diabetes or high blood sugar
All natural teeth missing
Overweight and obesity
High and very high psychological distress

These indicators are presented in graphical and tabular form. For each indicator, the report includes a bar chart of the indicator by age group (2002, 2003 and 2004 Shoalhaven data), compared with the whole of New South Wales. The tables below the charts present the indicator estimates for males, females and persons and includes the 95% confidence intervals (CI). The 95% confidence interval provides a range of values that should contain the actual value 95% of the time. In general, a wider confidence interval reflects less certainty in the indicator estimate. If confidence intervals do not overlap then the observed estimates are significantly different. **Source:** New South Wales Population Health Survey 2002, 2003 and 2004 (HOIST). Centre for Epidemiology and Research, NSW Department of Health.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Risk alcohol drinking by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 44.2 (36.6-51.9) | 14,400 | 33.8 (27.6-40.0) | 12,100 | 38.8 (33.9-43.7) | 26,500 |
| | 16-24 | 81.8 (61.0-100) | 2,100 | 60.2 (36.1-84.2) | 2,700 | 68.0 (49.8-86.2) | 4,700 |
| | 25-34 | 52.7 (26.6-78.8) | 2,400 | 40.2 (21.8-58.7) | 2,600 | 45.4 (30.0-60.8) | 4,900 |
| | 35-44 | 51.8 (30.4-73.3) | 2,400 | 45.1 (28.8-61.3) | 2,500 | 48.2 (34.9-61.5) | 4,900 |
| | 45-54 | 30.6 (11.5-49.7) | 1,400 | 25.9 (14.4-37.3) | 1,500 | 27.9 (17.5-38.3) | 2,900 |
| | 55-64 | 44.8 (32.1-57.4) | 3,100 | 18.7 (8.7-28.7) | 1,000 | 33.4 (24.9-42.0) | 4,100 |
| | 65-74 | 28.4 (16.7-40.0) | 1,700 | 25.6 (14.4-36.9) | 1,300 | 27.1 (18.9-35.3) | 3,000 |
| | 75+ | 40.4 (20.6-60.2) | 1,300 | 18.6 (6.3-30.9) | 600 | 29.4 (16.9-42.0) | 2,000 |
| NSW | All Ages | 40.2 (39.0-41.5) | 907,800 | 30.0 (29.0-31.0) | 700,800 | 35.0 (34.2-35.7) | 1,610,900 |
| | 16-24 | 49.3 (45.8-52.9) | 178,300 | 44.8 (41.5-48.0) | 157,500 | 46.9 (44.6-49.3) | 336,500 |
| | 25-34 | 47.2 (43.8-50.7) | 205,100 | 35.2 (32.7-37.7) | 156,600 | 41.1 (38.9-43.2) | 361,700 |
| | 35-44 | 38.0 (35.0-40.9) | 169,700 | 32.1 (29.7-34.5) | 146,500 | 35.0 (33.1-36.9) | 317,000 |
| | 45-54 | 36.4 (33.6-39.1) | 143,500 | 25.9 (23.9-28.0) | 104,500 | 31.0 (29.3-32.7) | 248,100 |
| | 55-64 | 36.0 (33.3-38.6) | 105,500 | 23.4 (21.4-25.4) | 66,900 | 29.7 (28.0-31.4) | 172,600 |
| | 65-74 | 31.2 (28.7-33.7) | 62,300 | 18.1 (16.1-20.1) | 39,200 | 24.4 (22.8-26.0) | 101,900 |
| | 75+ | 34.2 (30.6-37.8) | 43,400 | 16.6 (14.6-18.6) | 29,500 | 23.9 (21.9-25.8) | 73,100 |

Note: Estimates are based on 608 respondents in Shoalhaven and 34,980 in NSW. For this indicator 3 (0.49%) were 'not stated' (Don't know or Refused) in Shoalhaven and 389 (1.11%) were 'not stated' (Don't know or Refused) in NSW.

The indicator includes those people who meet Guideline 1 of the NHMRC Australian Alcohol Guidelines, as 1 or more of the following: consuming alcohol every day, consuming on average more than [4 if male/2 if female] standard drinks, consuming more than [6 if male/4 if female] on any 1 occasion or day. Questions used to define the indicator were 'How often do you usually drink alcohol?', 'On a day when you drink alcohol, how many standard drinks do you usually have?', 'In the past 4 weeks have you had more than [7-10 if male/5-6 if female] drinks in a day?', and 'In the past 4 weeks how often have you had [11 or more if male/7 or more if female] drinks in a day?'. Questions used to define the 1997 and 1998 indicator were 'How often do you have an alcoholic drink of any kind?', 'On a day when you have alcoholic drinks, how many standard drinks do you usually have?' and 'On the last occasion that you had more than [4 if male/2 if female] drinks in a day, how many drinks did you actually have?'

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Recommended fruit consumption by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 43.7 (36.2-51.3) | 14,200 | 56.0 (49.8-62.2) | 20,200 | 50.2 (45.3-55.1) | 34,300 |
| | 16-24 | 41.5 (5.7-77.4) | 1,000 | 82.3 (67.2-97.4) | 3,800 | 67.9 (51.3-84.5) | 4,800 |
| | 25-34 | 30.1 (7.2-53.0) | 1,300 | 39.2 (21.7-56.8) | 2,500 | 35.5 (21.4-49.7) | 3,900 |
| | 35-44 | 39.9 (18.9-60.9) | 1,900 | 53.9 (37.5-70.3) | 2,900 | 47.4 (34.2-60.7) | 4,800 |
| | 45-54 | 39.9 (16.2-63.5) | 1,800 | 54.7 (41.7-67.8) | 3,200 | 48.2 (35.2-61.2) | 5,000 |
| | 55-64 | 45.1 (32.4-57.8) | 3,100 | 62.7 (50.8-74.7) | 3,400 | 52.8 (43.7-61.9) | 6,500 |
| | 65-74 | 60.9 (47.8-74.0) | 3,600 | 58.2 (45.0-71.4) | 2,800 | 59.7 (50.3-69.0) | 6,500 |
| | 75+ | 41.0 (23.6-58.4) | 1,400 | 44.2 (28.8-59.6) | 1,500 | 42.6 (30.9-54.3) | 2,800 |
| NSW | All Ages | 40.4 (39.2-41.7) | 918,800 | 52.6 (51.5-53.6) | 1,234,800 | 46.6 (45.8-47.4) | 2,159,200 |
| | 16-24 | 39.1 (35.6-42.5) | 144,400 | 44.5 (41.3-47.8) | 158,000 | 41.6 (39.3-44.0) | 302,900 |
| | 25-34 | 32.9 (29.7-36.2) | 142,700 | 44.9 (42.2-47.6) | 200,200 | 39.0 (36.8-41.1) | 343,000 |
| | 35-44 | 38.2 (35.3-41.2) | 171,800 | 50.4 (47.9-53.0) | 231,000 | 44.4 (42.4-46.4) | 403,900 |
| | 45-54 | 41.9 (39.0-44.7) | 166,600 | 54.7 (52.4-57.1) | 222,100 | 48.3 (46.5-50.2) | 389,200 |
| | 55-64 | 44.0 (41.2-46.7) | 129,800 | 60.3 (58.0-62.6) | 173,500 | 52.0 (50.2-53.8) | 304,500 |
| | 65-74 | 50.0 (47.2-52.8) | 99,900 | 63.0 (60.6-65.4) | 137,100 | 56.8 (55.0-58.6) | 237,900 |
| | 75+ | 50.5 (46.7-54.3) | 63,600 | 63.4 (60.7-66.1) | 112,700 | 58.2 (56.0-60.4) | 177,900 |

Note: Estimates are based on 607 respondents in Shoalhaven and 35,162 in NSW. For this indicator 4 (0.66%) were 'not stated' (Don't know or Refused) in Shoalhaven and 207 (0.59%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those who meet the recommended fruit consumption. The recommended consumption of fruit according to the National Campaign is 2 serves for people aged 16 years and over. One serve is equivalent to 1 medium piece or 2 small pieces of fruit. The question used to define the indicator was 'How many serves of fruit do you usually eat each day?'.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Recommended vegetable consumption by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-----------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 10.9 (6.6-15.2) | 3,500 | 17.6 (12.8-22.4) | 6,300 | 14.4 (11.1-17.7) | 9,900 |
| | 16-24 | 8.1 (0.0-23.6) | 200 | 19.4 (0.0-39.2) | 900 | 15.4 (1.2-29.7) | 1,100 |
| | 25-34 | 4.1 (0.0-12.2) | 200 | 7.7 (0.0-18.3) | 500 | 6.2 (0.0-13.3) | 700 |
| | 35-44 | 5.9 (0.0-17.2) | 300 | 11.7 (1.8-21.7) | 600 | 9.1 (1.6-16.5) | 900 |
| | 45-54 | 9.2 (0.0-19.6) | 400 | 23.8 (12.0-35.6) | 1,400 | 17.4 (8.8-25.9) | 1,800 |
| | 55-64 | 16.5 (5.7-27.3) | 1,100 | 19.7 (9.4-30.0) | 1,100 | 17.9 (10.4-25.5) | 2,200 |
| | 65-74 | 19.7 (8.8-30.6) | 1,200 | 21.8 (10.4-33.2) | 1,100 | 20.6 (12.7-28.5) | 2,300 |
| NSW | 75+ | 3.3 (0.0-9.8) | 100 | 23.0 (9.9-36.2) | 800 | 13.4 (5.6-21.2) | 900 |
| | All Ages | 7.0 (6.5-7.6) | 159,600 | 13.6 (12.9-14.3) | 320,100 | 10.4 (9.9-10.9) | 479,700 |
| | 16-24 | 5.4 (4.0-6.8) | 19,800 | 8.0 (6.2-9.7) | 28,300 | 6.7 (5.5-7.8) | 48,100 |
| | 25-34 | 5.2 (3.8-6.7) | 22,700 | 9.2 (7.5-10.8) | 40,900 | 7.2 (6.1-8.3) | 63,600 |
| | 35-44 | 5.2 (4.0-6.5) | 23,600 | 11.6 (10.0-13.3) | 53,300 | 8.5 (7.4-9.5) | 76,900 |
| | 45-54 | 7.1 (5.7-8.5) | 28,200 | 17.8 (16.0-19.6) | 72,200 | 12.5 (11.3-13.7) | 100,400 |
| | 55-64 | 9.2 (7.7-10.8) | 27,200 | 19.3 (17.5-21.1) | 55,400 | 14.2 (13.0-15.4) | 82,600 |
| | 65-74 | 11.9 (10.1-13.7) | 23,700 | 20.4 (18.4-22.5) | 44,300 | 16.3 (15.0-17.7) | 68,000 |
| 75+ | 11.5 (9.2-13.9) | 14,400 | 14.4 (12.4-16.4) | 25,700 | 13.2 (11.7-14.8) | 40,100 | |

Note: Estimates are based on 609 respondents in Shoalhaven and 35,000 in NSW. For this indicator 2 (0.33%) were 'not stated' (Don't know or Refused) in Shoalhaven and 369 (1.05%) were 'not stated' (Don't know or Refused) in NSW.

The indicator includes those who meet the recommended consumption of vegetables. The recommended vegetable intake according to the National Campaign is 5 serves per day for persons aged 16 years and over. One serve is equivalent to 1/2 cup of cooked vegetables or 1 cup of salad vegetables. The question used to define the indicator was: 'How many serves of vegetables do you usually eat each day?'

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Adequate physical activity by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 55.4 (47.7-63.0) | 18,000 | 47.5 (41.2-53.8) | 17,100 | 51.2 (46.3-56.1) | 35,100 |
| | 16-24 | 49.1 (14.7-83.5) | 1,200 | 59.3 (37.2-81.4) | 2,700 | 55.7 (37.0-74.4) | 4,000 |
| | 25-34 | 74.4 (52.1-96.7) | 3,300 | 55.9 (38.4-73.5) | 3,600 | 63.5 (49.6-77.4) | 6,900 |
| | 35-44 | 54.6 (33.0-76.2) | 2,600 | 46.2 (29.9-62.6) | 2,500 | 50.1 (36.8-63.4) | 5,100 |
| | 45-54 | 33.9 (14.0-53.7) | 1,500 | 51.9 (38.9-64.9) | 3,000 | 44.0 (31.5-56.4) | 4,600 |
| | 55-64 | 65.2 (53.5-76.8) | 4,500 | 46.4 (33.6-59.2) | 2,400 | 57.0 (48.2-65.9) | 6,900 |
| | 65-74 | 62.8 (50.0-75.5) | 3,800 | 40.3 (27.2-53.3) | 2,000 | 52.6 (43.3-62.0) | 5,900 |
| | 75+ | 31.4 (13.3-49.5) | 1,000 | 21.8 (9.4-34.2) | 700 | 26.6 (15.5-37.7) | 1,800 |
| NSW | All Ages | 52.5 (51.2-53.8) | 1,199,100 | 44.0 (43.0-45.1) | 1,037,600 | 48.1 (47.3-49.0) | 2,241,000 |
| | 16-24 | 66.8 (63.4-70.1) | 247,000 | 57.5 (54.4-60.7) | 205,200 | 62.2 (59.9-64.5) | 453,800 |
| | 25-34 | 53.7 (50.3-57.1) | 234,900 | 46.5 (43.9-49.2) | 208,200 | 50.0 (47.8-52.2) | 443,200 |
| | 35-44 | 49.4 (46.4-52.5) | 223,500 | 43.6 (41.1-46.2) | 200,700 | 46.5 (44.5-48.5) | 425,200 |
| | 45-54 | 49.5 (46.6-52.4) | 197,600 | 43.2 (40.9-45.5) | 175,600 | 46.3 (44.4-48.2) | 374,200 |
| | 55-64 | 49.8 (47.0-52.5) | 147,500 | 41.6 (39.3-43.9) | 120,000 | 45.6 (43.8-47.4) | 267,500 |
| | 65-74 | 49.6 (46.9-52.4) | 99,800 | 37.3 (34.9-39.7) | 81,500 | 43.2 (41.3-45.0) | 181,800 |
| | 75+ | 38.1 (34.4-41.8) | 48,600 | 26.0 (23.6-28.3) | 46,500 | 30.8 (28.8-32.9) | 95,200 |

Note: Estimates are based on 610 respondents in Shoalhaven and 35,365 in NSW. For this indicator 1 (0.16%) were 'not stated' (Don't know or Refused) in Shoalhaven and 4 (0.01%) were 'not stated' (Don't know or Refused) in NSW.

The indicator includes those who did adequate physical activity. Adequate physical activity is a total of 150 minutes per week on 5 separate occasions. The total minutes were calculated by adding minutes in the last week spent walking continuously for at least 10 minutes, minutes doing moderate physical activity, plus 2 x minutes doing vigorous physical activity. The questions used to define the indicator were 'In the last week, how many times have you walked continuously for at least 10 minutes for recreation or exercise or to get to or from places?', 'What do you estimate was the total time you spent walking in this way in the last week?', 'In the last week, how many times did you do any vigorous physical activity which made you breathe harder or puff and pant?', 'What do you estimate was the total time you spent doing this vigorous physical activity in the last week?', 'In the last week, how many times did you do any other more moderate physical activity that you have not already mentioned?' and 'What do you estimate was the total time that you spent doing these activities in the last week?'.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Current daily or occasional smoking by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 23.5 (16.6-30.5) | 7,700 | 21.0 (15.7-26.2) | 7,600 | 22.2 (17.9-26.5) | 15,200 |
| | 16-24 | 24.2 (0.2-48.3) | 600 | 21.1 (3.6-38.6) | 1,000 | 22.2 (8.1-36.3) | 1,600 |
| | 25-34 | 37.0 (11.0-62.9) | 1,700 | 35.3 (17.8-52.8) | 2,300 | 36.0 (21.1-50.8) | 3,900 |
| | 35-44 | 45.0 (23.8-66.2) | 2,100 | 27.6 (13.4-41.7) | 1,500 | 35.6 (23.1-48.2) | 3,600 |
| | 45-54 | 38.1 (14.0-62.2) | 1,700 | 26.8 (15.0-38.6) | 1,600 | 31.8 (19.2-44.4) | 3,300 |
| | 55-64 | 10.5 (2.8-18.3) | 700 | 12.8 (4.8-20.8) | 700 | 11.5 (5.9-17.1) | 1,400 |
| | 65-74 | 9.9 (1.9-17.9) | 600 | 8.3 (1.0-15.6) | 400 | 9.2 (3.7-14.7) | 1,000 |
| | 75+ | 6.6 (0.0-14.5) | 200 | 4.2 (0.0-9.8) | 100 | 5.4 (0.5-10.2) | 400 |
| NSW | All Ages | 23.9 (22.8-25.0) | 546,100 | 19.4 (18.6-20.2) | 456,900 | 21.7 (21.0-22.3) | 1,007,600 |
| | 16-24 | 26.7 (23.7-29.8) | 98,800 | 26.0 (23.2-28.8) | 92,600 | 26.6 (24.5-28.6) | 193,700 |
| | 25-34 | 32.9 (29.8-36.1) | 144,000 | 25.8 (23.4-28.1) | 115,200 | 29.3 (27.3-31.2) | 259,500 |
| | 35-44 | 29.1 (26.5-31.8) | 131,400 | 22.4 (20.5-24.4) | 103,100 | 25.8 (24.1-27.4) | 235,300 |
| | 45-54 | 24.3 (21.9-26.8) | 97,300 | 19.6 (17.8-21.4) | 79,700 | 22.0 (20.4-23.5) | 177,400 |
| | 55-64 | 15.7 (13.8-17.6) | 46,600 | 14.6 (13.1-16.2) | 42,200 | 15.2 (14.0-16.4) | 89,200 |
| | 65-74 | 10.3 (8.7-11.9) | 20,700 | 7.9 (6.6-9.2) | 17,200 | 9.1 (8.1-10.1) | 38,300 |
| | 75+ | 5.7 (4.0-7.4) | 7,300 | 3.9 (3.0-4.8) | 6,900 | 4.6 (3.7-5.5) | 14,200 |

Note: Estimates are based on 611 respondents in Shoalhaven and 35,353 in NSW. For this indicator 0 (0%) were 'not stated' (Don't know or Refused) in Shoalhaven and 16 (0.05%) were 'not stated' (Don't know or Refused) in NSW.

The indicator includes those who smoked daily or occasionally. The question used to define the indicator was 'Which of the following best describes your smoking status? Smoke daily, Smoke occasionally, Do not smoke now, but I used to, I have tried it a few times but never smoked regularly, and I have never smoked'.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Smoke-free households by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|------------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 83.7 (77.7-89.6) | 27,200 | 84.2 (79.8-88.7) | 30,400 | 84.0 (80.3-87.6) | 57,600 |
| | 16-24 | 53.6 (18.7-88.5) | 1,300 | 79.8 (61.2-98.3) | 3,700 | 70.5 (51.7-89.3) | 5,000 |
| | 25-34 | 85.3 (65.3-100) | 3,800 | 87.3 (75.1-99.4) | 5,700 | 86.4 (75.6-97.3) | 9,500 |
| | 35-44 | 74.8 (57.5-92.2) | 3,500 | 86.3 (76.6-96.1) | 4,700 | 81.0 (71.4-90.7) | 8,200 |
| | 45-54 | 92.8 (84.9-100) | 4,200 | 79.6 (68.8-90.3) | 4,600 | 85.4 (78.0-92.8) | 8,800 |
| | 55-64 | 83.2 (73.6-92.8) | 5,700 | 83.2 (74.4-92.1) | 4,500 | 83.2 (76.6-89.9) | 10,200 |
| | 65-74 | 92.4 (85.7-99.0) | 5,700 | 84.8 (75.3-94.3) | 4,200 | 89.0 (83.3-94.7) | 9,900 |
| NSW | 75+ | 89.5 (79.1-99.8) | 3,000 | 89.8 (81.2-98.4) | 3,000 | 89.6 (82.9-96.4) | 6,000 |
| | All Ages | 81.7 (80.7-82.6) | 1,863,400 | 83.3 (82.6-84.1) | 1,962,200 | 82.5 (81.9-83.1) | 3,837,200 |
| | 16-24 | 76.8 (73.9-79.7) | 283,100 | 79.3 (76.7-82.0) | 282,800 | 78.1 (76.1-80.0) | 568,700 |
| | 25-34 | 81.4 (79.0-83.9) | 356,100 | 84.6 (82.7-86.5) | 378,600 | 83.0 (81.5-84.6) | 735,800 |
| | 35-44 | 83.4 (81.4-85.5) | 376,500 | 84.1 (82.4-85.9) | 386,500 | 83.8 (82.4-85.1) | 764,800 |
| | 45-54 | 79.5 (77.4-81.7) | 317,900 | 81.8 (80.1-83.5) | 332,300 | 80.7 (79.3-82.0) | 651,600 |
| | 55-64 | 82.0 (80.0-84.1) | 243,200 | 82.0 (80.3-83.8) | 236,300 | 82.0 (80.6-83.4) | 481,300 |
| | 65-74 | 86.0 (84.1-87.9) | 172,900 | 84.4 (82.5-86.4) | 184,300 | 85.1 (83.8-86.5) | 358,400 |
| 75+ | 89.1 (86.8-91.5) | 113,700 | 90.3 (88.8-91.8) | 161,400 | 89.7 (88.4-91.0) | 276,500 | |

Note: Estimates are based on 610 respondents in Shoalhaven and 35,328 in NSW. For this indicator 1 (0.16%) were 'not stated' (Don't know or Refused) in Shoalhaven and 39 (0.11%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those households who indicated that their home was smoke-free. The question used to define the indicator was 'Which of the following best describes your home situation? My home is smoke-free, People occasionally smoke in the house, and People frequently smoke in the house'.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Homes with a smoke alarm or detector by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 77.4 (70.8-84.0) | 24,100 | 77.5 (72.6-82.3) | 27,900 | 77.4 (73.4-81.5) | 52,000 |
| | 16-24 | 82.1 (59.2-100) | 1,500 | 81.3 (64.1-98.6) | 3,800 | 81.6 (67.6-95.5) | 5,300 |
| | 25-34 | 83.1 (67.4-98.7) | 3,700 | 81.6 (69.8-93.5) | 5,200 | 82.2 (72.7-91.7) | 8,900 |
| | 35-44 | 87.8 (77.1-98.4) | 3,800 | 76.7 (64.1-89.4) | 4,200 | 81.6 (72.9-90.3) | 8,000 |
| | 45-54 | 47.6 (23.5-71.6) | 2,200 | 67.2 (54.5-80.0) | 3,900 | 58.6 (44.9-72.3) | 6,100 |
| | 55-64 | 83.0 (74.0-91.9) | 5,400 | 83.5 (74.5-92.5) | 4,500 | 83.2 (76.8-89.6) | 9,900 |
| | 65-74 | 80.5 (70.3-90.7) | 4,900 | 73.9 (62.5-85.4) | 3,700 | 77.6 (69.9-85.2) | 8,600 |
| | 75+ | 78.3 (64.9-91.6) | 2,600 | 79.0 (67.4-90.6) | 2,700 | 78.6 (69.8-87.5) | 5,300 |
| NSW | All Ages | 71.8 (70.7-72.9) | 1,599,000 | 72.6 (71.7-73.6) | 1,676,900 | 72.2 (71.5-72.9) | 3,286,100 |
| | 16-24 | 72.1 (68.9-75.2) | 258,400 | 69.9 (67.0-72.9) | 244,300 | 71.1 (68.9-73.2) | 505,500 |
| | 25-34 | 71.4 (68.3-74.4) | 302,700 | 70.1 (67.6-72.6) | 307,300 | 70.7 (68.7-72.7) | 610,700 |
| | 35-44 | 74.1 (71.5-76.8) | 326,200 | 78.0 (75.9-80.1) | 350,100 | 76.1 (74.4-77.8) | 678,200 |
| | 45-54 | 72.8 (70.2-75.5) | 284,400 | 71.5 (69.3-73.7) | 284,500 | 72.1 (70.4-73.8) | 569,900 |
| | 55-64 | 68.7 (66.1-71.3) | 200,100 | 70.9 (68.8-73.1) | 201,600 | 69.8 (68.2-71.5) | 403,500 |
| | 65-74 | 71.1 (68.5-73.7) | 140,200 | 75.6 (73.4-77.7) | 162,900 | 73.3 (71.6-75.0) | 304,000 |
| | 75+ | 69.5 (65.9-73.0) | 87,000 | 72.0 (69.5-74.5) | 126,200 | 70.8 (68.8-72.9) | 214,300 |

Note: Estimates are based on 605 respondents in Shoalhaven and 34,762 in NSW. For this indicator 0 (0%) were 'not stated' (Don't know or Refused) in Shoalhaven and 0 (0%) were 'not stated' (Don't know or Refused) in NSW.

The indicator includes those who have a smoke alarm or detector in their home. The question used to define the indicator was 'Do you have any of the following fire safety measures in your home? Fire alarm (hard wired), Fire alarm (battery operated only), Fire sprinkler system, Safety switch or circuit breaker, Fire extinguisher, Fire evacuation plan, External water supply, External sprinkler'.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Screening mammogram within the last 2 years by age




| Division | Age (years) | Females (95% CI) | Females (est. no.) |
|------------|-------------|------------------|--------------------|
| Shoalhaven | All Ages | 70.1 (55.8-84.4) | 2,200 |
| | 50-54 | 46.9 (18.1-75.8) | 400 |
| | 55-59 | 91.1 (78.3-100) | 700 |
| | 60-64 | 76.2 (50.9-100) | 600 |
| | 65-69 | 69.2 (36.1-100) | 400 |
| NSW | All Ages | 75.6 (73.0-78.2) | 130,300 |
| | 50-54 | 70.6 (65.5-75.7) | 39,300 |
| | 55-59 | 77.3 (72.6-82.1) | 34,400 |
| | 60-64 | 82.5 (78.5-86.6) | 32,200 |
| | 65-69 | 73.4 (66.6-80.2) | 24,500 |

Note: Estimates are based on 47 respondents in Shoalhaven and 2,202 in NSW. For this indicator 0 (0%) were 'not stated' (Don't know or Refused) in Shoalhaven and 5 (0.23%) were 'not stated' (Don't know or Refused) in NSW.

The indicator includes those who have had a screening mammogram in the last 2 years. This excludes women who had a mammogram for a breast problem or had had breast cancer in the past. The questions used to define the indicator were "Have you ever had a mammogram?" and "When did you last have a mammogram?" and "Can you tell me all the reasons why you had your last mammogram?".

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Pap test within the last 2 years by age




| Division | Age (years) | Females (95% CI) | Females (est. no.) |
|------------|-------------|------------------|--------------------|
| Shoalhaven | All Ages | 78.7 (68.5-88.8) | 5,500 |
| | 20-29 | 79.1 (55.6-100) | 1,200 |
| | 30-39 | 77.1 (52.5-100) | 1,300 |
| | 40-49 | 79.8 (59.2-100) | 1,200 |
| | 50-59 | 90.7 (77.2-100) | 1,100 |
| | 60-69 | 65.8 (41.1-90.5) | 700 |
| NSW | All Ages | 74.6 (72.8-76.4) | 435,300 |
| | 20-29 | 65.1 (60.7-69.6) | 95,100 |
| | 30-39 | 78.1 (74.6-81.5) | 123,500 |
| | 40-49 | 81.1 (77.9-84.4) | 111,000 |
| | 50-59 | 77.8 (74.2-81.4) | 71,300 |
| | 60-69 | 67.4 (63.0-71.9) | 34,400 |

Note: Estimates are based on 73 respondents in Shoalhaven and 4,499 in NSW. For this indicator 1 (1.37%) were 'not stated' (Don't know or Refused) in Shoalhaven and 23 (0.51%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those who have had a Pap test in the last 2 years and have not had a hysterectomy. The questions used to define the indicator were "A Pap test, is a routine test carried out by a doctor. It is recommended for all women for early detection of cancer of the cervix. Have you ever had a Pap test?", "When did you last have a Pap test?" and "Have you ever had a hysterectomy?".

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Vaccinated against influenza in the last 12 months by age



| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 80.6 (72.4-88.8) | 7,600 | 69.6 (60.1-79.2) | 5,800 | 75.4 (69.1-81.8) | 13,400 |
| | 65-69 | 70.5 (54.9-86.1) | 2,100 | 76.5 (60.8-92.1) | 2,100 | 73.3 (62.3-84.4) | 4,200 |
| | 70-75 | 77.2 (60.5-93.9) | 2,400 | 65.9 (46.6-85.2) | 1,500 | 72.4 (59.6-85.2) | 3,900 |
| | 75+ | 92.9 (85.1-100) | 3,100 | 66.7 (51.6-81.8) | 2,200 | 79.7 (70.3-89.1) | 5,300 |
| NSW | All Ages | 75.5 (73.5-77.4) | 247,700 | 76.3 (74.8-77.8) | 302,900 | 75.9 (74.7-77.1) | 553,300 |
| | 65-69 | 65.2 (61.6-68.7) | 69,900 | 68.8 (65.7-72.0) | 77,000 | 66.9 (64.5-69.3) | 147,100 |
| | 70-75 | 77.2 (73.8-80.6) | 72,400 | 77.3 (74.4-80.2) | 82,200 | 77.2 (75.0-79.4) | 155,300 |
| | 75+ | 82.9 (79.9-85.8) | 105,500 | 80.4 (78.3-82.6) | 143,700 | 81.5 (79.7-83.2) | 250,900 |


Note: Estimates are based on 216 respondents in Shoalhaven and 9,684 in NSW. For this indicator 0 (0%) were 'not stated' (Don't know or Refused) in Shoalhaven and 12 (0.12%) were 'not stated' (Don't know or Refused) in NSW.

The indicator includes those respondents that are aged 65 years and over who have been vaccinated against flu in the past 12 months.

The question used was 'Were you vaccinated or immunised against flu in the past 12 months?'

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Vaccinated against pneumococcal disease in the last 5 years by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 54.8 (43.8-65.9) | 5,100 | 40.7 (30.7-50.8) | 3,300 | 48.3 (40.6-55.9) | 8,300 |
| | 65-69 | 42.8 (24.7-60.9) | 1,200 | 27.2 (12.5-42.0) | 700 | 35.2 (23.2-47.3) | 2,000 |
| | 70-75 | 51.4 (31.1-71.8) | 1,600 | 47.4 (26.4-68.4) | 1,000 | 49.8 (35.0-64.6) | 2,600 |
| | 75+ | 69.5 (50.4-88.6) | 2,100 | 46.1 (29.7-62.6) | 1,400 | 57.9 (45.0-70.7) | 3,600 |
| NSW | All Ages | 42.3 (40.0-44.5) | 134,100 | 47.1 (45.2-48.9) | 182,800 | 44.9 (43.5-46.3) | 318,300 |
| | 65-69 | 27.5 (24.1-30.9) | 28,400 | 32.2 (28.8-35.5) | 35,200 | 29.9 (27.5-32.3) | 63,700 |
| | 70-75 | 42.0 (37.8-46.1) | 38,000 | 49.2 (45.8-52.7) | 51,500 | 45.8 (43.1-48.5) | 89,700 |
| | 75+ | 56.7 (52.6-60.7) | 60,200 | 54.8 (51.9-57.7) | 84,800 | 55.6 (53.2-57.9) | 146,000 |

Note: Estimates are based on 208 respondents in Shoalhaven and 9,430 in NSW. For this indicator 8 (3.85%) were 'not stated' (Don't know or Refused) in Shoalhaven and 266 (2.82%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those respondents that are aged 65 years and over who have been vaccinated against pneumococcal disease in the last 5 years. The question used was "When were you last vaccinated or immunised against pneumonia?".

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice

Excellent, very good, or good self-rated health status by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 74.0 (66.8-81.1) | 24,100 | 78.5 (73.4-83.5) | 28,300 | 76.3 (72.0-80.7) | 52,400 |
| | 16-24 | 100 (100-100) | 2,500 | 90.2 (77.0-100) | 4,200 | 93.7 (85.0-100) | 6,700 |
| | 25-34 | 89.4 (75.2-100) | 4,000 | 86.2 (72.6-99.8) | 5,600 | 87.5 (77.6-97.5) | 9,600 |
| | 35-44 | 71.2 (51.9-90.6) | 3,300 | 67.1 (50.9-83.4) | 3,700 | 69.0 (56.5-81.6) | 7,000 |
| | 45-54 | 47.1 (23.4-70.9) | 2,200 | 75.2 (64.4-85.9) | 4,400 | 62.9 (48.7-77.0) | 6,500 |
| | 55-64 | 82.8 (73.6-92.0) | 5,700 | 77.0 (66.8-87.2) | 4,100 | 80.3 (73.4-87.2) | 9,800 |
| | 65-74 | 75.1 (63.4-86.9) | 4,600 | 74.8 (63.6-86.0) | 3,700 | 75.0 (66.8-83.2) | 8,300 |
| | 75+ | 53.7 (34.5-73.0) | 1,800 | 79.4 (65.7-93.0) | 2,700 | 66.7 (54.0-79.4) | 4,400 |
| NSW | All Ages | 81.2 (80.2-82.2) | 1,852,000 | 79.8 (79.0-80.6) | 1,878,300 | 80.5 (79.8-81.1) | 3,741,600 |
| | 16-24 | 85.1 (82.4-87.8) | 314,200 | 83.2 (80.8-85.5) | 296,600 | 84.2 (82.4-86.0) | 613,600 |
| | 25-34 | 84.6 (82.1-87.2) | 370,200 | 85.4 (83.5-87.2) | 381,700 | 85.0 (83.4-86.6) | 753,200 |
| | 35-44 | 83.2 (81.1-85.3) | 376,100 | 82.0 (80.1-83.8) | 376,800 | 82.6 (81.2-84.0) | 754,800 |
| | 45-54 | 81.6 (79.4-83.7) | 325,300 | 80.0 (78.2-81.8) | 324,900 | 80.7 (79.3-82.1) | 651,700 |
| | 55-64 | 76.1 (73.7-78.5) | 225,600 | 75.5 (73.5-77.5) | 217,500 | 75.7 (74.1-77.3) | 444,000 |
| | 65-74 | 77.1 (74.7-79.4) | 154,600 | 73.2 (71.0-75.5) | 159,500 | 75.0 (73.4-76.7) | 315,300 |
| | 75+ | 68.0 (64.5-71.5) | 86,100 | 68.0 (65.5-70.6) | 121,400 | 68.1 (66.0-70.2) | 209,000 |

Note: Estimates are based on 609 respondents in Shoalhaven and 35,324 in NSW. For this indicator 2 (0.33%) were 'not stated' (Don't know or Refused) in Shoalhaven and 45 (0.13%) were 'not stated' (Don't know or Refused) in NSW.

The indicator includes those responding excellent, very good, or good to a global self-rated health status question. The question used to define the indicator was 'Overall, how would you rate your health during the past 4 weeks? Was it excellent, very good, good, fair, poor, or very poor'. Question used to define the indicator in 1997 and 1998 was 'In general would you say your health is excellent, very good, good, fair, or poor'.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Current asthma by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|-----------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 7.7 (4.4-11.1) | 2,500 | 13.5 (9.3-17.8) | 4,900 | 10.8 (8.0-13.6) | 7,400 |
| | 16-24 | 15.9 (0.0-37.7) | 400 | 23.6 (5.8-41.4) | 1,100 | 20.9 (7.0-34.8) | 1,500 |
| | 25-34 | 1.0 (0.0-3.0) | 0 | 16.6 (3.2-29.9) | 1,100 | 10.2 (1.9-18.6) | 1,100 |
| | 35-44 | 5.9 (0.0-12.9) | 300 | 9.6 (1.1-18.1) | 500 | 7.9 (2.3-13.6) | 800 |
| | 45-54 | 2.9 (0.0-8.5) | 100 | 17.7 (7.1-28.3) | 1,000 | 11.2 (4.3-18.2) | 1,200 |
| | 55-64 | 7.8 (1.1-14.5) | 500 | 6.4 (1.1-11.6) | 300 | 7.2 (2.7-11.6) | 900 |
| | 65-74 | 12.4 (3.5-21.3) | 800 | 12.2 (4.6-19.8) | 600 | 12.3 (6.3-18.3) | 1,400 |
| | 75+ | 10.9 (0.0-21.9) | 400 | 6.3 (0.0-13.6) | 200 | 8.6 (2.0-15.2) | 600 |
| NSW | All Ages | 9.1 (8.4-9.9) | 208,300 | 12.3 (11.6-12.9) | 288,700 | 10.7 (10.2-11.2) | 498,500 |
| | 16-24 | 11.8 (9.4-14.2) | 43,600 | 15.0 (12.9-17.1) | 53,400 | 13.3 (11.7-14.9) | 97,100 |
| | 25-34 | 12.0 (9.5-14.5) | 52,400 | 10.7 (9.1-12.3) | 47,900 | 11.3 (9.9-12.8) | 100,300 |
| | 35-44 | 6.8 (5.4-8.2) | 30,600 | 10.3 (8.9-11.7) | 47,300 | 8.6 (7.6-9.6) | 78,300 |
| | 45-54 | 8.1 (6.5-9.6) | 32,300 | 13.8 (12.2-15.4) | 56,000 | 11.0 (9.8-12.1) | 88,500 |
| | 55-64 | 7.4 (6.0-8.8) | 22,000 | 12.9 (11.4-14.4) | 37,100 | 10.2 (9.1-11.2) | 59,700 |
| | 65-74 | 8.3 (6.8-9.7) | 16,600 | 13.0 (11.3-14.6) | 28,300 | 10.7 (9.6-11.8) | 45,100 |
| | 75+ | 8.4 (6.4-10.4) | 10,800 | 10.5 (8.7-12.2) | 18,700 | 9.6 (8.3-10.9) | 29,600 |

Note: Estimates are based on 607 respondents in Shoalhaven and 35,333 in NSW. For this indicator 4 (0.66%) were 'not stated' (Don't know or Refused) in Shoalhaven and 36 (0.1%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those respondents who had symptoms of asthma or had taken treatment for asthma in the last 12 months. The questions used to define the indicator were 'Have you ever been told by a doctor or at a hospital that you have asthma?' and 'Have you had symptoms of asthma or taken treatment for asthma in the last 12 months?'.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Diabetes or high blood sugar by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 10.1 (5.2-14.9) | 3,300 | 6.0 (3.6-8.3) | 2,200 | 7.9 (5.3-10.5) | 5,400 |
| | 16-24 | . (-.) | . | . (-.) | . | . (-.) | . |
| | 25-34 | 3.1 (0.0-9.1) | 100 | 2.3 (0.0-6.9) | 200 | 2.6 (0.0-6.3) | 300 |
| | 35-44 | 8.6 (0.0-24.4) | 400 | 2.6 (0.0-7.6) | 100 | 5.4 (0.0-13.3) | 500 |
| | 45-54 | 16.5 (0.0-38.0) | 800 | 4.2 (0.0-8.5) | 200 | 9.6 (0.0-19.8) | 1,000 |
| | 55-64 | 6.1 (1.1-11.2) | 400 | 7.0 (1.1-12.9) | 400 | 6.5 (2.7-10.3) | 800 |
| | 65-74 | 19.3 (8.2-30.4) | 1,200 | 20.5 (10.0-31.0) | 1,000 | 19.8 (12.1-27.6) | 2,200 |
| | 75+ | 11.6 (1.4-21.8) | 400 | 6.5 (0.0-13.6) | 200 | 9.0 (2.8-15.3) | 600 |
| NSW | All Ages | 7.2 (6.6-7.7) | 163,400 | 5.5 (5.1-5.9) | 128,900 | 6.3 (6.0-6.7) | 294,200 |
| | 16-24 | 0.9 (0.3-1.5) | 3,300 | 1.8 (0.9-2.7) | 6,400 | 1.4 (0.8-1.9) | 9,900 |
| | 25-34 | 2.7 (1.5-3.8) | 11,600 | 1.8 (1.2-2.5) | 8,100 | 2.2 (1.6-2.9) | 19,700 |
| | 35-44 | 3.5 (2.5-4.6) | 16,000 | 2.6 (1.9-3.3) | 12,000 | 3.1 (2.5-3.7) | 28,000 |
| | 45-54 | 8.0 (6.6-9.5) | 32,000 | 5.3 (4.3-6.3) | 21,400 | 6.7 (5.8-7.6) | 54,100 |
| | 55-64 | 16.0 (13.9-18.0) | 47,200 | 9.9 (8.5-11.3) | 28,500 | 13.0 (11.7-14.3) | 76,200 |
| | 65-74 | 17.6 (15.4-19.7) | 35,200 | 14.2 (12.4-16.0) | 30,800 | 15.8 (14.4-17.2) | 66,300 |
| | 75+ | 14.3 (11.9-16.8) | 18,200 | 12.1 (10.3-13.9) | 21,700 | 13.0 (11.6-14.5) | 40,100 |

Note: Estimates are based on 610 respondents in Shoalhaven and 35,248 in NSW. For this indicator 0 (0%) were 'not stated' (Don't know or Refused) in Shoalhaven and 8 (0.02%) were 'not stated' (Don't know or Refused) in NSW.

The indicator includes those who either had diabetes or high blood sugar levels but did not have gestational diabetes. The questions used to define the indicator were 'Have you ever been told by a doctor or at a hospital that you have diabetes?', 'Have you ever been told by a doctor or at a hospital that you have high sugar levels in your blood or urine?' and if female 'Were you pregnant when you were first told that you had diabetes or high blood sugar?' and 'Have you ever had diabetes or high blood sugar apart from when you were pregnant?'.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice All natural teeth missing by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 9.2 (5.2-13.3) | 3,000 | 10.4 (7.4-13.4) | 3,800 | 9.8 (7.4-12.3) | 6,800 |
| | 16-24 | . (-.) | . | . (-.) | . | . (-.) | . |
| | 25-34 | . (-.) | . | . (-.) | . | . (-.) | . |
| | 35-44 | 1.6 (0.0-4.8) | 100 | . (-.) | . | 0.7 (0.0-2.2) | 100 |
| | 45-54 | 7.8 (0.0-22.3) | 400 | 3.1 (0.0-7.4) | 200 | 5.2 (0.0-12.1) | 500 |
| | 55-64 | 10.1 (2.2-18.0) | 700 | 10.2 (3.4-17.1) | 500 | 10.2 (4.8-15.5) | 1,200 |
| | 65-74 | 19.9 (9.0-30.8) | 1,200 | 31.7 (19.6-43.8) | 1,600 | 25.2 (17.1-33.4) | 2,800 |
| | 75+ | 19.9 (2.5-37.3) | 700 | 42.9 (27.4-58.3) | 1,400 | 31.5 (19.8-43.1) | 2,100 |
| NSW | All Ages | 4.5 (4.1-4.9) | 103,700 | 7.8 (7.3-8.2) | 182,900 | 6.2 (5.9-6.5) | 288,800 |
| | 16-24 | 0.3 (0.0-0.7) | 1,200 | 1.0 (0.1-1.9) | 3,600 | 0.7 (0.2-1.1) | 4,800 |
| | 25-34 | 0.2 (0.0-0.5) | 1,100 | 0.4 (0.0-0.9) | 2,000 | 0.3 (0.1-0.6) | 3,100 |
| | 35-44 | 0.6 (0.2-1.1) | 2,900 | 1.3 (0.7-1.8) | 5,800 | 1.0 (0.6-1.3) | 8,700 |
| | 45-54 | 3.5 (2.5-4.5) | 14,100 | 3.9 (3.0-4.8) | 15,900 | 3.7 (3.0-4.4) | 30,000 |
| | 55-64 | 6.8 (5.5-8.1) | 20,200 | 11.8 (10.4-13.2) | 33,900 | 9.4 (8.4-10.4) | 55,100 |
| | 65-74 | 15.0 (13.1-16.9) | 30,200 | 25.3 (23.1-27.5) | 55,300 | 20.4 (18.9-21.9) | 85,900 |
| | 75+ | 26.7 (23.3-30.2) | 34,100 | 37.1 (34.5-39.7) | 66,400 | 32.8 (30.7-34.8) | 101,100 |

Note: Estimates are based on 611 respondents in Shoalhaven and 35,355 in NSW. For this indicator 0 (0%) were 'not stated' (Don't know or Refused) in Shoalhaven and 14 (0.04%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those respondents who had all of their natural teeth missing. The question used to define the indicator was 'Are any of your natural teeth missing? (Natural teeth does not include dentures but includes wisdom teeth)'.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Overweight and obesity by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 60.9 (53.5-68.4) | 19,800 | 46.4 (40.0-52.7) | 16,000 | 53.4 (48.4-58.4) | 35,800 |
| | 16-24 | 49.0 (14.6-83.5) | 1,200 | 20.3 (3.1-37.5) | 900 | 31.0 (11.6-50.3) | 2,100 |
| | 25-34 | 47.2 (21.1-73.3) | 2,100 | 38.3 (19.9-56.6) | 2,300 | 42.1 (26.8-57.4) | 4,400 |
| | 35-44 | 58.6 (37.9-79.4) | 2,800 | 49.4 (32.7-66.0) | 2,600 | 53.7 (40.4-67.0) | 5,400 |
| | 45-54 | 58.8 (35.9-81.8) | 2,700 | 50.1 (36.7-63.6) | 2,800 | 54.0 (40.9-67.1) | 5,400 |
| | 55-64 | 76.6 (65.8-87.5) | 5,300 | 60.1 (47.7-72.6) | 3,100 | 69.5 (61.3-77.8) | 8,400 |
| | 65-74 | 66.5 (54.0-78.9) | 4,100 | 62.6 (49.7-75.5) | 3,000 | 64.8 (55.8-73.8) | 7,000 |
| | 75+ | 51.7 (32.7-70.6) | 1,700 | 38.6 (23.3-53.9) | 1,300 | 45.1 (33.1-57.2) | 3,000 |
| NSW | All Ages | 54.5 (53.3-55.8) | 1,223,800 | 40.0 (39.0-41.0) | 891,000 | 47.3 (46.5-48.1) | 2,121,200 |
| | 16-24 | 30.3 (26.9-33.6) | 108,600 | 18.3 (15.9-20.7) | 61,200 | 24.6 (22.5-26.8) | 171,400 |
| | 25-34 | 50.6 (47.2-54.1) | 217,500 | 33.4 (30.9-36.0) | 140,400 | 42.2 (40.0-44.3) | 359,000 |
| | 35-44 | 61.1 (58.1-64.1) | 272,300 | 39.0 (36.5-41.6) | 170,100 | 50.1 (48.1-52.2) | 442,900 |
| | 45-54 | 64.5 (61.6-67.3) | 254,200 | 48.6 (46.2-51.0) | 188,600 | 56.6 (54.7-58.5) | 443,400 |
| | 55-64 | 66.2 (63.5-68.9) | 193,300 | 53.0 (50.6-55.3) | 146,800 | 59.8 (58.0-61.6) | 341,500 |
| | 65-74 | 61.1 (58.4-63.8) | 121,000 | 55.3 (52.8-57.8) | 114,400 | 58.1 (56.2-59.9) | 236,200 |
| | 75+ | 45.5 (41.7-49.2) | 56,900 | 42.2 (39.3-45.0) | 69,500 | 43.5 (41.2-45.8) | 126,800 |

Note: Estimates are based on 594 respondents in Shoalhaven and 33,809 in NSW. For this indicator 17 (2.86%) were 'not stated' (Don't know or Refused) in Shoalhaven and 1557 (4.61%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those with a Body Mass Index (BMI) of 25 or higher. The questions used to define the indicator were 'How tall are you without shoes?' and 'How much do you weigh without clothes or shoes?'. The BMI is calculated as follows: BMI = weight(kg)/height²(m). Categories for this indicator include overweight (BMI between 25 and 29.9) and obese (BMI of 30 and over).

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice High and very high psychological distress by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 9.7 (4.8-14.5) | 3,100 | 10.7 (7.0-14.4) | 3,900 | 10.2 (7.2-13.2) | 7,000 |
| | 16-24 | 5.8 (0.0-17.2) | 100 | 9.5 (0.0-22.8) | 400 | 8.2 (0.0-17.8) | 600 |
| | 25-34 | 12.6 (0.0-27.4) | 600 | 8.9 (0.3-17.5) | 600 | 10.4 (2.5-18.3) | 1,100 |
| | 35-44 | 7.7 (0.0-16.0) | 400 | 13.1 (1.8-24.4) | 700 | 10.6 (3.3-17.9) | 1,100 |
| | 45-54 | 26.9 (3.2-50.7) | 1,200 | 13.1 (4.8-21.4) | 800 | 19.2 (7.3-31.0) | 2,000 |
| | 55-64 | 8.8 (2.3-15.4) | 600 | 8.0 (1.1-15.0) | 400 | 8.5 (3.7-13.3) | 1,000 |
| | 65-74 | 3.1 (0.0-7.4) | 200 | 4.4 (0.0-9.4) | 200 | 3.7 (0.4-6.9) | 400 |
| | 75+ | 1.6 (0.0-4.8) | 100 | 21.3 (7.8-34.8) | 700 | 11.5 (4.0-19.0) | 800 |
| NSW | All Ages | 10.4 (9.7-11.2) | 235,900 | 13.9 (13.2-14.7) | 324,900 | 12.2 (11.7-12.7) | 562,000 |
| | 16-24 | 11.8 (9.5-14.0) | 43,500 | 19.6 (17.0-22.2) | 69,700 | 15.6 (13.9-17.3) | 113,600 |
| | 25-34 | 12.2 (10.0-14.4) | 52,600 | 13.9 (12.1-15.7) | 61,800 | 13.0 (11.6-14.5) | 114,500 |
| | 35-44 | 10.8 (9.1-12.6) | 48,200 | 15.0 (13.3-16.8) | 68,600 | 12.9 (11.7-14.1) | 116,800 |
| | 45-54 | 10.7 (9.1-12.3) | 42,300 | 14.2 (12.6-15.8) | 57,000 | 12.5 (11.3-13.6) | 99,700 |
| | 55-64 | 9.7 (7.9-11.4) | 28,400 | 11.8 (10.2-13.4) | 33,700 | 10.7 (9.5-11.8) | 62,100 |
| | 65-74 | 6.1 (4.8-7.5) | 12,200 | 8.4 (7.1-9.6) | 18,100 | 7.3 (6.4-8.2) | 30,500 |
| | 75+ | 7.0 (5.0-9.0) | 8,700 | 9.2 (7.6-10.9) | 16,100 | 8.2 (7.0-9.5) | 24,800 |

Note: Estimates are based on 606 respondents in Shoalhaven and 34,985 in NSW. For this indicator 5 (0.83%) were 'not stated' (Don't know or Refused) in Shoalhaven and 384 (1.1%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those with a Kessler 10 (K10) score of 22 or above. The K10 is a 10-item questionnaire about the level of anxiety and depressive symptoms in the most recent 4-week period. K10 scores for respondents aged 65 years and over were derived using 6 questions from the K10 questionnaire.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Difficulties getting health care when needing it by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 21.0 (14.3-27.8) | 6,600 | 28.0 (22.3-33.6) | 9,900 | 24.7 (20.4-29.1) | 16,500 |
| | 16-24 | . (-.) | . | 27.3 (7.4-47.2) | 1,300 | 17.7 (4.1-31.3) | 1,300 |
| | 25-34 | 38.9 (13.0-64.8) | 1,700 | 34.4 (17.7-51.1) | 2,200 | 36.3 (21.7-50.8) | 3,900 |
| | 35-44 | 29.8 (9.1-50.6) | 1,300 | 50.0 (33.5-66.4) | 2,700 | 41.2 (27.9-54.5) | 4,000 |
| | 45-54 | 21.5 (0.0-45.4) | 900 | 25.9 (15.1-36.6) | 1,500 | 24.1 (12.4-35.7) | 2,400 |
| | 55-64 | 16.3 (7.5-25.0) | 1,100 | 25.0 (14.1-36.0) | 1,300 | 20.0 (13.1-26.9) | 2,400 |
| | 65-74 | 25.0 (13.1-36.8) | 1,400 | 12.9 (4.8-20.9) | 600 | 19.4 (11.9-26.9) | 2,100 |
| | 75+ | 3.8 (0.0-9.1) | 100 | 10.2 (0.0-20.4) | 300 | 7.0 (1.1-12.8) | 400 |
| NSW | All Ages | 11.6 (10.8-12.3) | 253,200 | 14.6 (13.9-15.3) | 333,000 | 13.1 (12.6-13.6) | 587,100 |
| | 16-24 | 5.2 (3.8-6.7) | 18,800 | 9.9 (8.1-11.7) | 34,200 | 7.5 (6.3-8.6) | 53,000 |
| | 25-34 | 12.8 (10.6-15.0) | 53,300 | 16.0 (14.2-17.8) | 70,000 | 14.4 (13.0-15.8) | 123,300 |
| | 35-44 | 13.6 (11.7-15.5) | 59,500 | 19.5 (17.6-21.4) | 87,700 | 16.6 (15.2-17.9) | 147,200 |
| | 45-54 | 14.3 (12.4-16.1) | 53,900 | 16.9 (15.2-18.6) | 66,700 | 15.6 (14.4-16.9) | 121,000 |
| | 55-64 | 11.8 (10.2-13.5) | 33,400 | 14.1 (12.6-15.6) | 38,600 | 12.9 (11.8-14.0) | 72,100 |
| | 65-74 | 13.2 (11.4-15.0) | 25,300 | 11.3 (9.8-12.7) | 23,300 | 12.2 (11.0-13.3) | 48,800 |
| | 75+ | 7.2 (5.5-9.0) | 8,900 | 7.5 (6.1-9.0) | 12,600 | 7.4 (6.3-8.5) | 21,700 |

Note: Estimates are based on 587 respondents in Shoalhaven and 33,854 in NSW. For this indicator 24 (4.09%) were 'not stated' (Don't know or Refused) in Shoalhaven and 1515 (4.48%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those who had difficulties getting health care when they needed it. It excludes those who said they do not need health care. The question used to define the indicator was 'Do you have any difficulties getting health care when you need it?'

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Emergency department care rated as excellent, very good or good by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 71.6 (50.3-92.9) | 3,300 | 85.5 (74.5-96.4) | 5,000 | 79.3 (67.5-91.2) | 8,400 |
| | 16-24 | 100 (100-100) | 400 | . (-.) | . | 50.4 (0.0-100) | 400 |
| | 25-34 | | . | 91.6 (75.0-100) | 1,700 | 91.6 (75.0-100) | 1,700 |
| | 35-44 | 34.6 (0.0-83.2) | 200 | 100 (100-100) | 700 | 70.0 (31.1-100) | 900 |
| | 45-54 | 38.2 (0.0-93.1) | 300 | 100 (100-100) | 700 | 64.8 (17.2-100) | 1,000 |
| | 55-64 | 65.5 (36.7-94.2) | 600 | 88.9 (67.9-100) | 600 | 75.9 (56.8-95.1) | 1,200 |
| | 65-74 | 100 (100-100) | 1,200 | 89.5 (74.5-100) | 1,100 | 94.7 (87.0-100) | 2,300 |
| | 75+ | 86.5 (61.8-100) | 600 | 70.1 (30.6-100) | 300 | 80.5 (58.8-100) | 900 |
| NSW | All Ages | 78.7 (76.1-81.4) | 256,800 | 76.6 (74.2-78.9) | 241,900 | 77.7 (75.9-79.4) | 500,200 |
| | 16-24 | 74.1 (67.2-81.1) | 48,600 | 67.1 (59.8-74.4) | 36,100 | 70.8 (65.8-75.8) | 85,000 |
| | 25-34 | 73.6 (66.6-80.7) | 46,600 | 69.9 (63.9-75.9) | 49,100 | 71.7 (67.1-76.3) | 95,600 |
| | 35-44 | 77.2 (70.8-83.5) | 44,800 | 78.0 (72.7-83.2) | 43,100 | 77.6 (73.5-81.7) | 88,100 |
| | 45-54 | 74.7 (67.3-82.1) | 35,000 | 76.3 (70.6-81.9) | 33,600 | 75.4 (70.7-80.0) | 68,800 |
| | 55-64 | 86.0 (80.2-91.7) | 32,700 | 81.6 (76.5-86.7) | 28,000 | 84.0 (80.1-87.8) | 61,000 |
| | 65-74 | 90.6 (86.7-94.4) | 29,800 | 87.0 (82.5-91.5) | 25,100 | 89.0 (86.0-91.9) | 55,100 |
| | 75+ | 89.7 (84.5-94.9) | 19,400 | 91.7 (88.2-95.2) | 27,000 | 90.9 (87.9-93.9) | 46,600 |

Note: Estimates are based on 102 respondents in Shoalhaven and 5,672 in NSW. For this indicator 1 (0.98%) were 'not stated' (Don't know or Refused) in Shoalhaven and 45 (0.79%) were 'not stated' (Don't know or Refused) in NSW.

The indicator includes those attending an emergency department in the last 12 months who rated the care as excellent, very good, or good for their most recent visit. The question used to define the indicator was 'In the last 12 months, have you attended a hospital emergency department or casualty for your own medical care?' and 'Overall, what do you think of the care you received at this emergency department? Was it excellent, very good, good, fair, or poor'.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Hospital care rated as excellent, very good or good by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 86.8 (69.4-100) | 5,200 | 94.1 (87.5-100) | 5,400 | 90.4 (80.7-100) | 10,600 |
| | 16-24 | . | . | (.-) | . | (.-) | . |
| | 25-34 | 47.3 (0.0-100) | 200 | 100 (100-100) | 2,100 | 91.9 (76.2-100) | 2,300 |
| | 35-44 | 100 (100-100) | 400 | 100 (100-100) | 100 | 100 (100-100) | 500 |
| | 45-54 | 10.7 (0.0-37.7) | 100 | 100 (100-100) | 400 | 45.8 (0.0-99.6) | 500 |
| | 55-64 | 100 (100-100) | 800 | 100 (100-100) | 800 | 100 (100-100) | 1,600 |
| | 65-74 | 98.0 (94.1-100) | 1,700 | 86.8 (67.7-100) | 1,100 | 93.3 (84.6-100) | 2,800 |
| | 75+ | 100 (100-100) | 2,000 | 97.2 (91.5-100) | 900 | 99.1 (97.3-100) | 2,900 |
| NSW | All Ages | 92.4 (90.6-94.2) | 247,800 | 89.9 (88.3-91.6) | 329,500 | 91.0 (89.8-92.2) | 579,300 |
| | 16-24 | 90.4 (83.9-96.9) | 29,200 | 84.7 (78.1-91.3) | 35,400 | 87.2 (82.5-91.9) | 64,700 |
| | 25-34 | 90.5 (85.2-95.9) | 33,400 | 89.7 (85.9-93.4) | 90,000 | 89.9 (86.8-93.0) | 123,400 |
| | 35-44 | 87.1 (79.3-94.9) | 26,700 | 89.1 (84.8-93.3) | 54,100 | 88.5 (84.6-92.3) | 81,200 |
| | 45-54 | 90.3 (84.6-95.9) | 38,700 | 91.1 (87.4-94.8) | 42,400 | 90.7 (87.4-94.0) | 81,400 |
| | 55-64 | 95.5 (93.0-98.0) | 40,800 | 88.8 (84.7-92.9) | 33,500 | 92.4 (90.0-94.8) | 74,800 |
| | 65-74 | 94.8 (92.1-97.4) | 39,900 | 92.4 (89.5-95.3) | 33,700 | 93.5 (91.5-95.5) | 73,800 |
| | 75+ | 96.2 (93.5-99.0) | 39,100 | 94.4 (92.1-96.7) | 40,500 | 95.3 (93.5-97.1) | 80,000 |

Note: Estimates are based on 109 respondents in Shoalhaven and 5,451 in NSW. For this indicator 1 (0.92%) were 'not stated' (Don't know or Refused) in Shoalhaven and 9 (0.17%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those admitted to hospital in the last 12 months who rated the care as excellent, very good, or good for their most recent overnight stay. The questions used to define the indicator were 'In the last 12 months, have you stayed for at least 1 night in hospital?' and 'Overall, what do you think of the care you received at this hospital? Was it excellent, very good, good, fair, or poor'.

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Attended a community event at least once in the last 6 months by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 55.2 (46.6-63.7) | 11,900 | 64.2 (57.7-70.7) | 15,700 | 59.9 (54.7-65.2) | 27,600 |
| | 16-24 | 55.5 (14.4-96.7) | 600 | 73.8 (52.9-94.7) | 2,400 | 69.6 (50.6-88.6) | 3,000 |
| | 25-34 | 79.5 (52.0-100) | 2,400 | 80.0 (63.6-96.4) | 3,100 | 79.8 (64.6-94.9) | 5,500 |
| | 35-44 | 46.9 (22.2-71.5) | 1,600 | 79.2 (64.9-93.6) | 2,800 | 63.3 (48.6-77.9) | 4,400 |
| | 45-54 | 72.0 (51.0-92.9) | 2,200 | 52.5 (38.2-66.9) | 2,100 | 61.0 (47.6-74.4) | 4,400 |
| | 55-64 | 55.4 (41.1-69.6) | 2,600 | 62.3 (48.6-76.1) | 2,400 | 58.6 (48.6-68.5) | 5,000 |
| | 65-74 | 45.8 (30.6-61.1) | 2,000 | 50.7 (36.0-65.3) | 1,900 | 48.1 (37.4-58.7) | 3,900 |
| | 75+ | 27.5 (9.7-45.4) | 600 | 44.2 (24.9-63.5) | 900 | 35.9 (22.9-48.9) | 1,500 |
| NSW | All Ages | 53.7 (52.3-55.1) | 860,100 | 61.5 (60.4-62.6) | 1,017,900 | 57.5 (56.6-58.4) | 1,881,900 |
| | 16-24 | 50.1 (46.3-54.0) | 131,100 | 59.0 (55.4-62.6) | 152,500 | 54.4 (51.7-57.0) | 284,300 |
| | 25-34 | 51.7 (47.9-55.4) | 160,500 | 61.0 (58.1-63.9) | 193,200 | 56.3 (53.9-58.6) | 353,800 |
| | 35-44 | 65.1 (61.9-68.4) | 208,300 | 72.8 (70.3-75.3) | 236,700 | 68.9 (66.8-70.9) | 445,800 |
| | 45-54 | 57.5 (54.4-60.7) | 163,000 | 63.6 (61.0-66.2) | 180,700 | 60.4 (58.4-62.5) | 344,200 |
| | 55-64 | 48.4 (45.3-51.5) | 97,900 | 58.7 (56.1-61.3) | 116,100 | 53.4 (51.4-55.4) | 214,900 |
| | 65-74 | 45.9 (42.8-49.0) | 64,300 | 53.9 (51.1-56.8) | 82,000 | 50.0 (47.9-52.1) | 147,000 |
| | 75+ | 41.7 (37.4-45.9) | 34,900 | 46.9 (43.9-50.0) | 56,700 | 44.5 (42.0-47.0) | 92,000 |

Note: Estimates are based on 458 respondents in Shoalhaven and 25,602 in NSW. For this indicator 1 (0.22%) were 'not stated' (Don't know or Refused) in Shoalhaven and 44 (0.17%) were 'not stated' (Don't know or Refused) in NSW.

The indicator includes those who have attended at least one community event in the last six months. The question used was "In the past six months, how often have you attended a local community event such as a church or school fete, school concert, or a street fair?".

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Most people can be trusted by age




| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 72.1 (64.2-80.1) | 15,200 | 73.1 (66.8-79.4) | 17,500 | 72.6 (67.6-77.6) | 32,600 |
| | 16-24 | 49.6 (7.7-91.5) | 500 | 69.3 (45.3-93.4) | 2,300 | 64.8 (43.8-85.7) | 2,800 |
| | 25-34 | 67.7 (36.2-99.2) | 1,900 | 87.5 (75.2-99.7) | 3,400 | 79.2 (63.5-94.9) | 5,300 |
| | 35-44 | 64.0 (40.5-87.4) | 2,200 | 58.6 (39.8-77.4) | 2,100 | 61.3 (46.2-76.3) | 4,300 |
| | 45-54 | 73.0 (50.2-95.7) | 2,100 | 68.8 (55.2-82.4) | 2,700 | 70.6 (58.0-83.2) | 4,800 |
| | 55-64 | 77.0 (65.3-88.6) | 3,500 | 70.8 (57.8-83.7) | 2,700 | 74.2 (65.5-82.9) | 6,200 |
| | 65-74 | 71.2 (57.5-84.8) | 3,100 | 75.5 (62.1-88.8) | 2,700 | 73.1 (63.5-82.7) | 5,700 |
| | 75+ | 92.6 (85.2-100) | 1,900 | 85.6 (71.2-100) | 1,700 | 89.2 (81.0-97.4) | 3,600 |
| NSW | All Ages | 70.2 (68.9-71.5) | 1,101,100 | 65.3 (64.1-66.4) | 1,045,900 | 67.6 (66.8-68.5) | 2,154,500 |
| | 16-24 | 65.8 (62.2-69.5) | 168,400 | 57.3 (53.7-60.9) | 144,600 | 61.5 (58.9-64.1) | 314,400 |
| | 25-34 | 66.6 (63.0-70.1) | 202,900 | 60.7 (57.8-63.7) | 186,100 | 63.6 (61.3-65.9) | 389,400 |
| | 35-44 | 69.6 (66.4-72.7) | 218,200 | 66.3 (63.6-69.0) | 210,300 | 67.9 (65.8-70.0) | 430,000 |
| | 45-54 | 74.5 (71.7-77.3) | 208,300 | 69.3 (66.8-71.9) | 192,000 | 71.9 (70.0-73.8) | 401,100 |
| | 55-64 | 71.8 (69.0-74.7) | 143,200 | 67.0 (64.5-69.6) | 128,100 | 69.3 (67.4-71.3) | 272,200 |
| | 65-74 | 72.6 (69.8-75.5) | 98,900 | 68.5 (65.7-71.4) | 99,900 | 70.5 (68.5-72.5) | 200,000 |
| | 75+ | 76.5 (72.7-80.3) | 61,200 | 75.1 (72.4-77.9) | 84,800 | 75.8 (73.5-78.0) | 147,400 |

Note: Estimates are based on 443 respondents in Shoalhaven and 24,837 in NSW. For this indicator 16 (3.61%) were 'not stated' (Don't know or Refused) in Shoalhaven and 809 (3.26%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those who strongly agree, or agree that most people can be trusted. The question used was "Most people can be trusted. Do you strongly agree, agree, disagree or strongly disagree?".

Report of the New South Wales Population Health Survey

Shoalhaven Division of General Practice Visit neighbours by age



| Division | Age (years) | Males (95% CI) | Males (est. no.) | Females (95% CI) | Females (est. no.) | Persons (95% CI) | Persons (est. no.) |
|------------|-------------|------------------|------------------|------------------|--------------------|------------------|--------------------|
| Shoalhaven | All Ages | 74.7 (66.1-83.4) | 16,100 | 71.7 (65.5-77.8) | 17,600 | 73.1 (67.9-78.3) | 33,700 |
| | 16-24 | 84.7 (56.5-100) | 800 | 72.3 (49.0-95.7) | 2,400 | 75.2 (55.9-94.5) | 3,200 |
| | 25-34 | 56.0 (24.8-87.3) | 1,700 | 92.7 (82.8-100) | 3,600 | 76.7 (60.0-93.5) | 5,300 |
| | 35-44 | 86.8 (72.1-100) | 3,000 | 73.9 (57.2-90.5) | 2,600 | 80.2 (68.8-91.7) | 5,600 |
| | 45-54 | 64.5 (31.9-97.2) | 2,000 | 49.5 (35.2-63.8) | 2,000 | 56.0 (40.6-71.5) | 4,000 |
| | 55-64 | 85.2 (75.3-95.1) | 3,900 | 78.8 (67.2-90.5) | 3,100 | 82.3 (74.7-89.9) | 7,000 |
| | 65-74 | 74.9 (62.0-87.8) | 3,300 | 62.7 (48.8-76.7) | 2,400 | 69.3 (59.7-78.8) | 5,700 |
| | 75+ | 68.3 (49.2-87.4) | 1,400 | 73.5 (55.0-92.0) | 1,500 | 71.0 (57.7-84.3) | 2,900 |
| NSW | All Ages | 68.1 (66.7-69.4) | 1,089,900 | 63.8 (62.6-64.9) | 1,054,800 | 65.9 (65.0-66.7) | 2,153,700 |
| | 16-24 | 74.6 (71.3-77.9) | 195,200 | 64.0 (60.5-67.5) | 165,500 | 69.3 (66.9-71.7) | 363,100 |
| | 25-34 | 66.8 (63.3-70.3) | 207,900 | 63.6 (60.7-66.4) | 201,400 | 65.2 (62.9-67.4) | 410,100 |
| | 35-44 | 65.9 (62.6-69.3) | 210,400 | 66.7 (64.1-69.4) | 216,600 | 66.4 (64.3-68.5) | 428,800 |
| | 45-54 | 66.5 (63.4-69.6) | 188,500 | 61.1 (58.4-63.8) | 173,500 | 63.7 (61.7-65.8) | 362,800 |
| | 55-64 | 68.0 (65.0-71.0) | 137,200 | 63.5 (60.9-66.1) | 125,400 | 65.7 (63.8-67.7) | 263,900 |
| | 65-74 | 67.2 (64.2-70.3) | 94,200 | 65.4 (62.7-68.2) | 99,600 | 66.2 (64.1-68.3) | 194,600 |
| | 75+ | 67.6 (63.5-71.6) | 56,600 | 60.2 (57.2-63.3) | 72,800 | 63.1 (60.7-65.6) | 130,400 |

Note: Estimates are based on 458 respondents in Shoalhaven and 25,605 in NSW. For this indicator 1 (0.22%) were 'not stated' (Don't know or Refused) in Shoalhaven and 41 (0.16%) were 'not stated' (Don't know or Refused) in NSW. The indicator includes those who visited someone in their neighbourhood at least once in the past week. The question used was "How often have you visited someone in your neighbourhood in the past week?"