



NSW Take Home Naloxone consumer information sheet order form

To order consumer information sheets, complete this order form and send to:

MOH-CAODAdmin@health.nsw.gov.au

Please note that these consumer information sheets are only intended for distribution by workers delivering NSW Take Home Naloxone interventions.

Send to:

Name:	
Phone:	
Email:	
Postal address (not P.O. Box):	
Postcode:	
Special instructions:	

SKU ID	Item	Description	Quantity
CPH-190606	<p>Consumer Information Sheet: Prenoxad® OPIOID OVERDOSE RESPONSE</p> <p>Follow these steps if Prenoxad® naloxone injection is available</p> <p>1 DANGER There are risks to a person if they do not follow the instructions on the box. Call for help and seek medical attention.</p> <p>2 IS THIS AN OVERDOSE? • Person not responding to shouting or shaking • Not breathing normally or breathing shallowly • Blue or purple lips and skin • Slow or no pulse • Person cannot be woken</p> <p>3 CALL TRIPLE ZERO (000) Follow instructions from the Triple Zero (000) operator.</p> <p>4 ADMINISTER NALOXONE 1. Lie person on side. 2. Insert Prenoxad. 3. Hold steadily and push the plunger down until you hear a click. Do not shake the box.</p> <p>5 ALWAYS AND RESCUE BREATHING • If you have time, check for breathing. • If you do not have time, start rescue breathing.</p> <p>6 RECOVERY 1. Stay with person until medical attention arrives. 2. Do not give anything to eat or drink until medical attention arrives. 3. Do not respond after 2-3 minutes. Do not shake the box or try to inject more Prenoxad. 4. If you have time, check for breathing and pulse. If you do not have time, start rescue breathing.</p>	<p>Take Home Naloxone Consumer Information Sheet: Prenoxad® prefilled syringe</p> <p>Language: English (standard)</p> <p>(maximum order of 100)</p>	
CPH-190604	<p>Consumer Information Sheet: Nyxoid® OPIOID OVERDOSE RESPONSE</p> <p>Follow these steps if Nyxoid® naloxone nasal spray is available</p> <p>1 DANGER There are risks to a person if they do not follow the instructions on the box. Call for help and seek medical attention.</p> <p>2 IS THIS AN OVERDOSE? • Person not responding to shouting or shaking • Not breathing normally or breathing shallowly • Blue or purple lips and skin • Slow or no pulse • Person cannot be woken</p> <p>3 CALL TRIPLE ZERO (000) Follow instructions from the Triple Zero (000) operator.</p> <p>4 ADMINISTER NALOXONE 1. Lie person on their back and hold their head upright. 2. Do not hold device. 3. Insert nozzle in nostril. 4. Press and hold plunger to give the dose.</p> <p>5 ALWAYS AND RESCUE BREATHING • If you have time, check for breathing. • If you do not have time, start rescue breathing.</p> <p>6 RECOVERY 1. Stay with person until medical attention arrives. 2. Do not give anything to eat or drink until medical attention arrives. 3. Do not respond after 2-3 minutes. Do not shake the box or try to inject more Nyxoid. 4. If you have time, check for breathing and pulse. If you do not have time, start rescue breathing.</p>	<p>Take Home Naloxone Consumer Information Sheet: Nyxoid® intranasal product</p> <p>Language: English (standard)</p> <p>(maximum order of 100)</p>	

NSW Health





Take Home Naloxone Consumer sheet order form

<p>CAOD- HR000001</p>		<p>Take Home Naloxone Consumer Information Sheet: Prenoxad® prefilled syringe</p> <p>Language: Plain English</p> <p>(maximum order of 50)</p>	
<p>CAOD- HR000002</p>		<p>Take Home Naloxone Consumer Information Sheet: Nyxoid® intranasal product</p> <p>Language: Plain English</p> <p>(maximum order of 50)</p>	
<p>CAOD 220984</p>		<p>Take Home Naloxone Consumer Information Sheet: Prenoxad® prefilled syringe</p> <p>Language: Chinese (Simplified)</p> <p>(maximum order of 20)</p>	
<p>CAOD 220989</p>		<p>Take Home Naloxone Consumer Information Sheet: Nyxoid® intranasal product</p> <p>Language: Chinese (Simplified)</p> <p>(maximum order of 20)</p>	

NSW Health
Take Home Naloxone Consumer sheet order form

<p>CAOD 220983</p>		<p>Take Home Naloxone Consumer Information Sheet: Prenoxad® prefilled syringe</p> <p>Language: Chinese (Traditional)</p> <p>(maximum order of 20)</p>	
<p>CAOD 220988</p>		<p>Take Home Naloxone Consumer Information Sheet: Nyxoid® intranasal product</p> <p>Language: Chinese (Traditional)</p> <p>(maximum order of 20)</p>	
<p>CAOD 220980</p>		<p>Take Home Naloxone Consumer Information Sheet: Prenoxad® prefilled syringe</p> <p>Language: Arabic</p> <p>(maximum order of 20)</p>	
<p>CAOD 220985</p>		<p>Take Home Naloxone Consumer Information Sheet: Nyxoid® intranasal product</p> <p>Language: Arabic</p> <p>(maximum order of 20)</p>	

NSW Health
Take Home Naloxone Consumer sheet order form

<p>CAOD 220982</p>	<p>واکشش به مصرف بیش از حد یا اور دوز مواد افیونی برای تزریق Preoxad naloxone این مراحل را دنبال کنید</p> 	<p>Take Home Naloxone Consumer Information Sheet: Prenoxad® prefilled syringe</p> <p>Language: Farsi</p> <p>(maximum order of 20)</p>	
<p>CAOD 220987</p>	<p>واکشش به مصرف بیش از حد یا اور دوز مواد افیونی برای استفاده از اسپری بینی Nyxoid این مراحل را دنبال کنید</p> 	<p>Take Home Naloxone Consumer Information Sheet: Nyxoid® intranasal product</p> <p>Language: Farsi</p> <p>(maximum order of 20)</p>	
<p>CAOD 220981</p>	<p>Ứng cứu người bị Quá liều do Opioid Làm theo các bước này để tìm Preoxad naloxone</p> 	<p>Take Home Naloxone Consumer Information Sheet: Prenoxad® prefilled syringe</p> <p>Language: Vietnamese</p> <p>(maximum order of 20)</p>	
<p>CAOD 220986</p>	<p>Ứng cứu người bị Quá liều do Opioid Làm theo các bước này khi dùng thuốc xịt mũi Nyxoid</p> 	<p>Take Home Naloxone Consumer Information Sheet: Nyxoid® intranasal product</p> <p>Language: Vietnamese</p> <p>(maximum order of 20)</p>	