

# Certificate of Accreditation

## Sewage Management Facility

### Collection / Holding Well

This Certificate of Accreditation is issued by the Secretary of the NSW Ministry of Health pursuant to Section 41(1) Local Government (General) Regulation 2021.

**Manufacturer:** GRAF Australia Pty Ltd

**Of:** 43b Sparks Road, Henderson, WA, 6166

The ranges of Collection / Holding Wells as described in the following schedule, have been accredited as Sewage Management Facilities for use in a single domestic premises in NSW. The Septic Tanks and Collection Wells have been independently certified as being manufactured to Australian / New Zealand Standard "AS/NZS1546.1:2008 On-site domestic wastewater treatment units – Part 1: Septic tanks".



**Director, Environmental Health**

For Secretary (Delegation PH335)

Issued: 28 / 10 / 24

Certificate Number: STCW011


Expires 31 December 2029

# Accreditation Schedule


The Certificate of Accreditation applies to the following  
Collection / Holding Wells

Model	Description	Size
Carat XXL Range	Vertical axis type, plastic rotational moulded polyethylene construction. Burial depth of the tank lid is restricted to 0 mm Mini and maxi dome options available	16,000L 22,000L 26,000L 28,000L 32,000L 36,000L 38,000 42,000L 46,000L 48,000L and 52,000L,
Carat Range	Injection moulded polypropylene tank, lid, and access cover. Burial depth of the tank lid is restricted to 0 mm. Mini and maxi dome options available	2,700L 3,750L 4,800L 6,500L 8,500L and 10,000L
Columbus	Vertical axis type, plastic rotational moulded polyethylene construction. Burial depth of the tank lid is restricted to 0 mm	6,500L
Platin Range	Vertical axis type, plastic rotational moulded polyethylene construction. Burial depth of the tank lid is restricted to 0 mm Mini and maxi dome options available	1,500L 3,000L 5,000L 7,500L 10,000L 15,000L 20,000L and 30,000L

Sapphire Range	Vertical axis type, plastic rotational moulded polyethylene construction. Burial depth of the tank lid is restricted to 0 mm	600L 900L 1,200L and 1,500L
Super Compact Range	Vertical axis type, plastic rotational moulded polyethylene construction. Burial depth of the tank lid is restricted to 0 mm Mini and maxi dome options available	2,000L 3,000L 4,000L 5,000L and 10,000L
Super Strong Range	Vertical axis type, plastic rotational moulded polyethylene construction. Burial depth of the tank lid is restricted to 0 mm	600L 900L 1,200L and 1,500L
Herkules	Injection moulded polypropylene tank, lid, and access cover. Burial depth of the tank lid is restricted to 0 mm.	1,600L








**ACCREDITED**  
28 OCT 2024  
NSW MINISTRY OF HEALTH



GRAF Australia Carat XXL range											
<i>Volume (kl)</i>	16	22	26	28	32	36	38	42	46	48	52
<i>Weight (kg)</i>	780	1060	1140	1340	1420	1500	1700	1780	1860	2060	2140
<i>Length(mm)</i>	4725	6250	7150	7775	8675	9575	10200	11100	12000	12625	13525
<i>Accesses</i>	1	2	1	3	2	1	3	2	1	3	2

article <b>GRAF Australia Carat XXL - summary</b>		article no. -
drawn ISC	weight table above	comments extension risers are available
date 2024.09.24	tolerance +/- 3%	GRAF Australia Pty Ltd 43b Sparks Road, Henderson WA 6166 info@grafaustalia.com.au www.grafaustalia.com.au
scale N.A.	unit mm	










GRAF Australia Carat range				
Volume (l)	Height (mm)	Width (mm)	Length (mm)	Weight (kg)
2700	1400	1565	2080	120
3750	1590	1755	2280	150
4800	1820	1985	2294	185
6500	2100	2190	2390	220
8500	2085	2040	3500	380
10000	2285	2240	3520	456

**ACCREDITED**  
 28 OCT 2024  
 NSW MINISTRY OF HEALTH

article		GRAF Australia Carat - summary		article no.		-	
drawn	ISC	weight	table above	comments extension risers are available			
date	2024.09.24	tolerance	+/- 3%	GRAF Australia Pty Ltd 43b Sparks Road, Henderson WA 6166 info@grafaustalia.com.au www.grafaustalia.com.au			
scale	N.A.	unit	mm				



**ACCREDITED**  
 28 OCT 2024  
 NSW MINISTRY OF HEALTH



**GRAF Sammelgrube Columbus 6500 L / 1717 gal.  
 mit DIBt-Zulassung Z-40.24-381**

Artikel-Nr.  
 product no.  
 article no.  
 article no.

102234  
 102514

GB GRAF Cesspool Columbus  
 6500 L / 1717 gal.  
 DIBt-admission -40.24-381

ES GRAF Fosa Colectora Columbus  
 6500 L / 1717 gal.  
 DIBt-admission Z-40.24-381

FR GRAF Fosse Septique Columbus  
 6500 L / 1717 gal.  
 agréée DIBt Z-40.24-381

Otto Graf GmbH  
 Carl-Zeiss-Str. 2-6  
 DE-79331 Teningen  
 mail@graf.info  
 www.graf.info



gezeichnet, drawn  
 Datum, date

ISC  
 2022.04.11

Gewicht, weight  
 Toleranz, tolerance





360 kg  
 +/- 3%

Einheiten, units  
 mm [inch] gal. = US gal.

M 1:40  
 Maßstab, scale

revision

M 1:40



ACCREDITED


28 OCT 2024

NSW MINISTRY OF HEALTH GRAF Australia Platin range


<i>Volume (kl)</i>	1500	3000	5000	7500	10000	15000	20000	25000	30000
<i>Weight (kg)</i>	80	170	240	390	460	710	890	1105	1355
<i>Height(mm)</i>	700	735	1000	1250	1250	1250	1250	1250	1250
<i>Width(mm)</i>	1250	2100	2300	2250	2250	2250	2250	2250	2250
<i>Lenght(mm)</i>	2100	2450	2890	3600	4900	7500	9405	12005	14265

article GRAF Australia Platin, Platin XL, Platin XXL - summary		article no. -
drawn ISC	weight table above	comments extension risers are available
date 2024.09.24	tolerance +/- 3%	GRAF Australia Pty Ltd 43b Sparks Road, Henderson WA 6166 info@grafaustalia.com.au www.grafaustalia.com.au
scale N.A.	unit mm	






**ACCREDITED**  
28 OCT 2024  
NSW MINISTRY OF HEALTH





GRAF Australia Sapphire range				
<i>Volume (l)</i>	<i>Height (mm)</i>	<i>Diameter (mm)</i>	<i>Access (mm)</i>	<i>Weight (kg)</i>
600	1045	1125	670	27
900	1344	1155	645	47
1200	1670	1155	645	58
1500	1980	1155	645	110

article		GRAF Australia Sapphire - summary		article no.	-
drawn	ISC	weight	table above	comments	extension risers are available
date	2024.09.24	tolerance	+/- 3%	GRAF Australia Pty Ltd 43b Sparks Road, Henderson WA 6166 info@grafaustalia.com.au www.grafaustalia.com.au	
scale	N.A.	unit	mm		




**ACCREDITED**  
 28 OCT 2024  
 NSW MINISTRY OF HEALTH





GRAF Australia Super Compact range					
Volume (l)	Height (mm)	Width (mm)	Length (mm)	Weight (kg)	Dome (mm)
2000	1100	1180	3000	190	305
3000	1340	1415	3000	235	305
4000	1500	1565	3000	285	290
5000	1660	1735	3000	355	290
10000	2290	2240	3490	495	290

article GRAF Australia Super Compact - summary		article no. -
drawn ISC	weight table above	comments extension risers are available
date 2024.09.24	tolerance +/- 3%	GRAF Australia Pty Ltd 43b Sparks Road, Henderson WA 6166 info@grafaustalia.com.au www.grafaustalia.com.au
scale N.A.	unit mm	





**ACCREDITED**  
28 OCT 2024  
NSW MINISTRY OF HEALTH





GRAF Australia Super Strong range				
<i>Volume (l)</i>	<i>Height (mm)</i>	<i>Diameter (mm)</i>	<i>Access (mm)</i>	<i>Weight (kg)</i>
600	1155	1180	670	33
900	1330	1415	670	54
1200	1740	1565	670	82
1500	2340	1735	865	190

article		GRAF Australia Super Strong - summary		article no.	-
drawn	ISC	weight	table above	comments extension risers are available	
date	2024.09.24	tolerance	+/- 3%	GRAF Australia Pty Ltd 43b Sparks Road, Henderson WA 6166 info@grafaustalia.com.au www.grafaustalia.com.au	
scale	N.A.	unit	mm		



**ACCREDITED**  
 28 OCT 2024  
 NSW MINISTRY OF HEALTH



D			<b>GRAF Herkules-Tank</b> 1600 L / 422,7 gal.		Artikel-Nr. product no. article no. articulo no.	<b>320001</b>
GB	GRAF Herkules-Tank 1600 L / 422,7 gal.	ES	GRAF Depósito Herkules 1600 L / 422,7 gal.	FR	GRAF Réservoir Hercule 1600 L / 422,7 gal.	revision
gezeichnet drawn	ISC	Gewicht weight	56 kg	Otto Graf GmbH Carl-Zeiss-Str. 2-6 DE-79331 Teningen mail@graf.info www.graf.info		
Datum date	2016.12.20	Toleranz tolerance	+/- 3%			
Maßstab scale	M 1:16	Einheiten units	mm [inch] gal. = US gal.			
						