
NSW Arbovirus Surveillance and Mosquito Monitoring 2022-2023

Weekly Update: Week ending 4 March 2023

(Report Number 20)





Summary

Arbovirus Detections

- Sentinel Chickens: Murray Valley encephalitis virus antibodies were detected in blood samples collected at Hay, Leeton and West Wyalong from chickens that previously tested negative indicating recent exposure to these viruses. Kunjin virus antibodies were similarly detected in blood samples collected at Leeton indicating recent exposure.
- Mosquito Isolates: There were no arboviral detections in collected mosquitoes.

Mosquito Abundance

- Inland: LOW at Albury, Balranald, Cootamundra, Corowa, Deniliquin, Forbes, Grong Grong, Leeton, Mathoura, Moama, Moree, Wagga Wagga, Walgett and West Wyalong, MEDIUM at Murrumbidgee, Narrandera, Temora and Yass, HIGH at Griffith and Macquarie Marshes.
- **Coast:** LOW at Byron Bay, Kempsey, Kiama, Millbank, Mullumbimby, Murwillumbah, Nambucca, Port Macquarie, Shoalhaven, Wauchope, Wollongong and Wyong, HIGH at Ballina, Bega, Gosford, Lake Cathie, Newcastle and Tweed Heads.
- **Sydney:** LOW at Earlwood, Georges River and Hills Shire, MEDIUM at Camden, Hawkesbury and Penrith, HIGH at Bankstown, Canada Bay, Liverpool, Northern Beaches and Sydney Olympic Park, VERY HIGH at Parramatta.

Environmental Conditions

- Climate: In the week ending 4 March 2023, rainfall was low to moderate along the coast with little rain elsewhere in NSW. Below average rainfall is predicted for the far west and about average rainfall elsewhere in NSW for March. Minimum temperatures are likely to be below average inland and about average along the NSW coast in March. Maximum temperatures are likely to be above average near the Queensland border and about average elsewhere in NSW for March.
- Tides: High tides over 1.8 metres are predicted for 19-22 March, which could trigger hatching of Aedes vigilax.

Human Arboviral Disease Notifications

- Ross River Virus: 6 cases were notified in the week ending 11 February 2023.
- Barmah Forest Virus: 2 case was notified in the week ending 11 February 2023.

Comments and other findings of note

Collected numbers of the mosquito species *Culex annulirostris*, which is a vector for Japanese Encephalitis virus, Murray Valley encephalitis virus (MVEV) and Kunjin virus, are decreasing inland. Sentinel chickens continue to seroconvert for MVEV antibodies indicating recent infection. However, MVEV was not detected in mosquitoes collected in the past week. Overnight temperatures have begun to decrease in inland areas of NSW where MVEV has been detected and if this trend continues during March, vector abundance and MVEV detections are likely to continue to decline.

Weekly reports are available at:

www.health.nsw.gov.au/Infectious/mosquito-borne/Pages/surveillance.aspx

Please send questions or comments about this report to:

Surveillance and Risk Unit, Environmental Health Branch, Health Protection NSW: hssg-ehbsurveillance@health.nsw.gov.au

Testing and scientific services are provided by the Department of Medical Entomology, NSW Health Pathology, Institute of Clinical Pathology and Medical Research (ICPMR) for mosquito surveillance, and the Arbovirus Emerging Diseases Unit, NSW Health Pathology (ICPMR) for sentinel chicken surveillance.

The arbovirus surveillance and mosquito monitoring results in this report remain the property of the NSW Ministry of Health and may not be used or disseminated to unauthorised persons or organisations without permission.

SPHN (EH) 220867

Arbovirus Detections

This section details detections of Murray Valley encephalitis virus, Kunjin virus, Ross River virus, Barmah Forest virus and Japanese encephalitis virus in the NSW Arbovirus Surveillance and Mosquito Monitoring Program.


Sentinel chickens

Chickens are bled for detection of antibodies directed against Murray Valley encephalitis virus, Kunjin virus and Japanese encephalitis virus, indicating exposure to these viruses. Test results for the past two weeks are shown in the map below and all positive test results for the season are detailed in the table. A positive test result indicates one or more chickens in a flock tested positive for the <u>first time</u> to antibodies directed against a particular virus, indicating newly acquired infection.

Sentinel chicken antibody test results for samples collected in the two weeks to 4 March 2023

There were positive test results for Murray Valley encephalitis virus for samples collected at Hay, Leeton and West Wyalong. There was a positive test result for Kunjin for samples collected at Leeton

Note, positive test results for Murray Valley encephalitis virus and Kunjin virus for samples collected at Macquarie Marshes more than two weeks ago (13 February 2023) have been added to the table below.



Date of sample collection	Location	Virus
12 January 2023	Menindee	Murray Valley encephalitis
12 January 2023	Menindee	Kunjin
19 January 2023	Menindee	Murray Valley encephalitis
20 January 2023	Macquarie Marshes	Murray Valley encephalitis
26 January 2023	Menindee	Murray Valley encephalitis
29 January 2023	Leeton	Murray Valley encephalitis
5 February 2023	Menindee	Murray Valley encephalitis
5 February 2023	Menindee	Kunjin
6 February 2023	Deniliquin	Murray Valley encephalitis
6 February 2023	Forbes	Murray Valley encephalitis
6 February 2023	Hay	Murray Valley encephalitis
6 February 2023	Macquarie Marshes*	Murray Valley encephalitis
12 February 2023	Deniliquin	Murray Valley encephalitis
12 February 2023	Leeton	Murray Valley encephalitis
12 February 2023	Leeton	Kunjin
13 February 2023	Macquarie Marshes	Murray Valley encephalitis
13 February 2023	Macquarie Marshes	Kunjin
14 February 2023	Forbes	Murray Valley encephalitis
19 February 2023	Leeton	Murray Valley encephalitis
19 February 2023	Leeton	Kunjin
21 February 2023	Hay	Murray Valley encephalitis
23 February 2023	West Wyalong	Murray Valley encephalitis

Positive test results in the 2022-2023 surveillance season

*Chickens in Macquarie Marshes had previously seroconverted to Murray Valley encephalitis virus and continue to test positive for antibodies to this virus.


Mosquito isolates

Whole grinds of collected mosquitoes are tested for arbovirus nucleic acids to determine the presence of arboviruses in mosquitoes. Test results for detections of Ross River virus, Barmah Forest virus, Murray Valley encephalitis virus, Kunjin virus and Japanese encephalitis virus for the past week are shown in the maps below. Detections of all arboviruses (including Edge Hill virus) for the season are detailed in the table.


Test results for mosquito trapping sites reported in the week ending 4 March 2023

There were no arboviral detections.

Inland and Coastal sites



Sydney sites



Arboviruses detected in the 2022-2023 surveillance season

Date of sample collection	Location	Virus							
14 November 2022	Macquarie Marshes	Barmah Forest							
15 November 2022	Griffith	Ross River							
22 November 2022	Griffith	Barmah Forest							
5 December 2022	Leeton	Barmah Forest							
5 December 2022	Temora	Ross River							
5 December 2022	Grong Grong	Edge Hill							
6 December 2022	Deniliquin	Barmah Forest							
6 December 2022	Griffith	Barmah Forest							
12 December 2022	Grong Grong	Barmah Forest							
13 December 2022	Penrith	Edge Hill							
4 January 2023	Menindee	Murray Valley encephalitis							
9 January 2023	Corowa	Ross River							
9 January 2023	Corowa	Edge Hill							
9 January 2023	Young	Barmah Forest							
10 January 2023	Griffith	Murray Valley encephalitis							
10 January 2023	Menindee	Murray Valley encephalitis							
16 January 2023	Griffith	Murray Valley encephalitis							
17 January 2023	Mathoura	Murray Valley encephalitis							
17 January 2023	Moama	Murray Valley encephalitis							
23 January 2023	Macquarie Marshes	Murray Valley encephalitis							
23 January 2023	Macquarie Marshes	Kunjin							
23 January 2023	Temora	Murray Valley encephalitis							
23 January 2023	Griffith	Kunjin							
23 January 2023	Balranald	Murray Valley encephalitis							
30 January 2023	Albury	Murray Valley encephalitis							
30 January 2023	Mathoura	Murray Valley encephalitis							
31 January 2023	Leeton	Murray Valley encephalitis							
6 February 2023	Griffith	Murray Valley encephalitis							
13 February 2023	Macquarie Marshes	Murray Valley encephalitis							
13 February 2023	Corowa	Murray Valley encephalitis							
19 February 2023	Moree	Edge Hill							
20 February 2023	Corowa	Murray Valley encephalitis							
21 February 2023	Deniliquin	Murray Valley encephalitis							

Note:


Human cases of Edge Hill virus have rarely been reported. Infection may present as a mild self-limiting febrile illness with body aches.


Mosquito Abundance

This section details counts of mosquitoes in the NSW Arbovirus Surveillance and Mosquito Monitoring Program. Each location represents the count average for all trapping sites at that location for the most recent week that collections were provided prior to preparation of this report.


Culex annulirostris and *Aedes vigilax* are vectors of interest for Ross River virus and Barmah Forest virus, *Culex annulirostris* is also a vector for Japanese encephalitis virus.

Mosquito counts (average per trap per location) for mosquito trapping sites reported in the week ending 4 March 2023






Sydney sites Total mosquito counts



Mosquito counts for the 2022-23 surveillance season Inland

"Cx. annul" refers to Culex annulirostris and "Ae. vigilax" refers to Aedes vigilax.



Key:

10

Coastal

									_	_			w	EEKE		NG				_									1						
			Oct-2				/-22				Dec-2				Jar					b-23			Ma					Apr-2				y-23			
ocation	Mosquito	15	22	29	5	12	19	26	3	10	17	24	31	7	14	21	28	4	11	18	25	4	11	18	25	1	8	15	22	29	6	13			
Ballina	Cx. annul																																		
	Ae. vigilax																																		
	Total																																		
Bega	Cx. annul																															T			
Jogu	Ae. vigilax																															t			
	Total																															t			
Burron Boy	Cx. annul																															t			
Byron Bay	Ae. vigilax		-			-																						+							
			-																													+			
	Total																															-			
Coffs Harbour	Cx. annul																															_			
	Ae. vigilax																																		
	Total																																		
Gosford	Cx. annul																																		
	Ae. vigilax																																		
	Total																																		
Kempsey	Cx. annul																															t			
	Ae. vigilax																								1				1			1			
	Total																								<u> </u>				<u> </u>			⊢			
Kiama	Cx. annul												-	-																		⊢			
Nidilid	Ae. vigilax					-							-												 					-		⊢			
	Total	-	-		-	-				-							-															┢			
																									<u> </u>							+			
Lake Cathie	Cx. annul																															_			
	Ae. vigilax																															_			
Total																																			
	Cx. annul																																		
	Ae. vigilax																															Γ			
	Total									1																						1			
Millbank	Cx. annul																															t			
	Ae. vigilax																															t			
	Total																															+			
M	Cx. annul													-																		+			
Mullumbimby			-																													+			
	Ae. vigilax																															+			
	Total																															_			
Murwillumbah	Cx. annul																															_			
	Ae. vigilax																																		
	Total																																		
Nambucca	Cx. annul																																		
	Ae. vigilax																																		
	Total																																		
Newcastle	Cx. annul																															T			
ie neuelle	Ae. vigilax																															t			
	Total		1																													t			
Dant Maanuania	Cx. annul																															+			
Port Macquarie		_																														+			
	Ae. vigilax																															-			
	Total																															_			
Shoalhaven	Cx. annul			L																												_			
	Ae. vigilax																																		
	Total																																		
weed Heads	Cx. annul																															Г			
	Ae. vigilax																															T			
	Total																															T			
Vauchope	Cx. annul																															t			
auchope	Ae. vigilax																								1				1			t			
	Total								-				-												 					-		⊢			
A/- II																									<u> </u>				<u> </u>			⊢			
Vollongong	Cx. annul					-																			I				I			⊢			
	Ae. vigilax		<u> </u>	-	<u> </u>	<u> </u>		L		<u> </u>	L														L				L			⊢			
	Total																															1			
Wyong	Cx. annul																																		
	Ae. vigilax																															Γ			
	Total		1		1																											Г			

11

Sydney


Syuney																WEE	K EN	DING																
			Oct-22	1		No	v-22	Dec-22							Jar	n-23			Fel	o-23			Ма	r-23		Apr-23						May-23		
Location	Mosquito	15	22	29	5	12	19	26	3	10	17	24	31	7	14	21	28	4	11	18	25	4	11	18	25	1	8	15	22	29	6	13		
Bankstown	Cx. annul																																	
	Ae. vigilax																																	
	Total																																	
Blacktown	Cx. annul																																	
	Ae. vigilax																																	
	Total																																	
Camden	Cx. annul																																	
	Ae. vigilax																																	
	Total																																	
Canada Bay	Cx. annul																																	
	Ae. vigilax																																	
	Total																																	
Earlwood	Cx. annul																																	
	Ae. vigilax																																	
	Total																																	
Georges	Cx. annul																																	
River	Ae. vigilax																																	
	Total																																	
Hawkesbury	Cx. annul																																	
	Ae. vigilax																																	
	Total																																	
Hills Shire	Cx. annul																																	
	Ae. vigilax																																	
	Total																																	
Liverpool	Cx. annul																																	
	Ae. vigilax																																	
	Total																																	
Northern	Cx. annul																																	
Beaches	Ae. vigilax																																	
	Total																																	
Parramatta	Cx. annul																																	
	Ae. vigilax																																	
	Total																																	
Penrith	Cx. annul																																	
	Ae. vigilax																																	
	Total																										l		l					
Sydney	Cx. annul																										l		l					
Olympic Park	Ae. vigilax																												1					
	Total																								1				i					

Environmental Conditions


Mosquitoes require water to breed. Rainfall and tides (for the salt marsh mosquito, *Aedes vigilax*) are important contributing factors for proliferation of mosquito numbers. Unseasonably warm weather can also contribute to higher mosquito numbers.

Rainfall

In February, rainfall was below average in western and northern NSW and average for most other areas of the state. In the week ending 4 March 2023, rainfall totals were low to moderate along the coast, with little rain elsewhere in NSW.



New South Wales Rainfall Totals (mm) Week Ending 4th March 2023 Australian Bureau of Meteorology



Source: Australian Government, Bureau of Meteorology: s

Next month's rainfall and temperature outlook

The Bureau of Meteorology's rainfall outlook predicts that NSW is likely to receive below average rainfall in the far west and about average rainfall elsewhere for March. www.bom.gov.au/climate/outlooks/#/rainfall/median/monthly/0

The Bureau of Meteorology's temperature outlook predicts that minimum temperatures are likely to be below average inland and about average along the NSW coast in March. Maximum temperatures are likely to be above average near the Queensland border and about average elsewhere in NSW. www.bom.gov.au/climate/outlooks/#/temperature/maximum/median/monthly/0 www.bom.gov.au/climate/outlooks/#/temperature/maximum/median/monthly/0

Tides

Tidal information is relevant for the prediction of the activity of the salt marsh mosquito, *Aedes vigilax*. Typically for NSW, high tides of over 1.8 m, as measured at Sydney, can induce hatching of *Aedes vigilax* larvae. Predicted tide heights can provide some indication of when this is likely to occur.

Dates of predicted high tides of over 1.8 m at Sydney (Fort Denison)

• 19-22 March 2023

Source: Australian Government, Bureau of Meteorology: <u>www.bom.gov.au/australia/tides/#l/nsw-sydney-fort-denison</u> Note: Measured tides at Sydney Port Jackson for the current week are available from the NSW Government, Manly Hydraulics Laboratory: <u>https://mhl.nsw.gov.au/Data-OceanTide</u>.

Human Arboviral Disease Notifications

Under the *NSW Public Health Act 2010*, human arboviral infections are notifiable in NSW. The NSW Health Communicable Diseases Weekly Report (CDWR) reports confirmed and probable case numbers by the week they are received by the NSW notifiable diseases surveillance system, and is available at: www.health.nsw.gov.au/Infectious/reports/Pages/CDWR.aspx.

The data for Ross River virus and Barmah Forest virus from the CDWR for the latest reported 3 weeks are below.


Recent notifications of Ross River virus and Barmah Forest virus infections in humans

(by date of case report received)

		Week											
	Latest week (5 – 11 Feb 2023)	1-week prior (29 Jan – 4 Feb 2023)	2-weeks prior (22 – 28 Jan 2023)										
Ross River virus	6	12	12										
Barmah Forest virus	2	3	3										

Source: CDWR, Communicable Diseases Branch, Health Protection NSW, NSW Health

Notifications of Ross River virus and Barmah Forest virus infections, <u>by month of disease onset</u> (the earlier of patient-reported onset or specimen collection date), are available online at: <u>www1.health.nsw.gov.au/IDD/pages/data.aspx</u>. The following figures show this data for November to April of the current NSW Arbovirus Surveillance and Mosquito Monitoring season (2022-2023), and the same period in the previous three years.



Source: NSW Health Notifiable Conditions Information Management System (NCIMS), Communicable Diseases Branch and Centre for Epidemiology and Evidence, NSW Health

Notes: The data for the previous month are the notifications to date (data extracted on 6 March 2023). Notifications are for NSW residents, regardless of whether the infection was acquired or diagnosed in NSW. Notifications of Ross River virus and Barmah Forest virus infection lag the date of acquiring the infection due to the time taken for symptom development, diagnosis, notification, and other factors. The weekly numbers by date of notification are useful for monitoring recent short-term trends but represent infections that were acquired some time ago. The monthly numbers by date of onset are more timely but less exact because they represent the earlier of patient-reported onset or specimen collection date and are therefore useful for monitoring general trends in human arboviral disease over the course of a season.