

NSW Childhood Immunisation Schedule



Primary and Community Health

6 WEEKS AND 4 MONTHS

DIPHTHERIA-TETANUS-
PERTUSSIS-HAEMOPHILUS
INFLUENZAE TYPE
B-HEPATITIS B-POLIO



Infanrix Hexa

PNEUMOCOCCAL



Prevenar 13

ROTAVIRUS



Rotarix

MENINGOCOCCAL B
(ABORIGINAL CHILDREN ONLY)



Bexsero

6 MONTHS

DIPHTHERIA-TETANUS-PERTUSSIS-HAEMOPHILUS INFLUENZAE TYPE B-HEPATITIS B-POLIO



Infanrix Hexa

- At risk children ≥ 6 months require an additional dose of Prevenar 13 (Pneumococcal). Refer to the online Australian Immunisation Handbook for the list of conditions
- Aboriginal children ≥ 6 months with certain medical conditions may require an additional dose of Meningococcal B. Refer to the online Australian Immunisation Handbook for the list of conditions

12 MONTHS

MENINGOCOCCAL
ACWY



Nimenrix

PNEUMOCOCCAL



Prevenar 13

MEASLES-MUMPS-
RUBELLA



Priorix **OR** MMR II

MENINGOCOCCAL B
(ABORIGINAL CHILDREN ONLY)



Bexsero

18 MONTHS

MEASLES-MUMPS-RUBELLA-
VARICELLA



Priorix Tetra **OR** ProQuad

HAEMOPHILUS
INFLUENZAE TYPE B



Act-HIB

DIPHTHERIA-TETANUS-PERTUSSIS



Infanrix **OR** Tripacel

4 YEARS

DIPHTHERIA-TETANUS-PERTUSSIS-POLIO



Quadracel **OR** Infanrix IPV



At risk children require a dose of Pneumovax 23 (pneumococcal) at 2-12 months after Prevenar 13 or at age 4 years whichever is later.