

2011-2012 Child Population Health Survey Data Dictionary

Variable name	Type Length	Format	Variable label	Script question	Coding and comments	Code frame
A3	\$1	\$CA3F	Asthma interfere with daily life	During the past 4 weeks, did child's asthma interfere with their ability to manage their day to day activities?	Single response	1. Yes 2. No R. Refused X. Don't know
A4	\$1	\$CA4F	Severity of asthma interference	Did it interfere with these activities:	Single response [Read out]	1. A little bit 2. Moderately 3. Quite a lot 4. Extremely R. Refused X. Don't know
AGE	8		Age in years		0-11 months=0yrs 12-23 months=1yr	
ALCP2	\$1	\$CALCP2F	Alcohol during pregnancy	When you were pregnant with child, did you ever drink alcohol?	Single response [Read out]	1. Yes 2. No R. Refused X. Don't know
ALCP3	\$1	\$CALCP3F	Alcohol quitting status during pregnancy	When you were pregnant with child, did you...	Single response [Read out]	1. Reduce the amount of alcohol you drank 2. Try to give up drinking alcohol but were unsuccessful 3. Successfully gave up drinking alcohol 4. None of the above R. Refused X. Don't know
ARIAPLUSC	\$14	\$ARIAPLS	Remoteness quintile		Derived variable. The Accessibility-Remoteness Index of Australia Plus (ARIA+) is the standard Australian Bureau of Statistics endorsed measure of remoteness. It is derived using the road distances from populated localities to the nearest service centres across Australia. ARIA+ is grouped into 5 categories: major cities, inner regional, outer	1. Major Cities 2. Inner Regional 3. Outer Regional 4. Remote 5. Very Remote

					regional, remote, and very remote, using postcodes from survey respondents.	
AST1	\$1	\$CAST1F	Ever told by doctor have asthma	Have you ever been told by a doctor or at a hospital that child has asthma?	Single response	1. Yes 2. No R. Refused X. Don't know
AST10A	\$1	\$CST10AF	Frequency of medication use - Alvesco	How often did child use Alvesco in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10B	\$1	\$CST10BF	Frequency of medication use - Airomir	How often did child use Airomir in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10C	\$1	\$CST10CF	Frequency of Medication Use - Asmol	How often did child use Asmol in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10D	\$1	\$CST10DF	Frequency of medication use - Atrovent	How often did child use Atrovent in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all

						R. Refused X. Don't know
AST10E	\$1	\$CST10EF	Frequency of medication use - Bricanyl	How often did child use Bricanyl in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10G	\$1	\$CST10GF	Frequency of medication use - Flixotide	How often did child use Flixotide in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10H	\$1	\$CST10HF	Frequency of medication use - Intal	How often did child use Intal in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10J	\$1	\$CST10JF	Frequency of medication use - Prednisone	How often did child use Prednisone in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10K	\$1	\$CST10KF	Frequency of medication use - Pulmicort	How often did child use Pulmicort in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week

						<ul style="list-style-type: none"> 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10L	\$1	\$CST10LF	Frequency of medication use - Qvar	How often did child use Qvar in the last four weeks?	Single response [Read out]	<ul style="list-style-type: none"> 1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10M	\$1	\$CST10MF	Frequency of medication use - Seretide	How often did child use Seretide in the last four weeks?	Single response [Read out]	<ul style="list-style-type: none"> 1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10O	\$1	\$CST10OF	Frequency of medication use - Singulair	How often did child use Singulair in the last four weeks?	Single response [Read out]	<ul style="list-style-type: none"> 1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST10P	\$1	\$CST10PF	Frequency of medication use - Symbicort	How often did child use Symbicort in the last four weeks?	Single response [Read out]	<ul style="list-style-type: none"> 1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all

						R. Refused X. Don't know
AST10Q	\$1	\$CST10QF	Frequency of medication use - Ventolin	How often did child use Ventolin in the last four weeks?	Single response [Read out]	1. Every day 2. More than 3 days and/or nights a week 3. 1-3 days and/or nights a week 4. Less than once a week 5. Varies/as required 6. Not at all R. Refused X. Don't know
AST2	\$1	\$CAST2F	Asthma symptoms or treatment in last 12mths	Has child had symptoms of asthma or taken treatment for asthma in the last 12 months?	Single response	1. Yes - symptoms 2. Yes - treatment 3. Yes - both 4. No R. Refused X. Don't know
AST9_1	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Alvesco	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_2	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Airomir	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_3	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Asmol	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_4	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Atrovent	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_5	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Bricanyl	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_6	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Epaq	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_7	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Flixotide	What are the names or brands of all the medications child took for their asthma in the last 12	Part of multiple response question	0. No 1. Yes

				months?		
AST9_8	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Intal	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_9	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Oxis	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_10	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Prednisone	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_11	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Pulmicort	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_12	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Qvar	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_13	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Seretide	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_14	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Serevent	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_15	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Singulair	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_16	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Symbicort	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
AST9_17	\$1	\$C_MC_CD	Asthma medications used in last 12 months : Ventolin	What are the names or brands of all the medications child took for their asthma in the last 12 months?	Part of multiple response question	0. No 1. Yes
BKAG	\$1	\$CBKAGF	Age of child being read to	How old was child when you or another member of your family started reading to?	Single response	1. Less than 6 months 2. 6 months-1 year 3. 1-2 years

						4. 2-3 years 5. 3 years and over R. Refused X. Don't know
BKOF	\$1	\$CBKOFF	How often look at books with child	In a typical week, how often do you or other members of your family read or look at books with child?	Single response	1. Every Day 2. At least once a week 3. At least once a month 4. Rarely R. Refused X. Don't know
BOOK	\$1	\$CBOOKF	Read books to child	Do you or other members of your family read or look at books with child?	Single response	1. Yes 2. No R. Refused X. Don't know
BPLPA	\$1	\$CBPLPAF	Respondent country of birth	In which country was child born?	Single response	1. Australia 2. Other (Specify) R. Refused X. Don't know
BREAST1	8		Age of child, in months, for any breastfeeding		Derived variable which includes the weeks and months a child was breastfed for if the child was not currently breastfed and the age of the child if the child was still being breastfed at the time of the interview.	
BREAST1T	8		Censoring status for any breastfeeding		Derived variable used in survival analysis of the months of any breastfeeding. 1 = uncensored value (based on breastfeeding duration) and 0 = censored value (based on child's age)	
BREAST2	8		Age of child, in months, for fully breastfed		Derived variable which includes the weeks and months a child was fully breastfed for if the child was not currently breastfed and the age of the child if the child was still being fully breastfed at the time of the interview.	
BREAST2T	8		Censoring status for fully breastfed		Derived variable used in survival analysis of the months of fully breastfeeding. 1 = uncensored value (based on breastfeeding duration) and 0 = censored value (based on child's age)	
BREAST3	8		Age of child, in months, for		Derived variable which includes	

			exclusive breastfeeding		the weeks and months a child was exclusively breastfed for if the child was not currently breastfed and the age of the child if the child was still being fully breastfed at the time of the interview.	
BREAST3T	8		Censoring status for exclusive breastfeeding		Derived variable used in survival analysis of the months of exclusive breastfeeding. 1 = uncensored value (based on breastfeeding duration) and 0 = censored value (based on child's age)	
BREAST6A	8		Age of child, in months, when solid foods were introduced		Derived variable which includes the age when a child was given solids regularly for the first time and the age of the child if the child had not been given solids yet	
BREAST6AT	8		Censoring status for introduction of solid foods		Derived variable used in survival analysis of the months of introducing solids. 1 = uncensored value (based on age solids introduced) and 0 = censored value (based on child's current age)	
BREAST6M	8		Age of child, in months, when milk substitutes were introduced		Derived variable which includes the age when a child was given breast milk substitutes regularly for the first time and the age of the child if the child had not been given breast milk substitutes	
BREAST6MT	8		Censoring status for introduction of milk substitutes		Derived variable used in survival analysis of the months of introducing breast milk substitutes. 1 = uncensored value (based on introducing breast milk substitutes) and 0 = censored value (based on child's age)	
CA8B	\$1	\$CCA8BF	Written asthma action plan	Does child have an asthma action plan, written instructions of what to do if their asthma is worse or out of control?	Single response	1. Yes 2. No R. Refused X. Don't know
CAQ1	\$1	\$CCAQ1F	Ever attended organised early childhood program or	Has child ever attended any play group or other early childhood	Single response	1. Yes 2. No

			activity	programme or activity? Please do not include child care programmes or time spent in preschool.		R. Refused X. Don't know
CAQ2	\$1	\$CCAQ2F	Currently attends other organised early childhood programs or activities	Does child currently attend any play group or other early childhood programme or activity? Please do not include child care programmes or time spent in preschool.	Single response	1. Yes 2. No R. Refused X. Don't know
CBF1	\$1	\$CCBF1F	Child ever breastfed	Has child ever been breastfed?	Single response	1. Yes 2. No R. Refused X. Don't know
CBF10	\$1	\$CCBF10F	Age first given other milk substitutes.	At what age was child first given any of these milk substitute(s) regularly?	Single response	2. Answer in months and weeks 3. Less than one week R. Refused X. Don't know
CBF12	\$1	\$CCBF12F	Age when first given solid food	At what age was child first given solid food regularly?	Single response	2. Answer in months and weeks 3. Never given solids/not yet started solids R. Refused X. Don't know
CBF13	\$1	\$CCBF13F	Duration of breastfeeding	Including times of weaning, what is the total time child was breastfed in months and weeks?	Single response	2. Answer in months and weeks 3. Less than one week R. Refused X. Don't know
CBF14A_1	\$1	\$C_MC_CD	Main reasons decided not to breastfeed.: Previous bad experience	What were the main reasons you decided not to breastfeed child?	Part of multiple response question	0. No 1. Yes
CBF14A_2	\$1	\$C_MC_CD	Main reasons decided not to breastfeed: No milk/Not enough milk/Poor quality milk	What were the main reasons you decided not to breastfeed child?	Part of multiple response question	0. No 1. Yes
CBF14A_3	\$1	\$C_MC_CD	Main reasons decided not to breastfeed: Returning to work/study or travelling	What were the main reasons you decided not to breastfeed child?	Part of multiple response question	0. No 1. Yes
CBF14A_4	\$1	\$C_MC_CD	Main reasons decided not to breastfeed: Health problem with mother/medications/fatigue/ became pregnant	What were the main reasons you decided not to breastfeed child?	Part of multiple response question	0. No 1. Yes

CBF14A_5	\$1	\$C_MC_CD	Main reasons decided not to breastfeed: Mother did not want to/ Mother didn't like it or wanted to stop/child old enough/child biting or had teeth/wanted to become pregnant	What were the main reasons you decided not to breastfeed child?	Part of multiple response question	0. No 1. Yes
CBF14A_7	\$1	\$C_MC_CD	Main reasons decided not to breastfeed: Multiple birth/ other small children/had another baby	What were the main reasons you decided not to breastfeed child?	Part of multiple response question	0. No 1. Yes
CBF15	\$1	\$CCBF15F	Breastfed since yesterday	Since this time yesterday, has child been breastfed?	Single response	1. Yes 2. No R. Refused X. Don't know
CBF16_1	\$1	\$C_MC_CD	Receive any of the following since yesterday : Vitamins, mineral supplements, medicine	Since this time yesterday, did child receive any of the following?	Part of multiple response question	0. No 1. Yes
CBF16_2	\$1	\$C_MC_CD	Receive any of the following since yesterday : Plain water	Since this time yesterday, did child receive any of the following?	Part of multiple response question	0. No 1. Yes
CBF16_3	\$1	\$C_MC_CD	Receive any of the following since yesterday : Sweetened or flavoured water	Since this time yesterday, did child receive any of the following?	Part of multiple response question	0. No 1. Yes
CBF16_4	\$1	\$C_MC_CD	Receive any of the following since yesterday : Fruit juice	Since this time yesterday, did child receive any of the following?	Part of multiple response question	0. No 1. Yes
CBF16_5	\$1	\$C_MC_CD	Receive any of the following since yesterday : Tea or infusion	Since this time yesterday, did child receive any of the following?	Part of multiple response question	0. No 1. Yes
CBF16_6	\$1	\$C_MC_CD	Receive any of the following since yesterday : Infant formula	Since this time yesterday, did child receive any of the following?	Part of multiple response question	0. No 1. Yes
CBF16_7	\$1	\$C_MC_CD	Receive any of the following since yesterday : Tinned, powdered or fresh milk	Since this time yesterday, did child receive any of the following?	Part of multiple response question	0. No 1. Yes
CBF16_8	\$1	\$C_MC_CD	Receive any of the following since yesterday : Solid or semi-solid food	Since this time yesterday, did child receive any of the following?	Part of multiple response question	0. No 1. Yes
CBF16_9	\$1	\$C_MC_CD	Receive any of the following since yesterday : Other (Specify)	Since this time yesterday, did child receive any of the following?	Part of multiple response question	0. No 1. Yes
CBF16_10	\$1	\$C_MC_CD	Receive any of the following	Since this time yesterday, did	Part of multiple response question	0. No

			since yesterday : Don't know	child receive any of the following?		1. Yes
CBF16_11	\$1	\$C_MC_CD	Receive any of the following since yesterday : Refused	Since this time yesterday, did child receive any of the following?	Part of multiple response question	0. No 1. Yes
CBF16_12	\$1	\$C_MC_CD	Receive any of the following since yesterday : None of these	Since this time yesterday, did child receive any of the following?	Part of multiple response question	0. No 1. Yes
CBF2	\$1	\$CCBF2F	Child currently breastfed	Is child currently being breastfed?	Single response	1. Yes 2. No R. Refused X. Don't know
CBF4	\$1	\$CCBF4F	Child ever regularly given infant or toddler formula.	Has child ever been given infant or toddler formula regularly?	Single response	1. Yes 2. No R. Refused X. Don't know
CBF5	\$1	\$CCBF5F	Age first given infant or toddler formula regularly.	At what age was child first given infant or toddler formula regularly? Answer in months and weeks.	Single response	2. Answer months and weeks 3. Less than one week R. Refused X. Don't know
CBF6	\$1	\$CCBF6F	Child ever regularly given cows milk.	Has child ever been given cows' milk regularly?	Single response	1. Yes 2. No R. Refused X. Don't know
CBF7	\$1	\$CCBF7F	Age first given cows milk.	At what age was child first given cow's milk regularly? Answer in months and weeks.	Single response	2. Answer in months and weeks 3. Less than one week R. Refused X. Don't know
CBF8	\$1	\$CCBF8F	Child ever given other milk substitutes regularly.	Has child ever been given any other type of milk substitute on a regular basis?	Single response	1. Yes 2. No R. Refused X. Don't know
CBF9_1	\$1	\$C_MC_CD	Types of other milk substitutes.: Soya bean milk	What type of milk substitutes did child have?	Part of multiple response question	0. No 1. Yes
CBF9_2	\$1	\$C_MC_CD	Types of other milk substitutes: Goat's milk	What type of milk substitutes did child have?	Part of multiple response question	0. No 1. Yes
CBF9_3	\$1	\$C_MC_CD	Types of other milk substitutes: Evaporated milk	What type of milk substitutes did child have?	Part of multiple response question	0. No 1. Yes
CBF9_4	\$1	\$C_MC_CD	Types of other milk substitutes: Other (Specify)	What type of milk substitutes did child have?	Part of multiple response question	0. No 1. Yes
CBF9_5	\$1	\$C_MC_CD	Types of other milk substitutes: Don't know	What type of milk substitutes did child have?	Part of multiple response question	0. No 1. Yes
CBF9_6	\$1	\$C_MC_CD	Types of other milk	What type of milk substitutes did	Part of multiple response question	0. No

			substitutes: Refused	child have?		1. Yes
CBISC	8		Frequency of eating sweet and savoury biscuits, cakes, donuts or muesli bars per week		Derived variable which includes times per day*7, times per week and does not drink eat sweet and savoury biscuits, cakes, donuts, or muesli bars.	
CCONF	8		Number of times confectionary consumed per day		Derived variable which includes daily, weekly/7, monthly/30 and rarely or never consume confectionary	
CDAIRY	8		Total serves of dairy foods per day		Derived variable which includes daily, weekly/7 and does not consume milk, custard, yoghurt and cheese.	
CDM6	\$1	\$CCDM6F	Proxy respondents relationship to child	What is your relationship to child? For example are you child's father, mother, stepfather, stepmother or other relation?	Single response	1. Mother 2. Father 3. Stepmother 4. Stepfather 5. Grandmother 6. Grandfather 7. Legal guardian/Foster parent 8. Other R. Refused X. Don't know
CFREQEX_WKD	8		Number of days undertaking physical activity on weekdays		Derived variable which includes the number of weekdays spent doing and not doing physical activity outside of school hours	
CFREQEX_WKND	8		Number of days undertaking physical activity on the weekend		Derived variable which includes the number of weekend days spent doing and not doing physical activity	
CFREQ_TV_V_WKD	8		Number of days watching TV or video on weekdays		Derived variable which includes the number of weekdays spent watching and not watching TV, videos or DVDs at home?	
CFREQ_TV_V_WKND	8		Number of days watching TV or video on the weekend		Derived variable which includes the number of weekend days spent watching and not watching TV, videos or DVDs at home?	
CFREQ_VC_G_WKD	8		Number of days playing video or computer games during weekdays		Derived variable which includes the number of weekdays spent playing and not playing video or computer games	

CFREQ_VC G_WKND	8		Number of days playing video or computer games on the weekends		Derived variable which includes the number of weekend days playing and not playing video or computer games	
CHC1	\$1	\$CCHC1F	Ever attended regular child care	Have you ever used any child care for child on a regular basis?	Single response	1. Yes 2. No R. Refused X. Don't know
CHC2	\$1	\$CCHC2F	Currently attends childcare	Is child currently having any type of childcare on a regular basis?	Single response	1. Yes 2. No R. Refused X. Don't know
CHC3	\$1	\$CCHC3F	Age of first regular childcare	How old was child when he/she first started childcare for half a day or longer	Single response	1. Record in years and months R. Refused X. Don't know
CHC5_1	\$1	\$C_MC_CD	Type of childcare : Long day care centre	What type of childcare does child have?	Part of multiple response question	0. No 1. Yes
CHC5_2	\$1	\$C_MC_CD	Type of childcare : Occasional care	What type of childcare does child have?	Part of multiple response question	0. No 1. Yes
CHC5_3	\$1	\$C_MC_CD	Type of childcare : Friend	What type of childcare does child have?	Part of multiple response question	0. No 1. Yes
CHC5_4	\$1	\$C_MC_CD	Type of childcare : Grandparent	What type of childcare does child have?	Part of multiple response question	0. No 1. Yes
CHC5_5	\$1	\$C_MC_CD	Type of childcare : Nanny	What type of childcare does child have?	Part of multiple response question	0. No 1. Yes
CHC5_6	\$1	\$C_MC_CD	Type of childcare : Babysitter	What type of childcare does child have?	Part of multiple response question	0. No 1. Yes
CHC5_7	\$1	\$C_MC_CD	Type of childcare : Relative or family other than grandparents	What type of childcare does child have?	Part of multiple response question	0. No 1. Yes
CHC5_8	\$1	\$C_MC_CD	Type of childcare : Family day care (usually organised through local councils)	What type of childcare does child have?	Part of multiple response question	0. No 1. Yes
CHC5_9	\$1	\$C_MC_CD	Type of childcare : Other (Specify)	What type of childcare does child have?	Part of multiple response question	0. No 1. Yes
CHC5_10	\$1	\$C_MC_CD	Type of childcare : Don't know	What type of childcare does child have?	Part of multiple response question	0. No 1. Yes
CHC5_11	\$1	\$C_MC_CD	Type of childcare : Refused	What type of childcare does child have?	Part of multiple response question	0. No 1. Yes
CHRS_SED_WK	8		Average hours spent on sedentary activity per day during weekdays		Derived variable which equals (chrs_tvv_wkd*cfreq_tvv_wkd + chrs_vcg_wkd*cfreq_vcg_wkd+chrs_tvv_wknd*cfreq_tvv_wknd +	

					$\text{chrs_vcg_wknd} * \text{cfreq_vcg_wknd} / 7$	
CHRS_SED_WKD	8		Average hours spent on sedentary activity per day on weekdays		Derived variable which equals $(\text{chrs_tvv_wkd} * \text{cfreq_tvv_wkd} + \text{chrs_vcg_wknd} * \text{cfreq_vcg_wknd}) / 5$	
CHRS_SED_WKND	8		Average hours spent on sedentary activity per day on weekends		Derived variable which equals $(\text{chrs_tvv_wknd} * \text{cfreq_tvv_wknd} + \text{chrs_vcg_wknd} * \text{cfreq_vcg_wknd}) / 2$	
CHRS_TVV_WKD	8		Hours spent on watching TV or videos on weekdays		Derived variable which includes the number of hours spent watching TV, videos or DVDs at home and no time spent doing these activities on a weekday.	
CHRS_TVV_WKND	8		Hours spent on watching TV or video on weekends		Derived variable which includes the number of hours spent watching TV, videos or DVDs at home and no time spent doing these activities on a weekend day.	
CHRS_VCG_WKD	8		Hours spent on playing video or computer games on weekdays		Derived variable which includes the number of hours spent playing video or computer games and no time spent doing these activities on a weekday.	
CHRS_VCG_WKND	8		Hours spent on playing video or computer games on the weekends		Derived variable which includes the number of hours spent playing video or computer games and no time spent doing these activities on a weekend day.	
CHS30	\$1	\$CCHS30F	Ever used Personal Health Record	Have you ever used the personal health record for child?	Single response	1. Yes 2. No R. Refused X. Don't know
CHS31	\$1	\$CCHS31F	Possess Personal Health Record	Do you have a personal health record for child?	Single response	1. Yes 2. No R. Refused X. Don't know
CHS32	\$1	\$CCHS32F	Currently use Personal Health Record	Do you currently use the personal health record for child?	Single response	1. Yes 2. No R. Refused X. Don't know
CHS33A_1	\$1	\$C_MC_CD	Current uses of Personal Health Record : Record of	What do you currently use the Personal Health Record for?	Part of multiple response question	0. No 1. Yes

			immunisation			
CHS33A_2	\$1	\$C_MC_CD	Current uses of Personal Health Record : Record of growth (height and weight)	What do you currently use the Personal Health Record for?	Part of multiple response question	0. No 1. Yes
CHS33A_3	\$1	\$C_MC_CD	Current uses of Personal Health Record : Record of visits to baby health or early childhood centre	What do you currently use the Personal Health Record for?	Part of multiple response question	0. No 1. Yes
CHS33A_4	\$1	\$C_MC_CD	Current uses of Personal Health Record : Record of visits to the doctor	What do you currently use the Personal Health Record for?	Part of multiple response question	0. No 1. Yes
CHS33A_5	\$1	\$C_MC_CD	Current uses of Personal Health Record : Information on child health	What do you currently use the Personal Health Record for?	Part of multiple response question	0. No 1. Yes
CHS33A_6	\$1	\$C_MC_CD	Current uses of Personal Health Record : Nothing	What do you currently use the Personal Health Record for?	Part of multiple response question	0. No 1. Yes
CHS33A_7	\$1	\$C_MC_CD	Current uses of Personal Health Record : Other (Specify)	What do you currently use the Personal Health Record for?	Part of multiple response question	0. No 1. Yes
CHS33A_8	\$1	\$C_MC_CD	Current uses of Personal Health Record : Don't know	What do you currently use the Personal Health Record for?	Part of multiple response question	0. No 1. Yes
CHS33A_9	\$1	\$C_MC_CD	Current uses of Personal Health Record : Refused	What do you currently use the Personal Health Record for?	Part of multiple response question	0. No 1. Yes
CHVAC1	\$1	\$CCHVC1F	Feelings on childhood vaccination	Overall, how do you feel about childhood vaccination? Do you...	Single response [Read out]	1. Strongly support it 2. Generally support it 3. Neither support nor oppose it 4. Generally oppose it 5. Strongly oppose it R. Refused X. Don't know
CHVAC2B	\$1	\$CHVC2BF	Childhood immunisation safety	In general, how safe do you think immunisations are for children?	Single response [Read out]	1. Completely safe 2. Slight risk 3. Moderate risk 4. High risk R. Refused X. Don't know
CHVAC6	\$1	\$CCHVC6F	Children get too many vaccines	I will now read some statements about immunisations. For each statement, please indicate whether you agree or disagree with it. Children get too many vaccines during the first two years of life. Do you:	Single response [Read out]	1. Strongly agree 2. Agree 3. Neither agree nor disagree 4. Disagree 5. Strongly disagree R. Refused X. Don't know

CHVAC7	\$1	\$CCHVC7F	Immunisations weaken immune systems	I am concerned that my child's immune system could be weakened by immunisations Do you:	Single response [Read out]	1. Strongly agree 2. Agree 3. Neither agree nor disagree 4. Disagree 5. Strongly disagree R. Refused X. Don't know
CHVAC8	\$1	\$CCHVC8F	Child up to date with immunisations	Do you think child is up to date with immunisations? Would you say:	Single response [Read out]	1. Yes, completely up to date 2. No, but has had some 3. No, hasn't had any R. Refused X. Don't know
CID10_1	\$1	\$C_MC_CD	Location of where child was rescued from drowning : Beach	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID10_2	\$1	\$C_MC_CD	Location of where child was rescued from drowning : Off a boat	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID10_3	\$1	\$C_MC_CD	Location of where child was rescued from drowning : River	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID10_4	\$1	\$C_MC_CD	Location of where child was rescued from drowning : Lake	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID10_5	\$1	\$C_MC_CD	Location of where child was rescued from drowning : Fish pond	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID10_6	\$1	\$C_MC_CD	Location of where child was rescued from drowning : Farm dam	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID10_7	\$1	\$C_MC_CD	Location of where child was rescued from drowning : Bath	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID10_8	\$1	\$C_MC_CD	Location of where child was rescued from drowning : Swimming pool	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID10_9	\$1	\$C_MC_CD	Location of where child was rescued from drowning : Wading pool	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID10_10	\$1	\$C_MC_CD	Location of where child was rescued from drowning : Bucket	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID10_11	\$1	\$C_MC_CD	Location of where child was rescued from drowning :	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes

			Any other place (Specify)			
CID10_12	\$1	\$C_MC_CD	Location of where child was rescued from drowning : Don't Know	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID10_13	\$1	\$C_MC_CD	Location of where child was rescued from drowning : Refused	From which places was child rescued from drowning?	Part of multiple response question	0. No 1. Yes
CID11	\$1	\$CCID11F	Received resuscitation for drowning	Did child receive resuscitation for any of these near drownings?	Single response	1. Yes 2. No R. Refused X. Don't know
CID9A	\$1	\$CCID9AF	Child rescued from drowning	In the last 12 months was child rescued from drowning from any body of water, for example from a beach, river, bath, bucket, pond or wading pool?	Single response	1. Yes 2. No R. Refused X. Don't know
CMILK	8		Cups of milk consumption per day		Derived variable which includes cups per day, cups per week/7 and does not drink milk.	
CMIN_WKD	8		Minutes spent on physical activity on the weekdays		Derived variable which includes minutes, hours*60 and no time spent on physical activity during the school week	
CMIN_WKN D	8		Minutes spent on physical activity on the weekends		Derived variable which includes minutes, hours*60 and no time spent on physical activity during the weekend	
CNF5B	\$1	\$CCNF5BF	Used foliate supplements of 0.5mg in month before pregnancy	Did you take capsules or tablets containing at least 0.5mg of foliate daily in the month immediately before you became pregnant?	Single response [Read out]	1. Yes daily 2. Yes regularly but not daily 3. Yes sometimes 4. No 5. Not applicable not the birth mother R. Refused X. Don't know
CNF6B	\$1	\$CCNF6BF	Used foliate supplements of 0.5mg in the first 3 months of pregnancy	Did you take capsules or tablets containing at least 0.5mg of foliate daily in the first three months of this pregnancy?	Single response [Read out]	1. Yes daily 2. Yes regularly but not daily 3. Yes sometimes 4. No 5. Not applicable not the birth mother R. Refused X. Don't know
CNF10	\$1	\$CCNF10F	Age given water	At what age was child first given	Single response	2. Answer in months and

				water regularly? Answer in months and weeks.		weeks 3. Less than one week 4. Never given water/not yet started water R. Refused X. Don't know
CNFI11	\$1	\$CCNF11F	Serves of yoghurt eaten daily	How many serves of yoghurt does child usually have in a day? 1 serve is 200gms yoghurt	Single response	1. Answer in serves per day 2. Answer in serves per week 3. Has yoghurt less than once a week/Not at all R. Refused X. Don't know
CNFI12	\$1	\$CCNF12F	Serves of custard eaten daily	How many serves of custard does child usually have in a day? 1 serve is 250 mls custard	Single response	1. Answer in serves per day 2. Answer in serves per week 3. Has custard less than once a week/Not at all R. Refused X. Don't know
CNFI13	\$1	\$CCNF13F	Serves of cheese eaten daily	How many serves of cheese does child usually have in a day? 1 serve is 40g cheese	Single response	1. Answer in serves per day 2. Answer in serves per week 3. Has cheese less than once a week/Not at all R. Refused X. Don't know
CNFI14	\$1	\$CCNF14F	Cups of water drunk per day	How many cups of water does child usually drink in a day? 1 cup=250ml or a household tea cup. 1 average bottle of water = 1.5 cups.	Single response	1. Number of cups per day 2. Number of cups per week 3. Doesn't drink water R. Refused X. Don't know
CNFI15	\$1	\$CCNF15F	Cups of cordial per day	How many cups of soft drink, cordials or sports drink, such as lemonade or Gatorade, does child usually drink in a day? 1 cup=250ml. One can of soft drink = 1.5 cups. One 500ml bottle of Gatorade = 2 cups.	Single response	1. Cups per day 2. Cups per week 3. Doesn't drink soft drink R. Refused X. Don't know
CNFI16	\$1	\$CCNF16F	Confectionary consumption	How often does child usually eat confectionary including chocolate, confectionary bars and lollies?	Single response	1. Record times per day 2. Record times per week 3. Record times per month 4. Rarely or never R. Refused X. Don't know
CNFI5	\$1	\$CNFI5F	Cups of milk drunk each day	How many cups of milk does child usually drink in a day? (1 cup=250ml, a household tea cup)	Single response	1. Answer in cups per day 2. Answer in cups per week 3. Drinks other milk such as

						soy milk (Specify____) 4. Doesn't drink cow's milk or other milk R. Refused X. Don't know
CNFI6	\$1	\$CCNFI6F	Cups of fruit juice	How many cups of fruit juice does child usually drink in a day? 1 cup=250ml, a household tea cup or large popper	Single response	1. Answer in cups per day 2. Answer in cups per week 3. Doesn't drink juice R. Refused X. Don't know
CNFI9	\$1	\$CCNFI9F	At what age given fruit juice	At what age was child first given fruit juice regularly? Answer in months and weeks.	Single response	2. Answer in months and weeks 3. Less than one week 4. Never given fruit juice/not yet started fruit juice R. Refused X. Don't know
CORDIAL	8		Cups of cordial, soft drinks or energy drinks drunk per week		Derived variable which includes cups per day*7, cups per week and does not drink soft drink, cordials or sports drinks	
CPHY2	\$1	\$CCPHY2F	On those days, about how many hours does usually do physical activity?	On those days, about how many hours does child usually do physical activity?	Single response	1. Record hours and minutes R. Refused X. Don't know
CPHY3	\$1	\$CCPHY3F	Number of days on weekend usually does physical activity	On about how many weekend days does child usually do physical activity?	Single response	1. Record days 2. None R. Refused X. Don't know
CPHY4	\$1	\$CCPHY4F	Hours/day on weekend usually does physical activity	On a typical weekend day, about how many hours does child usually do physical activity?	Single response	1. Record hours and minutes 2. Does not do exercise on weekend R. Refused X. Don't know
CPHY5	\$1	\$CCPHY5F	Number of days during school week usually does physical activity during school hours	On about how many days during the school week does child usually do physical activity during school hours?	Single response	1. Record days 2. None R. Refused X. Don't know
CPHY6	\$1	\$CCPHY6F	On those days, about how many hours does usually do physical activity (during school hours)?	On those days, about how many hours does child usually do physical activity?	Single response	1. Record hours and minutes R. Refused X. Don't know
CPIA1	\$1	\$CCPIA1F	No. days during week usually watch TV/videos	On about how many days during the school week, does child usually watch TV, videos or DVDs at home?	Single response	1. Record days 2. None 3. No TV/video in home R. Refused

						X. Don't know
CPIA10	8		Recommended television watching	Up to how many hours of television, video, DVD or computer games is it recommended that children watch each day?		
CPIA2	\$1	\$CCPIA2F	hours/day during week usually watch TV/videos	On those days, about how many hours does child usually spend watching TV, videos or DVDs? That is, how many hours on a typical weekday when tv is watched?	Single response	1. Record hours and minutes R. Refused X. Don't know
CPIA3	\$1	\$CCPIA3F	No. days on weekend usually watch TV/videos	On about how many weekend days does child usually watch TV, videos or DVDs at home?	Single response	1. Record Days 2. None 3. No TV/video in home R. Refusal X. Don't know
CPIA4	\$1	\$CCPIA4F	Hours/day on weekend usually watch TV/videos	On a typical weekend day, about how many hours does child usually spend watching TV, videos or DVDs?	Single response	1. Record in hours and minutes R. Refused X. Don't know
CPIA5	\$1	\$CCPIA5F	No. days during week play video or computer games	On about how many days during the school week does child usually play video or computer games?	Single response	1. Record days 2. None 3. No video/computer games R. Refusal X. Don't know
CPIA6	\$1	\$CCPIA6F	Hours/day during week play video or computer games	On those days, about how many hours does child usually spend playing video or computer games? That is, how many hours on a typical weekday when video/computer games are played?	Single response	1. Record hours and minutes R. Refused X. Don't know
CPIA7	\$1	\$CCPIA7F	No. days on weekend play video or computer games	On about how many weekend days does child usually play video or computer games?	Single response	1. Record days 2. None 3. No video/computer games R. Refused X. Don't know
CPIA8	\$1	\$CCPIA8F	Hours/day on weekend play video or computer games	On a typical weekend day, about how many hours does child usually spend playing video or computer games?	Single response	1. Record hours and minutes R. Refused X. Don't know
CPS	8		Conduct problem score		Derived variable which is the score from the Goodman Strengths and Difficulties	

					Questionnaire for items relating to conduct problems	
CPSS1	\$1	\$CCPSS1F	Need for parent support	Have you ever felt the need for any type of support services to assist in caring for child or dealing with problems you may have experienced with them? (PROMPT: Support services include Karitane, Tresillian, early childhood health services, family support services, counsellors)	Single response	1. Yes 2. No R. Refused X. Don't know
CPSS2	\$1	\$CCPSS2F	Used support services	Have you ever used any support services?	Single response	1. Yes 2. No R. Refused X. Don't know
CSD3	\$1	\$CSD3F	Sleeping position from birth	What position did you put child to sleep in from birth?	Single response [Read out]	1. On his/her back 2. On his/her side 3. On his/her tummy 4. Any other position (Specify____) R. Refused X. Don't know
CTAB	8		Frequency of family eating together at table per week		Derived variable which includes times per day*7, times per week and does not eat together at the table	
CTEL	8		Frequency of eating in front of television per week		Derived variable which includes times per day*7, times per week and does not eat in front of the TV	
DBT20_1	\$1	\$C_MC_CD	Relatives with diabetes : None	Have any of the members of child's immediate family or other relatives been diagnosed with diabetes?	Part of multiple response question	0. No 1. Yes
DBT20_2	\$1	\$C_MC_CD	Relatives with diabetes : Grandparent, aunt, uncle or first cousin	Have any of the members of child's immediate family or other relatives been diagnosed with diabetes?	Part of multiple response question	0. No 1. Yes
DBT20_3	\$1	\$C_MC_CD	Relatives with diabetes : Parent, brother sister or own child	Have any of the members of child's immediate family or other relatives been diagnosed with diabetes?	Part of multiple response question	0. No 1. Yes
DBT20_4	\$1	\$C_MC_CD	Relatives with diabetes : Other (Specify)	Have any of the members of child's immediate family or other relatives been diagnosed with diabetes?	Part of multiple response question	0. No 1. Yes

DBT20_5	\$1	\$C_MC_CD	Relatives with diabetes : Don't know	Have any of the members of child's immediate family or other relatives been diagnosed with diabetes?	Part of multiple response question	0. No 1. Yes
DBT20_6	\$1	\$C_MC_CD	Relatives with diabetes : Refused	Have any of the members of child's immediate family or other relatives been diagnosed with diabetes?	Part of multiple response question	0. No 1. Yes
DEM13	\$1	\$CDEM13F	Private health insurance status	Apart from Medicare, is child currently covered by private health insurance?	Single response	1. Yes 2. No R. Refused X. Don't know
DEM2D	8		Adult respondent's age (years)	Could you please tell me how old today?		
DEM3B	\$1	\$DEM3BGP	Country of birth of parents		Derived variable using county of birth of parents.	1. Both parents from English Speaking Country (ESC) 2. Both parents from Non-English Speaking Country (NESC) 3. Both parents from Australia 4. One parent from Australia and the other from ESC 5. One parent from Australia and the other from a NESC 6. One parent from a NESC and the other from ESC.
DISADVQT	8	DISADV	Socioeconomic disadvantage quintile		Derived variable. This index is calculated on attributes such as low income and educational attainment, high unemployment, and people working in unskilled occupations. The SEIFA index values are grouped into 5 quintiles, with quintile one being the least disadvantaged and quintile 5 being the most disadvantaged. SEIFA indexes were assigned based on respondents postcode of residence	1. 1st quintile least disadvantaged 2. 2nd quintile 3. 3rd quintile 4. 4th quintile 5. 5th quintile most disadvantaged
D_CHEESE	8		Total serves of cheese consumption per day		Derived variable which includes daily, weekly/7 and does not consume cheese.	
D_CHILDCA	8		Age, in years, when child		Derived variable which includes	

RE			first regularly attended childcare		age in years and age in months/12.	
D_COWINT	8		Age, in months, when child first given cows milk regularly		Derived variable which includes age in months and age in weeks/4.	
D_CUSTAR D	8		Total serves of custard consumption per day		Derived variable which includes daily, weekly/7 and does not consume custard.	
D_FMINT	8		Age, in months, when child first given toddler or infant formula regularly		Derived variable which includes age in months and age in weeks/4.	
D_INT1	8		Number of eligible persons living in the household		Derived variable used for weighting usually is the number of persons in the household but may be the number of persons of a certain age or demographic if sampled as such.	
D_JUICEINT	8		Age, in months, when child first given juice regularly		Derived variable which includes age in months and age in weeks/4.	
D_MILK	8		Total serves of dairy milk consumption per day		Derived variable which includes daily, weekly/7 and does not drink milk.	
D_OTHMINT	8		Age, in months, when child first given other milk substitutes regularly		Derived variable which includes age in months and age in weeks/4.	
D_WATERI NT	8		Age, in months, when child first given water regularly		Derived variable which includes age in months and age in weeks/4.	
D_YOGHUR T	8		Total serves of yoghurt consumption per day		Derived variable which includes daily, weekly/7 and does not consume yoghurt.	
ENR1	\$1	\$ENR1F	Usual source of drinking water	What is your normal source of drinking water?	Single response	<ul style="list-style-type: none"> 1. Public water supply 2. Bottled water 3. Rainwater 4. Private bore, spring or well 5. Other private supply (eg creek or farm dam) 6. Combination of different water sources 7. Other R. Refused X. Don't know
ESS	8		Emotional symptoms score		Derived variable which is the	

					score from the Goodman Strengths and Difficulties Questionnaire for items relating to emotional symptoms	
F1	8		Serves of fruit eaten per day		Derived variable which combines serves of fruit measured per day, weekly/7 and does not eat fruit	
FF1	8		Times hot fried potato products eaten per week		Derived variable which combines daily*7, weekly and monthly/4 and rarely or never eat fried potato products.	
FSC1	\$1	\$CFSC1F	Food insecurity in the last 12 months	In the last twelve months, were there any times that you ran out of food and couldn't afford to buy more?	Single response	1. Yes 2. No R. Refused X. Don't know
FSC2_1	\$1	\$C_MC_CD	Coping methods for feeding children when lack of food security in the last 12 months : Parent/guardian skips meals or eats less	How do you cope with feeding child when this happens?	Part of multiple response question	0. No 1. Yes
FSC2_2	\$1	\$C_MC_CD	Coping methods for feeding children when lack of food security in the last 12 months : Children/child skip meals or eat less	How do you cope with feeding child when this happens?	Part of multiple response question	0. No 1. Yes
FSC2_3	\$1	\$C_MC_CD	Coping methods for feeding children when lack of food security in the last 12 months : Cut down on variety of foods family eats	How do you cope with feeding child when this happens?	Part of multiple response question	0. No 1. Yes
FSC2_4	\$1	\$C_MC_CD	Coping methods for feeding children when lack of food security in the last 12 months : Seek help from relatives	How do you cope with feeding child when this happens?	Part of multiple response question	0. No 1. Yes
FSC2_5	\$1	\$C_MC_CD	Coping methods for feeding children when lack of food security in the last 12 months : Seek help from friends	How do you cope with feeding child when this happens?	Part of multiple response question	0. No 1. Yes
FSC2_6	\$1	\$C_MC_CD	Coping methods for feeding children when lack of food security in the last 12 months : Seek help from Government / Social	How do you cope with feeding child when this happens?	Part of multiple response question	0. No 1. Yes

			Security			
FSC2_7	\$1	\$C_MC_CD	Coping methods for feeding children when lack of food security in the last 12 months : Seek help from welfare agencies	How do you cope with feeding child when this happens?	Part of multiple response question	0. No 1. Yes
FSC2_8	\$1	\$C_MC_CD	Coping methods for feeding children when lack of food security in the last 12 months : Other (Specify)	How do you cope with feeding child when this happens?	Part of multiple response question	0. No 1. Yes
FSC2_9	\$1	\$C_MC_CD	Coping methods for feeding children when lack of food security in the last 12 months : Don't know	How do you cope with feeding child when this happens?	Part of multiple response question	0. No 1. Yes
FSC2_10	\$1	\$C_MC_CD	Coping methods for feeding children when lack of food security in the last 12 months : Refusal	How do you cope with feeding child when this happens?	Part of multiple response question	0. No 1. Yes
HM_CAT	\$1	\$HM_CAT	Body Mass Index category		Derived variable. In children, BMI is first calculated by dividing a person's weight (in kilograms) by their height (in metres) squared. The resulting BMI is then classified into 4 categories: underweight when the BMI is less than 18.5, healthy weight when the BMI is greater than or equal to 18.5 and less than 25, overweight when the BMI is greater than or equal to 25 and less than 30, and obese when the BMI is greater than or equal to 30. These categories are then adjusted for international cut-off points defined for underweight, overweight, and obesity (Cole et al. 2000; Cole et al. 2007).	1. Underweight 2. Healthy weight 3. Overweight 4. Obesity
HS	8		Hyperactivity score		Derived variable which is the score from the Goodman Strengths and Difficulties Questionnaire for items relating to hyperactivity	
HSD4	\$1	\$CHSD4F	Self rated general health	Overall, how would you rate child's health during the past 4 weeks?	Single response [Read out]	1. Excellent 2. Very good 3. Good

						4. Fair 5. Poor 6. Very poor R. Refused X. Don't know
HSD5	\$1	\$CHSD5F	Difficulty doing work/activity.	During the past 4 weeks how much difficulty did child have doing his/her daily work or activities?	Single response [Read out]	1. No difficulty at all 2. A little bit of difficulty 3. Some difficulty 4. Much difficulty 5. Could not do work/activities R. Refused X. Don't know
HSD6	\$1	\$CHSD6F	Bodily pain	During the past 4 weeks how much bodily pain has child generally had?	Single response [Read out]	1. No pain 2. Very mild pain 3. Mild pain 4. Moderate pain 5. Severe pain R. Refused X. Don't know
HSNUM	\$16		Unique health survey number			
HSU12N	\$1	\$CHS12NF	Home-visit in last 12 months	In the last 12 months, has a child or community nurse visited child in your home?	Single response	1. Yes 2. No R. Refused X. Don't know
HSU14	\$1	\$CHSU14F	Difficulties in getting health care	Do you have any difficulties getting health care when child needs it?	Single response	1. Yes 2. No 3. Don't need health care R. Refused X. Don't know
HSU15_1	\$1	\$C_MC_CD	Types of difficulties in getting health care : Waiting time for GP appointment	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_2	\$1	\$C_MC_CD	Types of difficulties in getting health care : Difficulty getting after hours GP appointment	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_3	\$1	\$C_MC_CD	Types of difficulties in getting health care : Shortage of GPs in area	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_4	\$1	\$C_MC_CD	Types of difficulties in getting health care : No bulk billing	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes

HSU15_5	\$1	\$C_MC_CD	Types of difficulties in getting health care : Difficulty in accessing specialists	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_6	\$1	\$C_MC_CD	Types of difficulties in getting health care : Waiting time for dental services	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_7	\$1	\$C_MC_CD	Types of difficulties in getting health care : Shortage of health services	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_8	\$1	\$C_MC_CD	Types of difficulties in getting health care : Emergency department waiting time	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_9	\$1	\$C_MC_CD	Types of difficulties in getting health care : Quality of treatment	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_10	\$1	\$C_MC_CD	Types of difficulties in getting health care : Waiting time for elective surgery	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_11	\$1	\$C_MC_CD	Types of difficulties in getting health care : Cost of health care services	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_12	\$1	\$C_MC_CD	Types of difficulties in getting health care : Other transport issues	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU15_13	\$1	\$C_MC_CD	Types of difficulties in getting health care : Other	Please describe the difficulties you have.	Part of multiple response question	0. No 1. Yes
HSU1A_1	\$1	\$C_MC_CD	Health service attended in last 12 months : Stayed for at least one night in hospital	In the last 12 months, has child attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_2	\$1	\$C_MC_CD	Health service attended in last 12 months : A hospital emergency. dept. (or casualty) for medical care	In the last 12 months, has child attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_3	\$1	\$C_MC_CD	Health service attended in last 12 months : Early childhood centre	In the last 12 months, has child attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_4	\$1	\$C_MC_CD	Health service attended in last 12 months : A Government run community health centre	In the last 12 months, has child attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_5	\$1	\$C_MC_CD	Health service attended in last 12 months : A	In the last 12 months, has child attended any of the following	Part of multiple response question	0. No 1. Yes

			Government dental service or dental hospital	services:		
HSU1A_6	\$1	\$C_MC_CD	Health service attended in last 12 months : A general practitioner	In the last 12 months, has child attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_7	\$1	\$C_MC_CD	Health service attended in last 12 months : A specialist	In the last 12 months, has child attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_8	\$1	\$C_MC_CD	Health service attended in last 12 months : Did not attend any of these services	In the last 12 months, has child attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_9	\$1	\$C_MC_CD	Health service attended in last 12 months : Don't know	In the last 12 months, has child attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU1A_10	\$1	\$C_MC_CD	Health service attended in last 12 months : Refused	In the last 12 months, has child attended any of the following services:	Part of multiple response question	0. No 1. Yes
HSU2AH	\$1	\$CHS2AHF	Type of hospital for most recent overnight stay	Can you tell me if the overnight stay was at a public or private hospital?	Single response	1. Public Hospital 2. Private Hospital 3. Private Hospital attached to a Public Hospital R. Refused X. Don't know
HSU4	\$1	\$CHSU4F	Currently visiting early childhood centre	Is child seeing a baby health or early childhood health nurse on a regular basis? (PROMPT includes regular visits to early childhood health centre or baby health centre) (PROMPT regular visits means attended last appointment and plan to take child again)	Single response	1. Yes 2. No R. Refused X. Don't know
HSU5	\$1	\$HSU5F	Reason for not currently visiting early childhood centre	Can you tell me the main reason child is not seeing a baby health or early childhood health nurse?	Single response	1. Centre at inconvenient location 2. Centre has inconvenient/unsuitable hours 3. Insufficient services 4. Unwelcome atmosphere 5. No need to attend / anymore 6. Not useful / Not useful anymore 7. Use other services instead 8. Other 9. Next scheduled visit not

						due yet R. Refused X. Don't know
HSU5GP	\$1	\$CHS5GPF	Last see a GP	When did child last see a general practitioner?	Single response	1. Within the last week 2. 1 to 2 weeks ago 3. 2 weeks to 1 month ago 4. between 1 and 6 months 5. 6 to 12 months ago R. Refused X. Don't know
HSU6B	\$1	\$CHSU6BF	Rating of overall care at early childhood centre	Overall, what do you think of the care child received at the most recent early childhood centre visit?	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6C	\$1	\$CHSU6CF	Rating of overall care from community nurse in last 12 months	Overall, what do you think of the care child received from this child and community nurse?	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6CH	\$1	\$CHS6CHF	Rating of care for most recent community health centre visit	Overall, what do you think of the care child received at the community health centre last attended? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6ED	\$1	\$CHS6EDF	Rating of care for most recent emergency department visit	Overall, what do you think of the care child received at the emergency department child last attended?	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6GP	\$1	\$CHS6GPF	Rating of care for most recent GP visit	Overall, what do you think of the care child received at the most recent GP visit? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know

HSU6H	\$1	\$CHSU6HF	Rating of care for most recent overnight hospital stay	Overall, what do you think of the care child received at the last hospital he/she attended? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6PD	\$1	\$CHS6PDF	Rating of care for most recent public dental service visit	Overall, what do you think of the care child received at the most recent public dental service visit? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU6S	\$1	\$CHSU6SF	Rating of care for most recent specialist visit stay	Overall, what do you think of the care child received at the specialist he/she last attended? Was it...	Single response [Read out]	1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
HSU7B_1	\$1	\$C_MC_CD	Reason for rating overall care at early childhood centre as fair/poor : Insufficient services offered/staff shortages	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7B_2	\$1	\$C_MC_CD	Reason for rating overall care at early childhood centre as fair/poor : Poor attitude of staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7B_3	\$1	\$C_MC_CD	Reason for rating overall care at early childhood centre as fair/poor : Poor technical skill of staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7B_4	\$1	\$C_MC_CD	Reason for rating overall care at early childhood centre as fair/poor : Waiting time	Could you briefly describe why you rated the care child received as fair/poor? Description:	Part of multiple response question	0. No 1. Yes
HSU7B_5	\$1	\$C_MC_CD	Reason for rating overall care at early childhood centre as fair/poor : Other	Could you briefly describe why you rated the care child received as fair/poor? Description:	Part of multiple response question	0. No 1. Yes
HSU7C_1	\$1	\$C_MC_CD	Reason for rating most recent community nurse as fair/poor : Poor attitude of nursing staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes

HSU7C_3	\$1	\$C_MC_CD	Reason for rating most recent community nurse as fair/poor : Other	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7CH_1	\$1	\$C_MC_CD	Reason for rating most community health centre visit as fair/poor : Insufficient services offered or staff shortages	Could you briefly describe why you rated the care child received as fair/poor? Description:	Part of multiple response question	0. No 1. Yes
HSU7CH_2	\$1	\$C_MC_CD	Reason for rating most community health centre visit as fair/poor : Poor attitude of staff	Could you briefly describe why you rated the care child received as fair/poor? Description:	Part of multiple response question	0. No 1. Yes
HSU7CH_3	\$1	\$C_MC_CD	Reason for rating most community health centre visit as fair/poor : Poor technical skill of staff	Could you briefly describe why you rated the care child received as fair/poor? Description:	Part of multiple response question	0. No 1. Yes
HSU7CH_4	\$1	\$C_MC_CD	Reason for rating most community health centre visit as fair/poor : Waiting time	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7CH_5	\$1	\$C_MC_CD	Reason for rating most community health centre visit as fair/poor : Contradictory diagnoses and/or diagnosis contradicted that of other clinicians (clinical/behavioural)	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7CH_6	\$1	\$C_MC_CD	Reason for rating most community health centre visit as fair/poor : Poor communication	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7CH_7	\$1	\$C_MC_CD	Reason for rating most community health centre visit as fair/poor : Cultural or sociological prejudices of staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7CH_9	\$1	\$C_MC_CD	Reason for rating most community health centre visit as fair/poor : Other	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7ED_1	\$1	\$C_MC_CD	Reason for rating most recent emergency department visit as fair/poor : Not enough staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes

HSU7ED_2	\$1	\$C_MC_CD	Reason for rating most recent emergency department visit as fair/poor : Poor accommodation quality	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7ED_3	\$1	\$C_MC_CD	Reason for rating most recent emergency department visit as fair/poor : Communication problems	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7ED_4	\$1	\$C_MC_CD	Reason for rating most recent emergency department visit as fair/poor : Poor attitude of clinical staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7ED_5	\$1	\$C_MC_CD	Reason for rating most recent emergency department visit as fair/poor : Poor technical skill of clinical staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7ED_6	\$1	\$C_MC_CD	Reason for rating most recent emergency department visit as fair/poor : Waiting time	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7ED_7	\$1	\$C_MC_CD	Reason for rating most recent emergency department visit as fair/poor : Sent home without treatment or follow-up	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7ED_8	\$1	\$C_MC_CD	Reason for rating most recent emergency department visit as fair/poor : Misdiagnosis or contradictory diagnoses	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7ED_9	\$1	\$C_MC_CD	Reason for rating most recent emergency department visit as fair/poor : Inadequate or wrong medication or management	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7ED_10	\$1	\$C_MC_CD	Reason for rating most recent emergency department visit as fair/poor : Poor service/unhappy with level of service	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7ED_11	\$1	\$C_MC_CD	Reason for rating most recent emergency	Could you briefly describe why you rated the care child received	Part of multiple response question	0. No 1. Yes

			department visit as fair/poor : Other	as fair/poor?		
HSU7ED_13	\$1	\$C_MC_CD	Reason for rating most recent emergency department visit as fair/poor : Refused	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_1	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Can't find a GP I like (including GP has moved or retired)	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_2	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Communication problems	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_3	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Communication problems - lack of English on part of doctor	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_4	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Inadequate or wrong medication or management (includes misdiagnosis or contradictory diagnosis/no answer to my problem/sent home without treatment or follow-up)	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_5	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Lack of availability or other access problem	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_6	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Lack of caring manner (include lack of interest, blasé, routine attitude/poor attitude of clinical staff)	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_7	\$1	\$C_MC_CD	Reason for rating most recent general practitioner	Could you briefly describe why you rated the care child received	Part of multiple response question	0. No 1. Yes

			visit as fair/poor : Lack of technical skill of clinical staff	as fair/poor?		
HSU7GP_8	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Too expensive	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_9	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Too far to go	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_10	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Waiting time	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_11	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Don't know	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_13	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Unhappy with level of service	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7GP_14	\$1	\$C_MC_CD	Reason for rating most recent general practitioner visit as fair/poor : Other	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_1	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Not enough staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_2	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Poor quality accommodation	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_3	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Communication problems	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_4	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Poor attitude of clinical staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_5	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Poor	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes

			technical skill of clinical staff			
HSU7H_6	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Excessive time waiting for care	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_7	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Poor or inadequate food	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_8	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Inadequate or wrong medication or management	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_9	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Surgery cancelled or sent home without treatment	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_10	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Hospital could not offer required care	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_11	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Poor service/unhappy with level of service	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7H_12	\$1	\$C_MC_CD	Reason for rating most recent overnight hospital stay as fair/poor : Other	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7PD_1	\$1	\$C_MC_CD	Reason for rating most recent public dental service visit as fair/poor : Insufficient services/staff shortage	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7PD_2	\$1	\$C_MC_CD	Reason for rating most recent public dental service visit as fair/poor : Poor attitude of staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7PD_3	\$1	\$C_MC_CD	Reason for rating most recent public dental service visit as fair/poor : Poor	Could you briefly describe why you rated the care child received as fair/poor? Description:	Part of multiple response question	0. No 1. Yes

			technical skill of staff			
HSU7PD_4	\$1	\$C_MC_CD	Reason for rating most recent public dental service visit as fair/poor : Waiting time	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7PD_5	\$1	\$C_MC_CD	Reason for rating most recent public dental service visit as fair/poor : Other	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7S_2	\$1	\$C_MC_CD	Reason for rating most recent specialist visit as fair/poor : Communication problems	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7S_4	\$1	\$C_MC_CD	Reason for rating most recent specialist visit as fair/poor : Inadequate or wrong medication or management (includes misdiagnosis or contradictory diagnosis/no answer to my problem)	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7S_5	\$1	\$C_MC_CD	Reason for rating most recent specialist visit as fair/poor : Lack of availability or other access problem	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7S_6	\$1	\$C_MC_CD	Reason for rating most recent specialist visit as fair/poor : Lack of caring manner (includes lack of interest, blasé, routine attitude, poor attitude of clinical staff)	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7S_7	\$1	\$C_MC_CD	Reason for rating most recent specialist visit as fair/poor : Lack of technical skill of clinical staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7S_8	\$1	\$C_MC_CD	Reason for rating most recent specialist visit as fair/poor : Too expensive	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7S_9	\$1	\$C_MC_CD	Reason for rating most recent specialist visit as fair/poor : Too far to go	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7S_10	\$1	\$C_MC_CD	Reason for rating most recent specialist visit as	Could you briefly describe why you rated the care child received	Part of multiple response question	0. No 1. Yes

			fair/poor : Waiting time	as fair/poor?		
HSU7S_13	\$1	\$C_MC_CD	Reason for rating most recent specialist visit as fair/poor : Unhappy with level of service	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HSU7S_14	\$1	\$C_MC_CD	Reason for rating most recent specialist visit as fair/poor : Other	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
HWT1	\$1	\$CHWT1F	Height in centimetres	Now a few questions about child's height and weight. How tall is child without shoes?	Single response	1. Record in centimetres OR 2. Record in Feet and Inches R. Refused X. Don't know (probe for best estimate before accepting)
HWT2	\$1	\$CHWT2F	Weight in kilograms	How much does child weigh without clothes or shoes?	Single response	1. Answer in Kilograms OR 2. Answer in Stones and Pounds (14 pounds in a stone) R. Refused X. Don't know (Probe for best estimate before accepting)
ILI1B_1	\$1	\$C_MC_CD	Influenza like illness in the past 4 weeks : Fever or high temperature	In the last 4 weeks, did child have an illness with any of the following symptoms?	Part of multiple response question	0. No 1. Yes
ILI1B_2	\$1	\$C_MC_CD	Influenza like illness in the past 4 weeks : Cough	In the last 4 weeks, did child have an illness with any of the following symptoms?	Part of multiple response question	0. No 1. Yes
ILI1B_3	\$1	\$C_MC_CD	Influenza like illness in the past 4 weeks : Sore throat	In the last 4 weeks, did child have an illness with any of the following symptoms?	Part of multiple response question	0. No 1. Yes
ILI1B_4	\$1	\$C_MC_CD	Influenza like illness in the past 4 weeks : Fatigue	In the last 4 weeks, did child have an illness with any of the following symptoms?	Part of multiple response question	0. No 1. Yes
ILI1B_5	\$1	\$C_MC_CD	Influenza like illness in the past 4 weeks : None of the above	In the last 4 weeks, did child have an illness with any of the following symptoms?	Part of multiple response question	0. No 1. Yes
ILI1B_6	\$1	\$C_MC_CD	Influenza like illness in the past 4 weeks : Don't know	In the last 4 weeks, did child have an illness with any of the following symptoms?	Part of multiple response question	0. No 1. Yes
ILI1B_7	\$1	\$C_MC_CD	Influenza like illness in the past 4 weeks : Refused	In the last 4 weeks, did child have an illness with any of the following symptoms?	Part of multiple response question	0. No 1. Yes
ILI2	\$1	\$CILI2F	See GP for Influenza like illness	Did child see a GP for this illness?	Single response	1. Yes 2. No R. Refused

						X. Don't know
ILI3	\$1	\$CILI3F	Go to ED or hospital for Influenza like illness	Did child go to a hospital or emergency department for this illness?	Single response	1. Yes 2. No R. Refused X. Don't know
IMM2	\$1	\$CIMM2F	Vaccinated against influenza in last 12 months	Was child vaccinated or immunised against flu in the past 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
INC2	\$1	\$CINC2F	Household income	I would now like to ask you about your household's income. What is your annual household income before tax? Would it be:	Single response [Read out]	2. less than \$20,000 3. \$20,000-\$40,000 4. \$40,000-\$60,000 5. \$60,000-\$80,000 6. More than \$80,000 R. Refused X. Don't know
I_ASTHMA1	\$2	\$S_INDF	Ever diagnosed with asthma, children 2-15 years		The indicator includes those children who have ever been told by a doctor or hospital that they have asthma. The question used to define the indicator was: Has child ever been told by a doctor or hospital he or she has asthma?	1. Yes 2. No X. Don't know/Refused
I_ASTHMA2	\$2	\$S_INDF	Current asthma, children 2-15 years		The indicator includes those children with symptoms of asthma or who had treatment for asthma in the last 12 months. The questions used to define the indicator were: Has child ever been told by a doctor or hospital he or she has asthma? Has child had symptoms of asthma or treatment for asthma in the last 12 months?	1. Yes 2. No X. Don't know/Refused
I_BMI	\$2	\$S_INDF	Overweight or obese, children 2-15 years		The indicator includes those children who are overweight or obese, according to international cut-off points for body mass index by age and sex. The questions used to define the indicator were: How tall is child without shoes? How much does child weigh without clothes or shoes? If unsure: As you were unsure or did not know the weight of child	1. Yes 2. No X. Don't know/Refused

					would you be able to measure child and provide us with that information when we ring you back in about a week's time?	
I_BMI2	\$2	\$\$_INDF	Obese, children 2-15 years		The indicator includes those children who are obese, according to international cut-off points for body mass index by age and sex. The questions used to define the indicator were: How tall is child without shoes? How much does child weigh without clothes or shoes? If unsure: As you were unsure or did not know the weight of child would you be able to measure child and provide us with that information when we ring you back in about a week's time?	1. Yes 2. No X. Don't know/Refused
I_BMI30	\$2	\$\$_INDF	Overweight, children 2-15 years		The indicator includes those children who are overweight, according to international cut-off points for body mass index by age and sex. The questions used to define the indicator were: How tall is child without shoes? How much does child weigh without clothes or shoes? If unsure: As you were unsure or did not know the weight of child would you be able to measure child and provide us with that information when we ring you back in about a week's time?	1. Yes 2. No X. Don't know/Refused
I_COMH2	\$2	\$\$_INDF	Community health centre care rated as excellent, very good or good, parents or carers of children 0-15 years who attended a community health centre in the last 12 months		The indicator includes those attending a community health centre in the last 12 months who rated the care as excellent, very good or good for the most recent attendance. The questions used to define the indicator were: In the last 12 months, has child attended a government-run community health centre? Overall, what do you think of the care child received at this community health centre: excellent, very good,	1. Yes 2. No X. Don't know/Refused

					good, fair or poor?	
I_DAIRY	\$2	\$S_INDF	Recommended daily dairy intake, children 2-15 years		The indicator includes children who consume the minimum recommended daily intake of dairy products (2 serves per day of milk, cheese, yoghurt or custard if aged 4-11 years or 3 serves per day if aged 12-15 years). The NHMRC Dietary Guidelines for Children and Adolescents in Australia does not provide recommendations for children aged 2-3 years and so the recommendations for 4-11 year old children have been applied. The questions used to define the indicator were: How many cups of milk does child drink per day? How many serves of custard does child have per day? How many serves of yoghurt does child have per day? How many serves of cheese does child have per day? A serve of dairy foods is: 250ml of milk or custard; 200ml of yoghurt, or 40g of cheese.	1. Yes 2. No X. Don't know/Refused
I_ECC1	\$2	\$S_INDF	Early childhood health centre attendance in the last 12 months, children 0-4 years		The indicator includes children who attended an early childhood health centre in the last 12 months. The question used to define the indicator was: In the last 12 months, has child attended an early childhood health centre?	1. Yes 2. No X. Don't know/Refused
I_ECC5	\$2	\$S_INDF	Regularly seeing a baby or early childhood health nurse, children 0-4 years		The indicator includes those children who are seeing a baby or early childhood health nurse on a regular basis. The question used to define the indicator was: Is child seeing a baby or early childhood health nurse on a regular basis?	1. Yes 2. No X. Don't know/Refused
I_ECC7	\$2	\$S_INDF	Early childhood health centre care rated as excellent, very good or		The indicator includes those attending an early childhood health centre in the last 12	1. Yes 2. No X. Don't know/Refused

			good, parents or carers of children 0-4 years who are currently attending an early childhood health centre		months who rated the care as excellent, very good or good for the most recent attendance. The questions used to define the indicator were: In the last 12 months, has child attended an early childhood health centre? Overall what do you think of the care child received at this early childhood health centre: excellent, very good, good, fair, or poor?	
I_ED2	\$2	\$\$_INDF	Emergency department rated as excellent, very good or good, parents or carers of children 0-15 years who presented to an emergency department in the last 12 months		The indicator includes children who presented to an emergency department in the last 12 months whose parents rated their care as excellent, very good or good for their most recent visit. The question used to define the indicator was: In the last 12 months, have you attended a hospital emergency department or casualty for child's medical care? Overall what do you think of the care child received at this emergency department: excellent, very good, good, fair or poor?	1. Yes 2. No X. Don't know/Refused
I_FOLATE1	\$2	\$\$_INDF	Took folate supplements 1 month before and during the first 3 months of pregnancy, mothers of infants 0-11 months		The indicator includes mothers of infants aged 0-11 months who took folate supplements 1 month before and during the first 3 months of pregnancy. The questions used to define the indicator were: (Before 2008) Did you take tablets or capsules containing folate or folic acid in the month immediately before and/or in the first 3 months of this pregnancy? (From 2008) Did you take capsules or tablets containing at least 0.5mg of folate daily in the month immediately before you became pregnant? Did you take capsules or tablets containing at least 0.5mg of folate daily in the first three months of	1. Yes 2. No X. Don't know/Refused

					this pregnancy?	
I_FOOD	\$2	\$\$_INDF	Food insecurity in the last 12 months, parents or carers of children 0-15 years		The indicator includes children who had suffered some food insecurity in the last 12 months. The question used to define the indicator was: In the last 12 months, were there any times you ran out of food and couldn't afford to buy more?	1. Yes 2. No X. Don't know/Refused
I_FRUIT	\$2	\$\$_INDF	Recommended daily fruit intake, children 2-15 years		The indicator includes children who meet the minimum recommended daily consumption of fruit. The minimum recommended daily consumption of fruit according to the NHMRC Dietary Guidelines for Children and Adolescents in Australia is 1 serve for children aged 4-11 years and 3 serves for children aged 12-18, depending on their overall diet. The guide does not provide recommendations for children aged 2-3 years and so the recommendations for 4-11 year old children have been applied. One serve is equivalent to 1 medium piece or 2 small pieces of fruit. The question used to define the indicator was: How many serves of fruit does child usually eat each day?	1. Yes 2. No X. Don't know/Refused
I_GENPRAC 3	\$2	\$\$_INDF	General practitioner care rated as excellent, very good or good, parents or carers of children 0-15 years who visited a general practitioner in the last 12 months		The indicator includes those parents or carers who rated child's care as excellent or very good or good for the most recent general practitioner visit. The questions used to define the indicator were: In the last 12 months did child see a general practitioner? Overall, what do you think of the care child received at his-her most recent general practitioner visit?	1. Yes 2. No X. Don't know/Refused
I_HOSP2	\$2	\$\$_INDF	Hospital care rated as excellent, very good or		The indicator includes children admitted to hospital in the last 12	1. Yes 2. No

			good, parents or carers of children 0-15 years who were admitted to hospital in the last 12 months		months whose parents rated their care as excellent, very good or good for their most recent overnight stay. The questions used to define the indicator were: In the last 12 months has child stayed for at least 1 night in hospital? Overall, what do you think of the care child received at this hospital: excellent, very good, good, fair or poor?	X. Don't know/Refused
I_HSTAT	\$2	\$\$_INDF	Excellent, very good, or good parent-reported health status, children 5-15 years		The indicator includes children who had excellent, very good or good health status. The question used to define the indicator was: Overall, how would you rate child's health during the last 4 weeks: excellent, very good, good, fair, poor, or very poor?	1. Yes 2. No X. Don't know/Refused
I_HVISIT2	\$2	\$\$_INDF	Home visit from child or community nurse in the last 12 months, infants 0-11 months		The indicator includes those who received a home visit in the last 12 months from a community nurse or midwife (before 2007) or a child or community nurse (since 2007). The questions used to define the indicator were: (Before 2007) In the last 12 months, have you had any health professionals visit child in your home? In the last 12 months, which health professionals visited child in your home? (From 2007) In the last 12 months, has a child or community nurse visited child in your home?	1. Yes 2. No X. Don't know/Refused
I_JUICE	\$2	\$\$_INDF	One or more cups of fruit juice a day, children 2-15 years		The indicator includes children who have a cup of fruit juice or more a day. The question used to define the indicator was: How many cups of fruit juice does child usually drink each day? 1 cup = 250ml, a household tea cup or large popper.	1. Yes 2. No X. Don't know/Refused
I_MILK	\$2	\$\$_INDF	Two or more cups of milk a day, children 2-15 years		The indicator includes children who have 2 cups of cow's milk or more per day and excludes	1. Yes 2. No X. Don't know/Refused

					children who drink soy or other types of milk. The question used to define the indicator was: How many cups of milk does child usually drink each day? 1 cup = 250ml, a household tea cup.	
I_MILK1	\$2	\$\$_INDF	Usually consumes lower fat or skim milk, children 2-15 years		The indicator includes those children who usually consume low fat, reduced fat, or skim milk. The question used to define the indicator was: What type of milk does child usually have?	1. Yes 2. No X. Don't know/Refused
I_ORAL7	\$2	\$\$_INDF	Visited a dental professional in the last 12 months, children 5-15 years		The indicator includes children who had visited a dental professional in the last 12 months. The question used to define the indicator was: When did child last visit a dental professional about his or her teeth, dentures, or gums? A dental professional includes dentist, dental specialist, dental hygienist, dental technician, dental mechanic, denturist, orthodontist or dental therapist.	1. Yes 2. No X. Don't know/Refused
I_PHREC1	\$2	\$\$_INDF	Ever used personal health record, parents or carers of children 0-15 years		The indicator includes parents or carers of children who have ever used the personal health record for child. The questions used to define the indicator were: A personal health record is given to all babies. It contains a record of growth, health check-ups and immunisation. Do you have a personal health record for child? Have you ever used the personal health record for child?	1. Yes 2. No X. Don't know/Refused
I_PHREC2	\$2	\$\$_INDF	Currently use personal health record, parents or carers of children 0-15 years		The indicator includes parents or carers of children who currently use the personal health record for child. The questions used to define the indicator were: Do you have a personal health record for child? Have you ever used the personal health record for child?	1. Yes 2. No X. Don't know/Refused

					Do you currently use the personal health record for child?	
I_PHYSACT C	\$2	\$\$_INDF	One or more hours of physical activity outside of school, children 5-15 years		This indicator includes children who do 1 hour or more of physical activity outside of school hours everyday, The questions used to define the indicator were: On about how many days during the school week does child usually do physical activity outside of school hours? On those days, about how many hours does child usually do physical activity? On about how many weekend days does child usually do physical activity? On a typical weekend day, about how many hours does child usually do physical activity?	1. Yes 2. No X. Don't know/Refused
I_PUBDENT 2	\$2	\$\$_INDF	Public dental service care rated as excellent, very good or good, parents or carers of children 0-15 years who attended a public dental service in the last 12 months		The indicator includes children who attended a public dental service or dental hospital in the last 12 months whose care was rated as excellent, very good or good for their most recent attendance. The questions used to define the indicator were: In the last 12 months, has child attended a public or government-run dental service or dental hospital? Overall what do you think of the care child received at the public dental service: excellent, very good, good, fair or poor?	1. Yes 2. No X. Don't know/Refused
I_READ1	\$2	\$\$_INDF	Read to child daily, parents or carers of children 0-5 years		The indicator includes those parents or carers who read or look at books with child daily. The questions used to define the indicator were: Do you or other members of your family read or look at books with child? In a typical week how often do you or other members of your family read or look at books with child?	1. Yes 2. No X. Don't know/Refused
I_SCHOOL1	\$2	\$\$_INDF	Attendance at preschool or childcare with a preschool		The indicator includes those children who are currently	1. Yes 2. No

			program, children 3-4 years		attending preschool or childcare that has a preschool program? The questions used to define the indicator were: (Before 2007) Does child go to pre-school? (From 2007) Does child go to preschool or attend a childcare that has a preschool program?	X. Don't know/Refused
I_SEDENTARY	\$2	\$\$_INDF	Uses electronic media for entertainment at home for more than 2 hours a day, children 5-15 years		This indicator includes children who spent an average of 2 hours or more each day using electronic media for entertainment at home. The questions used to define the indicator were: On about how many days [during the school week/on a typical weekend day] does child usually watch TV, videos or DVDs at home? On those days, about how many hours does child usually spend watching TV, videos or DVDs? On about how many [days during the school week/weekend days] does child usually play video or computer games? On those days, about how many hours does child usually spend playing video or computer games? On about how many weekend days does child usually play video or computer games or work on the computer? On a typical weekend day, about how many hours does child usually spend playing video or computer games or work on the computer?	1. Yes 2. No X. Don't know/Refused
I_SLEEP	\$2	\$\$_INDF	Placed on their back to sleep from birth, infants 0-11 months		The indicator includes infants who were placed on their back to sleep from birth. The question used to define the indicator was: What position did you put child to sleep from birth on his or her back, on his or her side, on his or her tummy, any other position?	1. Yes 2. No X. Don't know/Refused
I_SMOKE4	\$2	\$\$_INDF	Smoke-free households,		The indicator includes parents or	1. Yes

			parents or carers of children 0-15 years		carers who said their home was smoke-free. The question used to define the indicator was: Which of the following best describes your home situation: my home is smoke free, people occasionally smoke in the house, people frequently smoke in the house?	2. No X. Don't know/Refused
I_SMOKE4C	\$2	\$\$_INDF	Bans smoking in car, parents or carers of children 0-15 years with a car		The indicator includes those parents or carers who said their car was smoke-free. The question used to define the indicator was: Are people allowed to smoke in your car?	1. Yes 2. No X. Don't know/Refused
I_STRNGTH 1	\$2	\$\$_INDF	Substantial risk of developing a clinically significant behavioural problem, children 4-15 years		The indicator includes children considered to be at substantial risk of developing a clinically significant behavioural problem using the adapted Goodman Strengths and Difficulties Questionnaire. A total difficulties score between 0 and 40 is calculated. A child with a total difficulties score of 17 or above is considered to be at substantial risk of developing a clinically significant behavioural problem.	1. Yes 2. No X. Don't know/Refused
I_VEG	\$2	\$\$_INDF	Recommended daily vegetable intake, children 2-15 years		The indicator includes children who consumed the minimum recommended daily intake of vegetables. The minimum recommended daily vegetable intake according to the NHMRC Dietary Guidelines for Children and Adolescents in Australia is defined as 2 serves a day for children aged 4-7 years and 3 serves a day for children aged 8 years and over, depending on their overall diet. The guide does not provide recommendations for children aged 2-3 years and so the recommendations for 4-7 year old children have been applied. One serve is equivalent to 1/2 cup	1. Yes 2. No X. Don't know/Refused

					of cooked vegetables or 1 cup of salad vegetables. The question used to define the indicator was: How many serves of vegetables does child usually eat each day?	
JUICE	8		Cups of juice drunk per day		Derived variable which includes daily, weekly/7 and does not drink fruit juice	
LANPA	\$1	\$CLANPAF	Speak a language other than English at home	Do you usually speak a language other than English at home?	Single response	1. Yes 2. No R. Refused X. Don't know
LFSF	\$1	\$CLFSFF	Father actively looking for work	Was child's father actively looking for work in the last week?	Single response	1. Yes - Looked for full-time work 2. Yes - Looked for part-time work 3. No - Did not look for work R. Refused X. Don't know
LFSM	\$1	\$CLFSMF	Mother actively looking for work	Was child's mother actively looking for work in the last week?	Single response	1. Yes - Looked for full-time work 2. Yes - Looked for part-time work 3. No - Did not look for work R. Refused X. Don't know
LFSPF	\$1	\$CLFSPFF	Father's employment status	In the last week, which of the following best describes the employment status of child's father?	Single response [Read out]	1. A salary or wage earner or conducting a business 2. A salary or wage earner or conducting a business but absent on paid 3. Unpaid work in a family business 4. Other unpaid work 5. Did not have a job R. Refused X. Don't know/Not sure
LFSPM	\$1	\$CLFSPMF	Mother's employment status	In the last week, which of the following best describes the employment status of child's mother	Single response [Read out]	1. A salary or wage earner or conducting a business 2. A salary or wage earner or conducting a business but absent on paid 3. Unpaid work in a family business 4. Other unpaid work

						5. Did not have a job R. Refused X. Don't know/Not sure 9999. Missing
LHN	\$4	\$LHNLFMT	Local Health Districts for reporting (14 LHNs: Albury combined with Murrumbidgee)		Derived from the sample frame and postcode concordance where X700=Sydney, X710=South Western Sydney, X720=South Eastern Sydney, X730=Illawarra Shoalhaven, X740=Western Sydney, X750=Nepean Blue Mountains, X760=Northern Sydney, X770=Central Coast, X800=Hunter New England, X810=Northern NSW, X820=Mid North Coast, X830=Southern NSW, X840=Murrumbidgee (including Albury) , X850=Western NSW, X860=Far West.	
LHN_REGION	\$4		Local Health District Region		Derived from the LHDs where: Y880=Metro LHDs (includes X700=Sydney, X710=South Western Sydney, X720=South Eastern Sydney, X730=Illawarra Shoalhaven, X740=Western Sydney, X750=Nepean Blue Mountains, X760=Northern Sydney, and X770=Central Coast), and Y888=Rural/Regional LHDs (includes X800=Hunter New England, X810=Northern NSW, X820=Mid North Coast, X830=Southern NSW, X840=Murrumbidgee including Albury, X850=Western NSW, and X860=Far West).	
M2	8		Times meat product eaten per week		Derived variable which includes daily*7, weekly, monthly/4 and does not meat products	
MSTP	\$1	\$CMSTPF	Formal marital status	What is your current formal marital status? Are you.	Single response	1. Married (this refers to registered marriages) 2. Widowed 3. Separated but not divorced 4. Divorced 5. Never married

						R. Refused X. Don't know
MTWP2_1	\$1	\$C_MC_CD	Usual transport to work : Train	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_2	\$1	\$C_MC_CD	Usual transport to work : Bus	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_3	\$1	\$C_MC_CD	Usual transport to work : Ferry	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_4	\$1	\$C_MC_CD	Usual transport to work : Tram (including light rail)	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_5	\$1	\$C_MC_CD	Usual transport to work : Taxi	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_6	\$1	\$C_MC_CD	Usual transport to work : Car - as driver	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_7	\$1	\$C_MC_CD	Usual transport to work : Car- as passenger	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_8	\$1	\$C_MC_CD	Usual transport to work : Truck	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_9	\$1	\$C_MC_CD	Usual transport to work : Motorbike or motor scooter	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_10	\$1	\$C_MC_CD	Usual transport to work : Bicycle	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_11	\$1	\$C_MC_CD	Usual transport to work : Walk only	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_12	\$1	\$C_MC_CD	Usual transport to work : Work at home	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_13	\$1	\$C_MC_CD	Usual transport to work : Walk part of the way	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_14	\$1	\$C_MC_CD	Usual transport to work : Other	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_15	\$1	\$C_MC_CD	Usual transport to work : Don't know	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
MTWP2_16	\$1	\$C_MC_CD	Usual transport to work : Refused	How does child usually get to school?	Part of multiple response question	0. No 1. Yes
N16	\$1	\$CN16F	Frequency of eating breakfast	How often does child usually have something to eat for breakfast?	Single response	1. Every day 2. Almost every day (5-6 times per week) 3. Less than daily (2-4 times per week) 4. Hardly ever (0-1 times per week) R. Refused X. Don't know
N8	\$1	\$CN8F	Biscuit, cake, doughnut,	How often does child usually eat	Single response	1. Record times per day

			muesli bar consumption	sweet and savoury biscuits, cakes, donuts, or muesli bars?		2. Record times per week 3. Record times per month 4. Rarely or never R. Refused X. Don't know
NUT1	\$1	\$CNUT1F	Serves of vegetables usually eaten per day	How many serves of vegetables does child usually eat each day? One serve is half a cup cooked or 1 cup of salad vegetables.	Single response	1. Answer in serves per day 2. Answer in serves per week 3. Don't eat vegetables R. Refused X. Don't know
NUT12	\$1	\$CNUT12F	Red meat consumption	How often does child eat red meat such as beef, lamb, liver and kidney but not pork or ham?	Single response	1. Answer in times per day 2. Answer in times per week 3. Answer in times per month 4. Rarely/never R. Refused X. Don't know
NUT13	\$1	\$CNUT13F	Fast food consumption	How often does child have meals or snacks such as burgers, pizza, chicken or chips from places like McDonalds, Hungry Jacks, Pizza Hut, KFC, Red Rooster, or local take-away places?	Single response	1. Times per week 2. Times per month 3. Rarely/Never R. Refused X. Don't know
NUT15	\$1	\$CNUT15F	Times hot fried potato products usually eaten per week	How often does child eat hot chips, french fries, wedges or fried potatoes?	Single response	1. Answer in times per day 2. Answer in times per week 3. Answer in times per month 4. Rarely or never R. Refused X. Don't know
NUT16	\$1	\$CNUT16F	Times fried and salty snack products usually eaten per week	How often does child eat potato crisps or other salty snacks such as Twisties or corn chips?	Single response	1. Answer in times per day 2. Answer in times per week 3. Answer in times per month 4. Rarely or never R. Refused X. Don't know
NUT19A	\$1	\$CNT19AF	Eating at table with family	How often does your family eat together at the table?	Single response	1. Record in times per day 2. Record in times per week 3. None/Never R. Refused X. Don't know
NUT2	\$1	\$CNUT2F	Serves of fruit usually eaten per day	How many serves of fruit does child usually eat each day? A serve is 1 medium piece or 2 small pieces of fruit or 1 cup of diced pieces.	Single response	1. Answer in serves per day 2. Answer in serves per week 3. Don't eat fruit R. Refused X. Don't know
NUT20CA	\$1	\$CNT20CF	Eating dinner in front of TV	How often does child usually have	Single response	1. Record in times per day

				dinner in front of the TV?		2. Record in times per week 3. None/Never R. Refused X. Don't know
NUT6	\$1	\$NUT6F	Type of milk usually have	What type of milk does child usually have?	Single response	1. Regular milk (whole or full cream) 2. Low /reduced fat milk 3. Skim milk 4. Evaporated or sweetened milk 5. Other 6. Don't have milk R. Refused X. Don't know
NUT7	\$1	\$CNUT7F	Times meat products usually eaten per week	How often does child eat processed meat products such as sausages, frankfurts, devon, salami, hamburgers, chicken nuggets, meat pies, bacon or ham?	Single response	1. Answer in times per day 2. Answer in times per week 3. Answer in times per month 4. Rarely or never R. Refused X. Don't know
OHE17	\$1	\$OHE17F	Type of dental service last visited	Was child's last dental visit made at a...	Single response [Read out]	1. Private dental practice 2. Community dental practice 3. Health fund dental clinic 4. Dental hospital/public dental clinic/school dental clinic 5. Any other place R. Refused X. Don't know
OHE17B_1	\$1	\$C_MC_CD	Reasons for dental service dissatisfaction : Insufficient services/staff shortage	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
OHE17B_2	\$1	\$C_MC_CD	Reasons for dental service dissatisfaction : Poor attitude of staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
OHE17B_3	\$1	\$C_MC_CD	Reasons for dental service dissatisfaction : Poor technical skill of staff	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
OHE17B_4	\$1	\$C_MC_CD	Reasons for dental service dissatisfaction : Waiting time	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
OHE17B_5	\$1	\$C_MC_CD	Reasons for dental service dissatisfaction : Other	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
OHE17B_6	\$1	\$C_MC_CD	Reasons for dental service	Could you briefly describe why	Part of multiple response question	0. No

			dissatisfaction : Too expensive	you rated the care child received as fair/poor?		1. Yes
OHE17B_7	\$1	\$C_MC_CD	Reasons for dental service dissatisfaction : Communication problems	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
OHE17B_8	\$1	\$C_MC_CD	Reasons for dental service dissatisfaction : Poor service/unhappy with level of service	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
OHE17B_9	\$1	\$C_MC_CD	Reasons for dental service dissatisfaction : Did not fix my problem/inadequate management	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
OHE17B_10	\$1	\$C_MC_CD	Reasons for dental service dissatisfaction : Too far to go	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
OHE17B_11	\$1	\$C_MC_CD	Reasons for dental service dissatisfaction : Don't know	Could you briefly describe why you rated the care child received as fair/poor?	Part of multiple response question	0. No 1. Yes
OHE17C	\$1	\$CHE17CF	Dental service satisfaction	Overall, what do you think of the care child received at their most recent dental visit?	Single response [Read out]	1. Excellent 2. Very good 3. Good 4. Fair 5. Poor R. Refused X. Don't know
OHE18_1	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months : Respondent has dentures	Are there any reasons child did not visit a dentist in the last 12 months?	Part of multiple response question	0. No 1. Yes
OHE18_2	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months : Worried or afraid of going; don't like going	Are there any reasons child did not visit a dentist in the last 12 months?	Part of multiple response question	0. No 1. Yes
OHE18_3	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months : Don't need to	Are there any reasons child did not visit a dentist in the last 12 months?	Part of multiple response question	0. No 1. Yes
OHE18_4	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months : Hard to find time	Are there any reasons child did not visit a dentist in the last 12 months?	Part of multiple response question	0. No 1. Yes
OHE18_5	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months : Can't find a dentist I like	Are there any reasons child did not visit a dentist in the last 12 months?	Part of multiple response question	0. No 1. Yes
OHE18_6	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months :	Are there any reasons child did not visit a dentist in the last 12	Part of multiple response question	0. No 1. Yes

			Too expensive	months?		
OHE18_7	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months : Too far to go	Are there any reasons child did not visit a dentist in the last 12 months?	Part of multiple response question	0. No 1. Yes
OHE18_8	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months : Long waiting lists	Are there any reasons child did not visit a dentist in the last 12 months?	Part of multiple response question	0. No 1. Yes
OHE18_9	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months : Dentist has moved or retired	Are there any reasons child did not visit a dentist in the last 12 months?	Part of multiple response question	0. No 1. Yes
OHE18_10	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months : Other (Specify)	Are there any reasons child did not visit a dentist in the last 12 months?	Part of multiple response question	0. No 1. Yes
OHE18_11	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months : Don't know	Are there any reasons child did not visit a dentist in the last 12 months?	Part of multiple response question	0. No 1. Yes
OHE18_12	\$1	\$C_MC_CD	Reasons for not visiting dentist in last 12 months : Refused	Are there any reasons child did not visit a dentist in the last 12 months?	Part of multiple response question	0. No 1. Yes
OHE19	\$1	\$COHE19F	Private dental cover	Do you have private health insurance cover for child's dental expenses?	Single response	1. Yes 2. No R. Refused X. Don't know
OHE20	\$1	\$OHE20F	Payment arrangement for last dental visit	Did the government or an insurance fund pay any part of the expenses for child's last dental visit?	Single response	1. No - paid all expenses 2. Yes - Insurance fund paid some, patient paid some 3. Yes - Insurance fund paid all, patient paid none 4. Yes - Government paid some, patient or insurance paid some 5. Yes - Government paid all, patient or insurance paid none 6. Other payment arrangement R. Refused X. Don't know
OHE21	8		Cost of last dental visit	How much did child's last dental visit cost before any insurance rebate?		1. Enter cost 88888 Don't know 99999 Refused
OHE5_1	\$1	\$C_MC_CD	Most recent oral health problem : Check up	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes

OHE5_2	\$1	\$C_MC_CD	Most recent oral health problem : Dental filling	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_3	\$1	\$C_MC_CD	Most recent oral health problem : Oral health education	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_4	\$1	\$C_MC_CD	Most recent oral health problem : Amalgam replacement	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_5	\$1	\$C_MC_CD	Most recent oral health problem : Root canal filling	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_6	\$1	\$C_MC_CD	Most recent oral health problem : Crown	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_7	\$1	\$C_MC_CD	Most recent oral health problem : Implant	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_8	\$1	\$C_MC_CD	Most recent oral health problem : Tooth extraction	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_9	\$1	\$C_MC_CD	Most recent oral health problem : Fluoride treatment	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_10	\$1	\$C_MC_CD	Most recent oral health problem : Gum treatment	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_11	\$1	\$C_MC_CD	Most recent oral health problem : Teeth straightened/braces	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_12	\$1	\$C_MC_CD	Most recent oral health problem : New or replacement dentures	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_13	\$1	\$C_MC_CD	Most recent oral health problem : Teeth cleaned	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_14	\$1	\$C_MC_CD	Most recent oral health problem : Fissure sealant	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_15	\$1	\$C_MC_CD	Most recent oral health problem : Whitening/bleaching	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_16	\$1	\$C_MC_CD	Most recent oral health problem : Denture repair	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_17	\$1	\$C_MC_CD	Most recent oral health problem : None - did not visit the dentist	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_18	\$1	\$C_MC_CD	Most recent oral health problem : Surgery of the mouth/jaw	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_19	\$1	\$C_MC_CD	Most recent oral health problem : Other treatment	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes

			(Specify)			
OHE5_20	\$1	\$C_MC_CD	Most recent oral health problem : Don't know	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE5_21	\$1	\$C_MC_CD	Most recent oral health problem : Refused	What treatment did child receive at their last dental visit?	Part of multiple response question	0. No 1. Yes
OHE6	\$1	\$COHE6F	Time since last dental visit	When did child last visit a dental professional about their teeth, dentures or gums? (A dental professional includes dentist, dental specialist, dental hygienist, dental therapist or oral health therapist).	Single response [Read out]	1. Less than 12 months ago 2. 1 year to less than 2 years ago 3. 2 to less than 5 years ago 4. 5 to less than 10 years ago 5. 10 years ago or more 6. Never R. Refused X. Don't know
PFF3	\$1	\$CPFF3F	Frequency offer water during meals	How often do you offer child water to drink with meals or snacks?	Single response [Read out]	1. Usually 2. Sometimes 3. Never / Rarely R. Refused X. Don't know
PFF4	\$1	\$CPFF4F	Frequency of confectionery as reward.	How often do you offer sweets such as lollies, ice cream, cake or biscuits to child as a reward for good behaviour?	Single response [Read out]	1. Usually 2. Sometimes 3. Never / Rarely R. Refused X. Don't know
PFF5	\$1	\$CPFF5F	Limits on TV or electronic games	How often do you set limits on the amount of time child watches television or plays electronic games?	Single response [Read out]	1. Usually 2. Sometimes 3. Never R. Refused X. Don't know
PPS	8		Peer problems score		Derived variable which is the score from the Goodman Strengths and Difficulties Questionnaire for items relating to peer problems	
PRT1	8		Number of children under 3 years	How many children aged less than 3 years old live in your household? Children less than 3		
PRT10	\$1	\$CPRT10F	Anyone in household diagnosed with pertussis in last 12 months	Has anyone in the household been diagnosed with whooping cough by a doctor in the last 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
PRT2_1	\$1	\$C_MC_CD	Things that protect babies from whooping cough : Get	What things can people do to protect babies from catching	Part of multiple response question	0. No 1. Yes

			the baby vaccinated	whooping cough?		
PRT2_2	\$1	\$C_MC_CD	Things that protect babies from whooping cough : Get the baby's first vaccine at 6 weeks	What things can people do to protect babies from catching whooping cough?	Part of multiple response question	0. No 1. Yes
PRT2_3	\$1	\$C_MC_CD	Things that protect babies from whooping cough : Get all scheduled vaccines on time	What things can people do to protect babies from catching whooping cough?	Part of multiple response question	0. No 1. Yes
PRT2_4	\$1	\$C_MC_CD	Things that protect babies from whooping cough : Check that siblings/other people in the household are vaccinated	What things can people do to protect babies from catching whooping cough?	Part of multiple response question	0. No 1. Yes
PRT2_5	\$1	\$C_MC_CD	Things that protect babies from whooping cough : Adults in the household should get vaccinated	What things can people do to protect babies from catching whooping cough?	Part of multiple response question	0. No 1. Yes
PRT2_6	\$1	\$C_MC_CD	Things that protect babies from whooping cough : Keep the baby away from coughing people	What things can people do to protect babies from catching whooping cough?	Part of multiple response question	0. No 1. Yes
PRT2_7	\$1	\$C_MC_CD	Things that protect babies from whooping cough : Other (Specify)	What things can people do to protect babies from catching whooping cough?	Part of multiple response question	0. No 1. Yes
PRT2_8	\$1	\$C_MC_CD	Things that protect babies from whooping cough : Don't know	What things can people do to protect babies from catching whooping cough?	Part of multiple response question	0. No 1. Yes
PRT2_9	\$1	\$C_MC_CD	Things that protect babies from whooping cough : Refused	What things can people do to protect babies from catching whooping cough?	Part of multiple response question	0. No 1. Yes
PRT3	\$1	\$CPRT3F	Children <3 up to date with vaccinations	Are the children aged less than 3 years in your household up to date with their vaccinations?	Single response	1. Yes, all are fully immunised or fully immunised for age. 2. No, have some immunisations but not up to date 3. No immunisations at all R. Refused X. Don't know
PRT4	\$1	\$CPRT4F	Other children up to date with vaccinations	Are the other children in your household up to date with their vaccinations?	Single response	1. Yes, all are fully immunised or fully immunised for age. 2. No, have some

						immunisations but not up to date 3. No immunisations at all R. Refused X. Don't know
PRT5	\$1	\$CPRT5F	Had adult whooping cough booster in past 12 months	Have you had the adult whooping cough vaccine in the last 12 months?	Single response	1. Yes 2. No R. Refused X. Don't know
PRT6	\$1	\$PRT6F	Main reason for getting adult pertussis booster	What was the main reason or prompt for you to receive the adult whooping cough booster vaccine?	Single response	1. Information from ACIR or NSW Health (letter) 2. Doctor or GP/Hospital/other health professional 3. Work requirement 4. Media advice 5. Contact with a case of pertussis 6. Other R. Refused X. Don't know
PRT7	\$1	\$PRT7F	Main reason not had adult pertussis booster in last 12 months	What is the main reason you have not had the adult whooping cough booster vaccine in the last 12 months?	Single response	1. Decided not to be immunised 2. Was not aware of the recommendation 3. The vaccine is too expensive 4. The vaccine was not available 5. Unable to see GP 6. Had adult booster but not in last 12 months 7. Allergy 8. Other reason R. Refused X. Don't know
PRT8	\$1	\$CPRT8F	Other adults had pertussis booster vaccine in last 12 months	Have any other adults in the household had the adult whooping cough booster vaccine last 12 months?	Single response	1. Yes, all adults 2. Yes, some adults 3. No, none R. Refused X. Don't know
PRT9	\$1	\$CPRT9F	Received a letter about whooping cough from Medicare or NSW Health	Did your household receive a letter about whooping cough from Medicare or NSW Health?	Single response	1. Yes 2. No R. Refused X. Don't know

PS	8		Prosocial score		Derived variable which is the score from the Goodman Strengths and Difficulties Questionnaire for items relating to prosocial behaviour	
QALLF	\$5	\$QALLFF	Fathers highest qualification completed	What is the level of the highest qualification child's father has completed?		<ol style="list-style-type: none"> 1. Completed School Certificate/ Intermediate/ Year 10/4th Form.... 2. Completed HSC/Leaving/Year 12/ 6th Form 3. TAFE Certificate or Diploma 4. University, CAE or some other tertiary institute degree or higher 5. Other 6. Completed primary school 7. Completed years 7-9 R. Refused X. Don't know
QALLM	\$1	\$QALLMF	Mother's highest qualification completed	What is the level of the highest qualification child's mother has completed?	Single response	<ol style="list-style-type: none"> 1. Completed School Certificate/ Intermediate/ Year 10/4th Form.... 2. Completed HSC/Leaving/Year 12/ 6th Form 3. TAFE Certificate or Diploma 4. University, CAE or some other tertiary institute degree or higher 5. Other 6. Completed primary school 7. Completed years 7-9 R. Refused X. Don't know
R_BMI1	\$2	\$BMI1CAT	Body Mass Index categories, children 2-15 years		The questions used were: How tall is child without shoes? How much does child weigh without clothes or shoes? If unsure: As you were unsure or did not know the weight of child would you be able to measure child and provide us with that information when we	<ol style="list-style-type: none"> 1. Underweight 2. Healthy weight 3. Overweight 4. Obese

					ring you back in about a week's time?	
R_FASTFOOD	\$2	\$FFDTABC	Frequency of eating takeaway food a week, children 2-15 years		The question used was: How often does child have meals or snacks such as burgers, pizza, chicken or chips from places like McDonald's, Hungry Jacks, Pizza Hut, KFC, Red Rooster, or local takeaway places?	<ol style="list-style-type: none"> 1. None 2. Less than weekly 3. Weekly 4. More than once per week but less daily 5. Daily or more
R_SDRINK	\$2	\$SDRKCAT	Cups of soft drinks or cordials or sports drinks a week, children 2-15 years		The question used was: How many cups of soft drink, cordials or sports drink, such as lemonade or Gatorade, does child usually drink in a day? 1 cup = 250ml. One can of soft drink = 1.5 cups. One 500ml bottle of Gatorade = 2 cups.	<ol style="list-style-type: none"> 1. None 2. One cup 3. Two cups 4. 3 to 5 cups 5. 6 to 10 cups 6. 11 or more cups
SC1	\$1	\$CSC1F	Preschool/school attendance	Does child go to preschool or attend a childcare that has a preschool programme?	Single response	<ol style="list-style-type: none"> 1. Yes 2. No 3. Already started school R. Refused X. Don't know
SC3	\$1	\$SC3F	Type of school currently attending	What type of school does child currently attend?	Single response [Read out]	<ol style="list-style-type: none"> 1. Public school 2. Catholic school 3. Independent school (Private, not Catholic) 4. Special education school 5. School of the air 6. Any other school R. Refused X. Don't know
SDQTOT	8		Total SDQ score		Derived variable using the adapted Goodman Strengths and Difficulties Questionnaire (a 25 item questionnaire comprises 5 scales of 5 items). Each subscale scores between 0 and 10. The at risk score for each subscale is 5-10 for emotional symptoms, 4-10 for conduct problems, 7-10 for hyperactivity or inattention, 4-10 for peer relationship problems, and 0-4 for prosocial behaviour. A total difficulties score between 0 and 40 is calculated from 4 of the	

					5 scales (emotional symptoms, conduct problems, hyperactivity or inattention and peer relationship problems)	
SDQ_CPS	\$1	\$	Conduct problem		Derived variable which is the score from the Goodman Strengths and Difficulties Questionnaire for items relating to conduct problems (4-10).	
SDQ_ESS	\$1	\$	Emotional symptoms		Derived variable which is the score from the Goodman Strengths and Difficulties Questionnaire for items relating to emotional symptoms (5-10)	
SDQ_HS	\$1	\$	Hyperactivity		Derived variable which is the score from the Goodman Strengths and Difficulties Questionnaire for items relating to hyperactivity (7-10)	
SDQ_PPS	\$1	\$	Peer problems		Derived variable which is the score from the Goodman Strengths and Difficulties Questionnaire for items relating to peer problems (4-10)	
SDQ_PS	\$1	\$	Prosocial behaviour		Derived variable which is the score from the Goodman Strengths and Difficulties Questionnaire for items relating to prosocial behaviour (0-4)	
SEX	\$4	\$CSEXF	Respondent/child sex			1. Male 2. Female
SH1	\$1	\$CSH1F	Shade in sporting areas	In your local area, when you are outside do you find it easy to find shade in sporting areas?	Single response	1. Yes 2. No 3. Not applicable R. Refused X. Don't know
SH2	\$1	\$CSH2F	Shade at public pool	In your local area, when you are outside do you find it easy to find shade at the outdoor public swimming pool?	Single response	1. Yes 2. No 3. Not applicable R. Refused X. Don't know
SH3	\$1	\$CSH3F	Shade at public park	In your local area, when you are outside do you find it easy to find shade at the public park?	Single response	1. Yes 2. No 3. Not applicable R. Refused

						X. Don't know
SMK16	\$1	\$CSMK16F	Car smoking status	Are people allowed to smoke in your car?	Single response	1. Yes 2. No 3. Don't have a car R. Refused X. Don't know
SMK2	\$1	\$CSMK2F	Home smoking status	Which of the following best describes your home situation?	Single response [Read out]	1. My home is smoke free (includes smoking is allowed outside only) 2. People occasionally smoke in the house 3. People frequently smoke in the house R. Refused X. Don't know
SP11_1	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Basketball	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_2	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Cricket	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_3	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Cycling/mountain biking/bike riding	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_4	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Dancing/Ballet	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_5	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Jogging/athletics/running	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_6	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Martial arts	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_7	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Netball	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_8	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Rugby League	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_9	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Rugby Union	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_10	\$1	\$C_MC_CD	Sports and outdoor	In the past 12 months, what types	Part of multiple response question	0. No

			activities in last 12 months : Skateboarding or Rollerblading	of sports and activities did child play or do?		1. Yes
SP11_11	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Soccer	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_12	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Swimming	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_13	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Other (Specify)	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_14	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Did not play any sport	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_15	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Don't know	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_16	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Refused	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SP11_17	\$1	\$C_MC_CD	Sports and outdoor activities in last 12 months : Other ball sports	In the past 12 months, what types of sports and activities did child play or do?	Part of multiple response question	0. No 1. Yes
SPSS1	\$1	\$CSPSS1F	Sun exposure last summer	Last summer, how often did child go out in the sun for more than 15 minutes between 11am and 3pm?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely 5. Never in the sun for more than 15 minutes R. Refused X. Don't know
SPSS2	\$1	\$CSPSS2F	Hat wearing last summer	Last summer, when child was out in the sun for more than 15 minutes, how often did he/she wear a broad brimmed hat or cap with a back flap?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely/Never R. Refused X. Don't know
SPSS3	\$1	\$CSPSS3F	Use of sun screen last summer	Still thinking about last summer, how often did you apply a broad- spectrum sunscreen with an SPF of 15 or more to child's exposed skin?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely/Never R. Refused X. Don't know

SPSS4	\$1	\$CSPSS4F	Use of protective clothing last summer	Still thinking about last summer, how often was child deliberately dressed in clothing to protect him/her from the sun?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely/Never R. Refused X. Don't know
SPSS5	\$1	\$CSPSS5F	Frequency of sunburn last summer	Still thinking about last summer, how often did child get sunburnt, so skin was still sore or tender the next day?	Single response [Read out]	1. Not at all 2. Once 3. Twice 4. 3 or 4 times 5. 5 or more times R. Refused X. Don't know
SPSS7	\$1	\$CSPSS7F	Seek shade last summer	Last summer, when child was out in the sun for more than 15 minutes, how often did he/she seek shade?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely/Never R. Refused X. Don't know
SPSS8	\$1	\$CSPSS8F	Sunglasses last summer	Last summer, when child was out in the sun for more than 15 minutes, how often did he/she wear sunglasses?	Single response [Read out]	1. Always 2. Often 3. Sometimes 4. Rarely/Never R. Refused X. Don't know
STR1	\$1	\$CSTR1F	Considerate of other people's feelings	Child is considerate of other people's feelings. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR10	\$1	\$CSTR10F	Constantly fidgeting or squirming	Child is constantly fidgeting or squirming. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR11	\$1	\$CSTR11F	Has at least one good friend	Child has at least one good friend. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR12A	\$1	\$CSTR12F	Child often fights with others	Child often fights with or bullies other children. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know

STR12B	\$1	\$CTR12BF	Youth often fights with others	Child often fights with or bullies other young people. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR13	\$1	\$CSTR13F	Often unhappy, depressed or tearful	Child is often unhappy, depressed or tearful. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR14A	\$1	\$CSTR14F	Child generally liked by others	Child is generally liked by other children. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR14B	\$1	\$CSTR14F	Youth generally liked by others	Child is generally liked by other young people. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR15	\$1	\$CSTR15F	Easily distracted	Child is easily distracted or their concentration wanders. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR16A	\$1	\$CSTR16F	Child easily loses confidence	Child is nervous or clingy in new situations or easily loses confidence. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR16B	\$1	\$CTR16BF	Youth easily loses confidence	Child is nervous in new situations or easily loses confidence. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR17	\$1	\$CSTR17F	Kind to younger children	Child is kind to younger children. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR18	\$1	\$CSTR18F	Often lies or cheats	Child often lies or cheats. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know

STR19A	\$1	\$CSTR19F	Child picked on or bullied by others	Child is picked on or bullied by other children. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR19B	\$1	\$CSTR19F	Youth picked on or bullied by others	Child is picked on or bullied by other young people. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR2	\$1	\$CSTR2F	Restless, overactive	Child is restless, overactive or cannot stay still for long. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR20A	\$1	\$CSTR20F	Child often offers to help others	Child often volunteers to help others such as parents, teachers or other children. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR20B	\$1	\$CTR20BF	Youth often offers to help others	Child often volunteers to help others such as parents, teachers or children. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR21	\$1	\$CSTR21F	Thinks things out before acting	Child thinks things out before acting. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR22	\$1	\$CSTR22F	Steals	Child steals from home, school or elsewhere. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR23A	\$1	\$CSTR23F	Child gets along better with adults than with other children	Child gets along better with adults than with other children. Is that....	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR23B	\$1	\$CTR23BF	Youth gets along better with adults than with other children	Child gets along better with adults than with other young people. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know

STR24	\$1	\$CSTR24F	Many fears, easily scared	Child has many fears or is easily scared. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR25	\$1	\$CSTR25F	Good attention span	Child has a good attention span and sees chores or homework through to the end. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR26	\$1	\$CSTR26F	Overall difficulties	Overall do you think that child has difficulties in any of the following areas: emotions, concentration, behaviour or being able to get along with other people?	Single response [Read out]	1. No 2. Yes - minor difficulties 3. Yes - definite difficulties 4. Yes - severe difficulties R. Refused X. Don't know
STR27	\$1	\$CSTR27F	Duration of difficulties	How long have these difficulties been present?	Single response [Read out]	1. Less than a month 2. 1 - 5 months 3. 6 - 12 months 4. Over a year R. Refused X. Don't know
STR28	\$1	\$CSTR28F	Amount of distress to child	How much do these difficulties upset or distress child?	Single response [Read out]	1. Not at all 2. A little 3. A medium amount 4. A great deal R. Refused X. Don't know
STR29	\$1	\$CSTR29F	Interfere with everyday life - Home life	How much do these difficulties interfere with child's everyday home life?	Single response [Read out]	1. Not at all 2. A little 3. A medium amount 4. A great deal R. Refused X. Don't know
STR3	\$1	\$CSTR3F	Often complains of sickness	Child often complains of headaches, stomach-aches or sickness. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR30	\$1	\$CSTR30F	Interfere with everyday life - Friendships	How much do these difficulties interfere with child's friendships?	Single response [Read out]	1. Not at all 2. A little 3. A medium amount 4. A great deal R. Refused X. Don't know

STR31	\$1	\$CSTR31F	Interfere with everyday life - Classroom learning	How much do these difficulties interfere with child's classroom learning?	Single response [Read out]	1. Not at all 2. A little 3. A medium amount 4. A great deal R. Refused X. Don't know
STR32	\$1	\$CSTR32F	Interfere with everyday life - Leisure activities	How much do these difficulties interfere with child's leisure activities?	Single response [Read out]	1. Not at all 2. A little 3. A medium amount 4. A great deal R. Refused X. Don't know
STR33	\$1	\$CSTR33F	Difficulties put a burden on you or the family	How much do these difficulties put a burden on you or your family as a whole?	Single response [Read out]	1. Not at all 2. A little 3. A medium amount 4. A great deal R. Refused X. Don't know
STR36	\$1	\$CSTR36F	Teacher complains of overactivity	Over the last six months, have child's teachers complained of fidgetiness, restlessness or overactivity?	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR37	\$1	\$CSTR37F	Teacher complains of poor concentration	Over the last six months, have child's teachers complained of their poor concentration or easily being distracted?	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR38	\$1	\$CSTR38F	Teacher complains of impulsivity	Over the last six months, have child's teachers complained of them acting without thinking about what he/she is doing, frequently butting in, or not waiting their turn?	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR4A	\$1	\$CSTR4AF	Child Shares readily	Child shares readily with other children, for example toys, treats and pencils. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR4B	\$1	\$CSTR4BF	Youth Shared readily	Child shares readily with other young people, for example CDs, games and food. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR5	\$1	\$CSTR5F	Often loses temper	Child often loses their temper. Is	Single response [Read out]	1. Not true

				that...		2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR6A	\$1	\$CSTR6AF	Child prefers to be alone	Child is rather solitary or prefers to play alone. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR6B	\$1	\$CSTR6BF	Youth prefers to be alone	Child would rather be alone than with other young people. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR7	\$1	\$CSTR7F	Generally well behaved	Child is generally well behaved and usually does what adults request. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR8	\$1	\$CSTR8F	Often seems worried	Child has many worries or often seems worried. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STR9	\$1	\$CSTR9F	Helpful if someone is hurt, upset or feeling ill	Child is helpful if someone is hurt, upset or feeling ill. Is that...	Single response [Read out]	1. Not true 2. Somewhat true 3. Certainly true R. Refused X. Don't know
STRATA	\$5		Stratification ID			
V1	8		Serves of vegetables eaten per day		Derived variable which combines serves of vegetables measured per day, per week/7 and do not eat vegetables	
WGT	8		Post-stratification weight		Annual weights for varying probability of selection and differences between the age and sex structure of the sample and the population (age *sex*health administration area). Should be used when calculating prevalence estimates.	
YEAR	8		Survey year		Report survey year	