2005 SSHB Survey Data Dictionary

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---|---|
| ability | 8 | ABILITY | Perceived school ability | At school work, do you consider yourself: | Single Response | A lot above average Above average Average Below average A lot below average |
| adultsup | 8 | ADULTSUP | Adult supervision when drinking | Was an adult supervising you when you had this drink? | Single Response | 1. Yes 2. No |
| age | 8 | | Student age | How old are you now? | Single Response | |
| alcave | 8 | | Average number of alcoholic drinks consumed | | Derived variable from drinkmon, drinktue, drinkwed, drinkthur, drinkfri, drinksat, drinksun | |
| aq13a | 8 | AQ13A | Ever bought cigs via internet/phone/fax/mail order: No | Have you ever bought cigarettes over the Internet or by phone, fax or mail order? | Part of multiple response question | 0. No 1. Yes |
| aq13b | 8 | AQ13B | Ever bought cigs via internet/phone/fax/mail order: Yes via internet | Have you ever bought cigarettes over the Internet or by phone, fax or mail order? | Part of multiple response question | 0. No 1. Yes |
| aq13c | 8 | AQ13C | Ever bought cigs via internet/phone/fax/mail order: Yes by phone fax or mail order | Have you ever bought cigarettes over the Internet or by phone, fax or mail order? | Part of multiple response question | 0. No 1. Yes |
| aq13d | 8 | AQ13D | Ever bought cigs via internet/phone/fax/mail order: Invalid response | Have you ever bought cigarettes over the Internet or by phone, fax or mail order? | Part of multiple response question | 0. No 1. Yes |
| aq13e | 8 | AQ13E | Ever bought cigs via internet/phone/fax/mail order: Missing answer | Have you ever bought cigarettes over the Internet or by phone, fax or mail order? | Part of multiple response | 0. No 1. Yes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|--|---|--|
| | | | | | question | |
| aq16a | 8 | AQ16A | How often asked for proof of age/ID: in a hotel/pub/club | How often have you been asked for proof of your age or identification (ID) when entering and/or asking for alcohol at a hotel, pub, club, restaurant, nightclub or bottleshop? | Part of multiple response question | 1. Never 2. 1 to 4 times 3. 5 or more times |
| aq16b | 8 | AQ16B | How often asked for proof of age/ID: in a restaurant | How often have you been asked for proof of your age or identification (ID) when entering and/or asking for alcohol at a hotel, pub, club, restaurant, nightclub or bottleshop? | Part of multiple response question | 1. Never 2. 1 to 4 times 3. 5 or more times |
| aq16c | 8 | AQ16C | How often asked for proof of age/ID: in a nightclub/dance venue | How often have you been asked for proof of your age or identification (ID) when entering and/or asking for alcohol at a hotel, pub, club, restaurant, nightclub or bottleshop? | Part of multiple response question | 1. Never 2. 1 to 4 times 3. 5 or more times |
| aq16d | 8 | AQ16D | How often asked for proof of age/ID: in a bottleshop | How often have you been asked for proof of your age or identification (ID) when entering and/or asking for alcohol at a hotel, pub, club, restaurant, nightclub or bottleshop? | Part of multiple response question | 1. Never 2. 1 to 4 times 3. 5 or more times |
| aq17 | 8 | AQ1A | How often used someone else's ID or fake ID to ask for alcohol | How often have you used someone else's identification (ID) or fake identification (ID) to enter and or ask for alcohol at a hotel, club, restaurant, nightclub or bottleshop? | Single Response | Never Yes once or twice Yes frequently |
| aq19a | 8 | AQ19A | Ever bought alcohol over the internet or by phone fax or mail order: No | Have you ever bought alcohol over the internet or by phone fax or mail order? | Part of multiple response question | 0. no 1. yes |
| aq19b | 8 | AQ19B | Ever bought alcohol over the internet or by phone fax or mail order: Yes over internet | Have you ever bought alcohol over the internet or by phone fax or mail order? | Part of multiple response question | 0. no 1. yes |
| aq19c | 8 | AQ19C | Ever bought alcohol over the internet or by phone fax or mail order: Yes by phone fax or mail order | Have you ever bought alcohol over the internet or by phone fax or mail order? | Part of multiple response question | 0. no 1. yes |
| aq19e | 8 | AQ19E | Ever bought alcohol over the internet or by phone fax or mail order: Invalid response | Have you ever bought alcohol over the internet or by phone fax or mail order? | Part of multiple response question | 0. no 1. yes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|---|---|--|
| aq19f | 8 | AQ19F | Ever bought alcohol over the internet or by phone fax or mail order: Missing answer | Have you ever bought alcohol over the internet or by phone fax or mail order? | Part of multiple response question | 0. no 1. yes |
| aq20 | 8 | AQ2A | Unhappy, sad or depressed in last 6 months | During the last six months, was there a time when you felt unhappy, sad or depressed? | Single Response | 1. No 2. Yes at home and at school 3. Yes but only at home 4. Yes but only at school |
| aq21 | 8 | AQ2AA | How bad it was when feeling unhappy, sad or depressed | When you were feeling unhappy, sad or depressed, how bad was it for you? | Single Response | Almost more than I could take Quite bad Worse than usual About usual |
| aq22a | 8 | AQ22A | Who talked to when feeling unhappy, sad or depressed: No one | When you were feeling unhappy, sad or depressed, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq22b | 8 | AQ22B | Who talked to when feeling unhappy, sad or depressed: My family | When you were feeling unhappy, sad or depressed, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq22c | 8 | AQ22C | Who talked to when feeling unhappy, sad or depressed: My friend/s | When you were feeling unhappy, sad or depressed, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq22d | 8 | AQ22D | Who talked to when feeling unhappy, sad or depressed: Teachers or school counselors | When you were feeling unhappy, sad or depressed, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq22e | 8 | AQ22E | Who talked to when feeling unhappy, sad or depressed: Doctors or other health professionals | When you were feeling unhappy, sad or depressed, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq22f | 8 | AQ22F | Who talked to when feeling unhappy, sad or depressed: Religious advisors or groups | When you were feeling unhappy, sad or depressed, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq22g | 8 | AQ22G | Who talked to when feeling unhappy, sad or depressed: Helpline/Internet etc. | When you were feeling unhappy, sad or depressed, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq22h | 8 | AQ22H | Who talked to when feeling unhappy, sad or depressed: Other person or | When you were feeling unhappy, sad or depressed, who did you talk | Part of multiple | 0. No 1. Yes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|--|---|--|
| | | | group | to about it? | response question | |
| aq22i | 8 | AQ22I | Who talked to when feeling unhappy, sad or depressed: Invalid response | When you were feeling unhappy, sad or depressed, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq22j | 8 | AQ22J | Who talked to when feeling unhappy, sad or depressed: Multiple response | When you were feeling unhappy, sad or depressed, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq22k | 8 | AQ22K | Who talked to when feeling unhappy, sad or depressed: Missing response | When you were feeling unhappy, sad or depressed, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq23 | 8 | AQ2AB | Helpfulness of person talked to when feeling sad, unhappy or depressed | If you talked to someone about feeling unhappy sad or depressed how helpful were they? | Single Response | Not at all helpful Somewhat helpful Quite helpful Very helpful |
| aq24 | 8 | AQ2AC | Felt nervous, stressed or under pressure in last 6 months | During the last six months, was there a time when you felt nervous, stressed, or under pressure? | Single Response | 1. No 2. Yes at home and at school 3. Yes but only at home 4. Yes but only at school |
| aq25 | 8 | AQ2AD | How bad it was when feeling nervous, stressed or under pressure | When you were feeling nervous, stressed, or under pressure how bad was it for you? | Single Response | Almost more than I could take Quite bad Worse than usual About usual |
| aq26a | 8 | AQ26A | Who talked to when feeling nervous, stressed or under pressure: No one | When you were feeling nervous, stressed, or under pressure, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq26b | 8 | AQ26B | Who talked to when feeling nervous, stressed or under pressure: My family | When you were feeling nervous, stressed, or under pressure, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq26c | 8 | AQ26C | Who talked to when feeling nervous, stressed or under pressure: My friend/s | When you were feeling nervous, stressed, or under pressure, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq26d | 8 | AQ26D | Who talked to when feeling nervous, stressed or under pressure: Teachers or school counselors | When you were feeling nervous, stressed, or under pressure, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|--|---|--|
| aq26e | 8 | AQ26E | Who talked to when feeling nervous, stressed or under pressure: Doctors or other health professionals | When you were feeling nervous, stressed, or under pressure, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq26f | 8 | AQ26F | Who talked to when feeling nervous, stressed or under pressure: Religious advisors or groups | When you were feeling nervous, stressed, or under pressure, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq26g | 8 | AQ26G | Who talked to when feeling nervous, stressed or under pressure: Helpline/Internet etc. | When you were feeling nervous, stressed, or under pressure, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq26h | 8 | AQ26H | Who talked to when feeling nervous, stressed or under pressure: Other | When you were feeling nervous, stressed, or under pressure, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq26i | 8 | AQ26I | Who talked to when feeling nervous, stressed or under pressure: Invalid response | When you were feeling nervous, stressed, or under pressure, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq26j | 8 | AQ26J | Who talked to when feeling nervous, stressed or under pressure: Missing answer | When you were feeling nervous, stressed, or under pressure, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq27 | 8 | AQ2AE | Helpfulness of person talked to when feeling nervous, stressed or under pressure | If you talked to someone about feeling nervous, stressed, or under pressure how helpful were they? | Single Response | Not at all helpful Somewhat helpful Quite helpful Very helpful |
| aq28 | 8 | AQ2AF | In trouble because of behaviour in last 6 months | During the last six months, was there a time when you were in trouble because of your behaviour? | Single Response | 1. No 2. Yes at home and at school 3. Yes but only at home 4. Yes but only at school |
| aq29 | 8 | AQ2AG | How bad it was when in trouble because of behaviour | When you were in trouble because of your behaviour, how bad was it for you? | Single Response | Almost more than I could take Quite bad Worse than usual About usual |
| aq3 | 8 | AQ3ADD | Level of addiction to tobacco | Do you think you are addicted to tobacco smoking? | Single Response | 1. Yes 2. No 3. I am not sure |
| aq30a | 8 | AQ30A | Who talked to when in trouble because of behaviour: No one | When you were in trouble because of your behaviour, who did you talk to about it? | Part of multiple response | 0. No 1. Yes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|---|---|--|
| | | | | | question | |
| aq30b | 8 | AQ30B | Who talked to when in trouble because of behaviour: My family | When you were in trouble because of your behaviour, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq30c | 8 | AQ30C | Who talked to when in trouble because of behaviour: My friend/s | When you were in trouble because of your behaviour, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq30d | 8 | AQ30D | Who talked to when in trouble because of behaviour: Teachers or school counselors | When you were in trouble because of your behaviour, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq30e | 8 | AQ30E | Who talked to when in trouble because of behaviour: Doctors or other health professionals | When you were in trouble because of your behaviour, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq30f | 8 | AQ30F | Who talked to when in trouble because of behaviour: Religious advisors or groups | When you were in trouble because of your behaviour, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq30g | 8 | AQ30G | Who talked to when in trouble because of behaviour: Helpline/Internet etc. | When you were in trouble because of your behaviour, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq30h | 8 | AQ30H | Who talked to when in trouble because of behaviour: Other | When you were in trouble because of your behaviour, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq30i | 8 | AQ30I | Who talked to when in trouble because of behaviour: Invalid response | When you were in trouble because of your behaviour, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq30j | 8 | AQ30J | Who talked to when in trouble because of behaviour: Missing answer | When you were in trouble because of your behaviour, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq31 | 8 | AQ3A | Helpfulness of person talked to when in trouble because of behaviour | If you talked to someone about being in trouble because of your behaviour, how helpful were they? | Single Response | Not at all helpful Somewhat helpful Quite helpful Very helpful |
| aq32 | 8 | AQ3AA | Had problems studying affecting your | During the last six months, was | Single | 1. No |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|--|---|---|
| | | | performance in school tests in the last 6 months | there a time when you had problems studying at home or school that affected your performance in school tests and other work? | Response | 2. Yes at home and at school3. Yes but only at home4. Yes but only at school |
| aq33 | 8 | AQ3AB | How bad it was when having study problems | When you were having those study problems, how bad was it for you? | Single Response | Almost more than I could take Quite bad Worse than usual About usual |
| aq34a | 8 | AQ34A | Who talked to when having study problems: No one | When you were having those study problems, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq34b | 8 | AQ34B | Who talked to when having study problems: My family | When you were having those study problems, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq34c | 8 | AQ34C | Who talked to when having study problems: My friend/s | When you were having those study problems, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq34d | 8 | AQ34D | Who talked to when having study problems: Teachers or school counselors | When you were having those study problems, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq34e | 8 | AQ34E | Who talked to when having study problems: Doctor or other health professionals | When you were having those study problems, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq34f | 8 | AQ34F | Who talked to when having study problems: Religious advisors or groups | When you were having those study problems, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq34g | 8 | AQ34G | Who talked to when having study problems: Helpline/Internet etc. | When you were having those study problems, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq34h | 8 | AQ34H | Who talked to when having study problems: Other | When you were having those study problems, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq34i | 8 | AQ34I | Who talked to when having study | When you were having those study | Part of | 0. No |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|--|---|--|
| | | | problems: Invalid response | problems, who did you talk to about it? | multiple response question | 1. Yes |
| aq34j | 8 | AQ34J | Who talked to when having study problems: Multiple response | When you were having those study problems, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq34k | 8 | AQ34K | Who talked to when having study problems: Missing answer | When you were having those study problems, who did you talk to about it? | Part of multiple response question | 0. No 1. Yes |
| aq35 | 8 | AQ3AC | Helpfulness of person talked to when having study problems | If you talked to someone about having those study problems, how helpful were they? | Single Response | Not at all helpful Somewhat helpful Quite helpful Very helpful |
| aq4 | 8 | AQ4QS | Like to quit smoking | Would you like to quit smoking? | Single Response | 1. Yes 2. No 3. I am not sure |
| aq5 | 8 | AQ5QS | Tried to quit smoking in the last 12 months | Have you tried to quit smoking in the last 12 months? | Single Response | Yes have tried to give up I smoke but have not tried to quit in the last 12 months |
| aq5a | 8 | | Number of times tried to give up smoking | Have you tried to quit smoking in the last 12 months?; Yes have tried to give up times | Single Response | |
| aq6 | 8 | AQ6TQ | Length of time last quit for | The last time you tried to quit, how long had you quit for? | Single Response | 1. less than a day 2. 1 to 2 days 3. 2 to 6 days 4. Between 1 week and 1 month 5. Between 1 month and 3 months 6. More than 3 months |
| aq7a | 8 | AQ7A | Seen any cigarette advertising in last 6 months: No | Have you seen any cigarette advertising in the last 6 months? | Part of multiple response question | 0. No 1. Yes |
| aq7b | 8 | AQ7B | Seen any cigarette advertising in last 6 months: Yes, in magazines/newspapers | Have you seen any cigarette advertising in the last 6 months? | Part of multiple response question | 0. No 1. Yes |
| aq7c | 8 | AQ7C | Seen any cigarette advertising in last 6 months: Yes, on the internet | Have you seen any cigarette advertising in the last 6 months? | Part of multiple response | 0. No 1. Yes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|-----------|--|---|---|--|
| | | | | | question | |
| aq7d | 8 | AQ7D | Seen any cigarette advertising in last 6 months: Yes, in shops or tobacconists | Have you seen any cigarette advertising in the last 6 months? | Part of multiple response question | 0. No 1. Yes |
| aq7e | 8 | AQ7E | Seen any cigarette advertising in last 6 months: Yes, on billboards | Have you seen any cigarette advertising in the last 6 months? | Part of multiple response question | 0. No 1. Yes |
| aq7f | 8 | AQ7F | Seen any cigarette advertising in last 6 months: Yes, at a sports event | Have you seen any cigarette advertising in the last 6 months? | Part of multiple response question | 0. No 1. Yes |
| aq7g | 8 | AQ7G | Seen any cigarette advertising in last 6 months: Yes, while watching TV coverage of sports event | Have you seen any cigarette advertising in the last 6 months? | Part of multiple response question | 0. No 1. Yes |
| aq7h | 8 | AQ7H | Seen any cigarette advertising in last 6 months: Invalid response | Have you seen any cigarette advertising in the last 6 months? | Part of multiple response question | 0. No 1. Yes |
| aq7i | 8 | AQ7I | Seen any cigarette advertising in last 6 months: Missing answer | Have you seen any cigarette advertising in the last 6 months? | Part of multiple response question | 0. No 1. Yes |
| aq8 | 8 | AQ8CEL | Smoking by celebrities encourages young people to take up smoking | Do you think smoking by celebrities (e.g., movie stars, TV personalities, models, sports stars) encourages young people to take up smoking? | Single Response | 1. Yes 2. No 3. Not sure |
| aq9 | 8 | AQA | Perceived percentage of people who are smokers | What percentage of people do you think are smokers? | Single Response | 101. Not sure |
| arhsres | 4 | \$AHS | Area Health Service | | Derived variable | X500. Sydney South West X510. South Eastern Sydney & Illawarra X520. Sydney West X530. Northern Sydney & Central Coast X540. Hunter & New England X550. North Coast X560. Greater Southern X570. Greater Western |
| ariaplusc | 14 | \$ARIAPLS | Remoteness quintile | | Derived | 1. Major Cities |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|---|--|
| | | | | | variable | 2. Inner Regional3. Outer Regional4. Remote5. Very Remote |
| atschool | 8 | ATSCHOOL | At school on day before survey | Were you at school on the last school day? | Single Response | 1. Yes 2. No |
| blister | 8 | BLISTER | Ever had severe sunburn with blistering | Have you ever had severe sunburn, which has blistered? | Single Response | 1. Yes 2. No |
| bmicat | 8 | BMICAT | Calculated Actual BMI Category | | Derived variable from q3_tall and q4_weigh | Healthy weight Overweight Obese |
| bq10 | 8 | BQ1A | Hurt yourself and seen doctor physiotherapist or health professional in last 6 months | In the past 6 months have you hurt yourself or had an injury for which you had to see a doctor, physiotherapist or another health professional? | Single Response | 1. No 2. Yes |
| bq11 | 8 | BQ1AA | Location where the most recent injury requiring medical attention happened | Where were you when the most recent injury requiring medical attention happened? | Single Response | At school At home At a sports facility On a street or road At a place for shopping or leisure At a place of employment Other type of place |
| bq12a | 8 | BQ12A | Activity doing when most recent injury occurred: School activity (including school sport) | What were you doing when the most recent injury requiring you to seek attention from a health professional occurred? | Part of multiple response question | 0. No 1. Yes |
| bq12b | 8 | BQ12B | Activity doing when most recent injury occurred: Sport (playing or training: excludes school sport) | What were you doing when the most recent injury requiring you to seek attention from a health professional occurred? | Part of multiple response question | 0. No 1. Yes |
| bq12c | 8 | BQ12C | Activity doing when most recent injury occurred: Leisure or play | What were you doing when the most recent injury requiring you to seek attention from a health professional occurred? | Part of multiple response question | 0. No 1. Yes |
| bq12d | 8 | BQ12D | Activity doing when most recent injury occurred: Working for money | What were you doing when the most recent injury requiring you to seek attention from a health professional occurred? | Part of multiple response question | 0. No 1. Yes |
| bq12e | 8 | BQ12E | Activity doing when most recent injury | What were you doing when the | Part of | 0. No |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|---|---|-----------------|
| | | | occurred: Doing any other activity. | most recent injury requiring you to seek attention from a health professional occurred? | multiple response question | 1. Yes |
| bq12f | 8 | BQ12F | Activity doing when most recent injury occurred: Invalid response | What were you doing when the most recent injury requiring you to seek attention from a health professional occurred? | Part of multiple response question | 0. No 1. Yes |
| bq12g | 8 | BQ12G | Activity doing when most recent injury occurred: Multiple response | What were you doing when the most recent injury requiring you to seek attention from a health professional occurred? | Part of multiple response question | 0. No 1. Yes |
| bq12h | 8 | BQ12H | Activity doing when most recent injury occurred: Missing answer | What were you doing when the most recent injury requiring you to seek attention from a health professional occurred? | Part of multiple response question | 0. No 1. Yes |
| bq13a | 8 | BQ13A | Injured participating in sport in last 12 months: No injuries | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? | Part of multiple response question | 0. No 1. Yes |
| bq13ac | 8 | BQ13AC | Injured participating in sport in last 12 months: Skateboarding | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? | Part of multiple response question | 0. No 1. Yes |
| bq13af | 8 | BQ13AF | Injured participating in sport in last 12 months: Soccer | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? Soccer | Part of multiple response question | 0. No 1. Yes |
| bq13aj | 8 | BQ13AJ | Injured participating in sport in last 12 months: Swimming | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? Swimming | Part of multiple response question | 0. No 1. Yes |
| bq13aq | 8 | BQ13AQ | Injured participating in sport in last 12 months: Any other activity | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? | Part of multiple response question | 0. No 1. Yes |
| bq13ar | 8 | BQ13AR | Injured participating in sport in last 12 months: Invalid response | In the last 12 months have you been injured participating in any of | Part of multiple | 0. No 1. Yes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|--|---|-----------------|
| | | | | the following sports, games or physical activities, either organised or non-organised? | response question | |
| bq13as | 8 | BQ13AS | Injured participating in sport in last 12 months: Multiple response | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? | Part of multiple response question | 0. No 1. Yes |
| bq13at | 8 | BQ13AT | Injured participating in sport in last 12 months: Missing answer | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? | Part of multiple response question | 0. No 1. Yes |
| bq13c | 8 | BQ13C | Injured participating in sport in last 12 months: Athletics | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? Athletics | Part of multiple response question | 0. No 1. Yes |
| bq13i | 8 | BQ13I | Injured participating in sport in last 12 months: Cricket | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? Cricket | Part of multiple response question | 0. No 1. Yes |
| bq13j | 8 | BQ13J | Injured participating in sport in last 12 months: Cycling | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? Cycling | Part of multiple response question | 0. No 1. Yes |
| bq13k | 8 | BQ13K | Injured participating in sport in last 12 months: Dancing | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? Dancing | Part of multiple response question | 0. No 1. Yes |
| bq13s | 8 | BQ13S | Injured participating in sport in last 12 months: Jogging | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? Jogging | Part of multiple response question | 0. No 1. Yes |
| bq13v | 8 | BQ13V | Injured participating in sport in last 12 months: Netball | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? Netball | Part of multiple response question | 0. No 1. Yes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|--|---|--|
| bq13z | 8 | BQ13Z | Injured participating in sport in last 12 months: Rugby league | In the last 12 months have you been injured participating in any of the following sports, games or physical activities, either organised or non-organised? | Part of multiple response question | 0. No 1. Yes |
| bq14a | 8 | BQ14A | Type of sports injury in last 12 months: Joint injury | What type of injuries, did you have when you were injured in those sports in the past 12 months? | Part of multiple response question | 0. No 1. Yes |
| bq14b | 8 | BQ14B | Type of sports injury in last 12 months: Muscle strain | What type of injuries, did you have when you were injured in those sports in the past 12 months? | Part of multiple response question | 0. No 1. Yes |
| bq14c | 8 | BQ14C | Type of sports injury in last 12 months: Cut | What type of injuries, did you have when you were injured in those sports in the past 12 months? | Part of multiple response question | 0. No 1. Yes |
| bq14d | 8 | BQ14D | Type of sports injury in last 12 months: Knocked out or head injury | What type of injuries, did you have when you were injured in those sports in the past 12 months? | Part of multiple response question | 0. No 1. Yes |
| bq14e | 8 | BQ14E | Type of sports injury in last 12 months: Broken bone or tooth | What type of injuries, did you have when you were injured in those sports in the past 12 months? | Part of multiple response question | 0. No 1. Yes |
| bq14f | 8 | BQ14F | Type of sports injury in last 12 months: Other | What type of injuries, did you have when you were injured in those sports in the past 12 months? | Part of multiple response question | 0. No 1. Yes |
| bq14g | 8 | BQ14G | Type of sports injury in last 12 months: Missing answer | What type of injuries, did you have when you were injured in those sports in the past 12 months? | Part of multiple response question | 0. No 1. Yes |
| bq14h | 8 | BQ14H | Type of sports injury in last 12 months: Bruise | What type of injuries, did you have when you were injured in those sports in the past 12 months? | Part of multiple response question | 0. No 1. Yes |
| bq15a | 8 | BQ15A | Likelihood to ride a bike without a helmet | How likely are you to do the following activities? Riding a bicycle without a helmet | Single Response | 1. Not at all 2. Occassionally 3. Sometimes 4. Often 5. Always |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|---|---------------------|---|
| bq15b | 8 | BQ15B | Likelihood to play a game of sport without warming up | How likely are you to do the following activities? Playing a game of sport without warming up or stretching | Single Response | 1. Not at all 2. Occassionally 3. Sometimes 4. Often 5. Always |
| bq15c | 8 | BQ15C | Likelihood to swim at an unpatrolled beach | How likely are you to do the following activities? Swimming at an unpatrolled beach | Single Response | Not at all Occassionally Sometimes Often Always |
| bq15d | 8 | BQ15D | Likelihood to be a passenger in a vehicle where the driver has been drinking | How likely are you to do the following activities? Being a passenger in a vehicle where the driver had been drinking alcohol | Single Response | Not at all Occassionally Sometimes A. Often Always |
| bq15e | 8 | BQ15E | Likelihood to play a contact sport without protective equipment | How likely are you to do the following activities? Playing a contact sport without protective equipment (e.g. mouthguards, shin pads) | Single Response | 1. Not at all 2. Occassionally 3. Sometimes 4. Often 5. Always |
| bq15f | 8 | BQ15F | Likelihood to ride a skateboard on a road way | How likely are you to do the following activities? Riding a skateboard on a roadway | Single Response | Not at all Occassionally Sometimes Often Always |
| bq15g | 8 | BQ15G | Likelihood to be a passenger in a vehicle where the driver has been taking drugs | How likely are you to do the following activities? Being a passenger in a vehicle where the driver had been taking drugs | Single Response | Not at all Occassionally Sometimes Often Always |
| bq18 | 8 | BQ1AB | Times used a solarium in the past 12 months | How many times have you used a solarium (sunbed) in the past 12 months? | Single Response | 1. None 2. Once 3. 2 to 5 times 4. 6 or more times |
| bq4 | 8 | BQ4WGT | Perception of own weight | Do you think of yourself as being too thin, about the right weight, or too fat? | Single Response | Too thin About the right weight Too fat |
| bq5 | 8 | BQA | What things trying to do about your weight | Which of the following are you trying to do about your weight? | Single Response | Lose weight Gain weight Stay the same weight Not trying to do anything about my weight |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|---|---------------------|------------|
| bq6_ta | 8 | | Number of times per week usually do this sport or game: Athletics | Number of times per week you usually do this sport or game, including training? Athletics | Single Response | |
| bq6_tb | 8 | | Number of times per week usually do this sport or game: Basketball | Number of times per week you usually do this sport or game, including training? Basketball | Single Response | |
| bq6_tc | 8 | | Number of times per week usually do this sport or game: Cricket | Number of times per week you usually do this sport or game, including training? Cricket | Single Response | |
| bq6_td | 8 | | Number of times per week usually do this sport or game: Cycling | Number of times per week you usually do this sport or game, including training? Cycling | Single Response | |
| bq6_te | 8 | | Number of times per week usually do this sport or game: Dancing | Number of times per week you usually do this sport or game, including training? Dancing | Single Response | |
| bq6_tf | 8 | | Number of times per week usually do this sport or game: Gym/weights workout | Number of times per week you usually do this sport or game, including training? Gym/weights workout | Single Response | |
| bq6_tg | 8 | | Number of times per week usually do this sport or game: Jogging | Number of times per week you usually do this sport or game, including training? Jogging | Single Response | |
| bq6_th | 8 | | Number of times per week usually do this sport or game: Netball | Number of times per week you usually do this sport or game, including training? Netball | Single Response | |
| bq6_ti | 8 | | Number of times per week usually do this sport or game: Soccer | Number of times per week you usually do this sport or game, including training? Soccer | Single Response | |
| bq6_tj | 8 | | Number of times per week usually do this sport or game: Swimming | Number of times per week you usually do this sport or game, including training? Swimming | Single Response | |
| bq6_tk | 8 | | Number of times per week usually do this sport or game: Walking for transport | Number of times per week you usually do this sport or game, including training? Walking for transport | Single Response | |
| bq6_tl | 8 | | Number of times per week usually do this sport or game: Walking for pleasure | Number of times per week you usually do this sport or game, including training? Walking for pleasure | Single Response | |
| bq6_tm | 8 | | Number of times per week usually do this sport or game: any other physical activity | Number of times per week you usually do this sport or game, including training? Any other | Single Response | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|--|---------------------|-----------------|
| | | | | physical activity | | |
| bq6_tn | 8 | | Number of times per week usually do this sport or game: any other physical activity | Number of times per week you usually do this sport or game, including training? Any other physical activity | Single Response | |
| bq6_to | 8 | | Number of times per week usually do this sport or game: any other physical activity | Number of times per week you usually do this sport or game, including training? Any other physical activity | Single Response | |
| bq6ad | 8 | BQ6AD | Plays soccer at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: Soccer | Single Response | 0. No 1. Yes |
| bq6ah | 8 | BQ6AH | Goes swimming at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: Swimming | Single Response | 0. No 1. Yes |
| bq6am | 8 | BQ6AM | Walking for transport at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: Walking for transport | Single Response | 0. No 1. Yes |
| bq6an | 8 | BQ6AN | Walking for pleasure at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: Walking for pleasure | Single Response | 0. No 1. Yes |
| bq6ao | 8 | BQ6AO | Undertakes any other physical activity at least once per week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: Any other physical activity | Single Response | 0. No 1. Yes |
| bq6ap | 8 | BQ6AP | Undertakes any other physical activity at least once per week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other | Single Response | 0. No 1. Yes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|---|---------------------|-----------------|
| | | | | physical activities you usually do: Any other physical activity | | |
| bq6aq | 8 | BQ6AQ | Undertakes any other physical activity at least once per week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: Any other physical activity | Single Response | 0. No 1. Yes |
| bq6ar | 8 | BQ6AR | Does not spend any time on sports games or physical activity | I do not spend any time on sports games or physical activities | Single Response | 0. No 1. Yes |
| bq6as | 8 | BQ6AS | Dubious answer for total time doing sport each week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do and for each of the ticked items write in the total time you spend doing them each week | Derived variable | 0. No 1. Yes |
| bq6at | 8 | BQ6AT | No response for total time doing sport each week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do and for each of the ticked items write in the total time you spend doing them each week | Derived variable | 0. No 1. Yes |
| bq6av | 8 | | Total hours participates in athletics in a normal week | The total amount of time you spend doing this activity in a normal week: Athletics | Single Response | |
| bq6ay | 8 | | Total hours plays basketball in a normal week | The total amount of time you spend doing this activity in a normal week: Basketball | Single Response | |
| bq6b | 8 | BQ6B | Participates in athletics at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: Athletics | Single Response | 0. No 1. Yes |
| bq6bb | 8 | | Total hours playing cricket in a normal week | The total amount of time you spend doing this activity in a normal week: Cricket | Single Response | |
| bq6bc | 8 | | Total hours cycling in a normal week | The total amount of time you spend | Single | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|--|---------------------|------------|
| | | | | doing this activity in a normal week: Cycling | Response | |
| bq6bd | 8 | | Total hours dancing in a normal week | The total amount of time you spend doing this activity in a normal week: Dancing | Single Response | |
| bq6bg | 8 | | Total hours gym/weights workout in a normal week | The total amount of time you spend doing this activity in a normal week: Gym/weights workout | Single Response | |
| bq6bl | 8 | | Total hours jogging in a normal week | The total amount of time you spend doing this activity in a normal week: Jogging | Single Response | |
| bq6bo | 8 | | Total hours netball in a normal week | The total amount of time you spend doing this activity in a normal week: Netball | Single Response | |
| bq6bx | 8 | | Total hours soccer in a normal week | The total amount of time you spend doing this activity in a normal week: Soccer | Single Response | |
| bq6cb | 8 | | Total hours swimming in a normal week | The total amount of time you spend doing this activity in a normal week: Swimming | Single Response | |
| bq6cg | 8 | | Total hours walking for transport in a normal week | The total amount of time you spend doing this activity in a normal week: Walking for transport | Single Response | |
| bq6ch | 8 | | Total hours walking for pleasure in a normal week | The total amount of time you spend doing this activity in a normal week: Walking for pleasure | Single Response | |
| bq6ci | 8 | | Total hours any other physical activity in a normal week | The total amount of time you spend doing this activity in a normal week: Any other physical activity | Single Response | |
| bq6cj | 8 | | Total hours any other physical activity in a normal week | The total amount of time you spend doing this activity in a normal week: Any other physical activity | Single Response | |
| bq6ck | 8 | | Total hours any other physical activity in a normal week | The total amount of time you spend doing this activity in a normal week: Any other physical activity | Single Response | |
| bq6cm | 8 | | Total minutes athletics in a normal week | The total amount of time you spend doing this activity in a normal week: Athletics | Single Response | |
| bq6cp | 8 | | Total minutes basketball in a normal week | The total amount of time you spend doing this activity in a normal week: Basketball | Single Response | |
| bq6cs | 8 | | Total minutes cricket in a normal week | The total amount of time you spend | Single | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|---|---------------------|-----------------|
| | | | | doing this activity in a normal week: Cricket | Response | |
| bq6ct | 8 | | Total minutes cycling in a normal week | The total amount of time you spend doing this activity in a normal week: Cycling | Single Response | |
| bq6cu | 8 | | Total minutes dancing in a normal week | The total amount of time you spend doing this activity in a normal week: Dancing | Single Response | |
| bq6cx | 8 | | Total minutes gym/weights workout in a normal week | The total amount of time you spend doing this activity in a normal week: Gym/weights workout | Single Response | |
| bq6dc | 8 | | Total minutes jogging in a normal week | The total amount of time you spend doing this activity in a normal week: Jogging | Single Response | |
| bq6df | 8 | | Total minutes netball in a normal week | The total amount of time you spend doing this activity in a normal week: Netball | Single Response | |
| bq6do | 8 | | Total minutes soccer in a normal week | The total amount of time you spend doing this activity in a normal week: Soccer | Single Response | |
| bq6ds | 8 | | Total minutes swimming in a normal week | The total amount of time you spend doing this activity in a normal week: Swimming | Single Response | |
| bq6dx | 8 | | Total minutes walking for transport in a normal week | The total amount of time you spend doing this activity in a normal week: Walking for transport | Single Response | |
| bq6dy | 8 | | Total minutes walking for pleasure in a normal week | The total amount of time you spend doing this activity in a normal week: Walking for pleasure | Single Response | |
| bq6dz | 8 | | Total minutes any other physical activity in a normal week | The total amount of time you spend doing this activity in a normal week: Any other physical activity | Single Response | |
| bq6e | 8 | BQ6E | Plays basketball at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: Basketball | Single Response | 0. No 1. Yes |
| bq6ea | 8 | | Total minutes any other physical activity | The total amount of time you spend doing this activity in a normal week: Any other physical activity | Single Response | |
| bq6eb | 8 | | Total minutes any other physical activity | The total amount of time you spend | Single | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|--|---------------------|--|
| | | | | doing this activity in a normal week: Any other physical activity | Response | |
| bq6h | 8 | BQ6H | Plays cricket at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: Cricket | Single Response | 0. No 1. Yes |
| bq6i | 8 | BQ6I | Cycles at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: | Single Response | 0. No 1. Yes |
| bq6j | 8 | BQ6J | Dances at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: | Single Response | 0. No 1. Yes |
| bq6m | 8 | BQ6M | Does gym/weights workout at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: Gym/weights workout | Single Response | 0. No 1. Yes |
| bq6r | 8 | BQ6R | Jogs at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: | Single Response | 0. No 1. Yes |
| bq6u | 8 | BQ6U | Plays netball at least once a week | Please think about a normal week during this school term (including Saturdays and Sundays). Please tick the sports, games or other physical activities you usually do: Netball | Single Response | 0. No 1. Yes |
| bq7a | 8 | BQ7A | Hours a day do you watch TV videos or DVDs: Monday to Friday | Outside school time, how many hours a day on average do you usually watch TV, videos or DVDs? On Monday to Friday | Single Response | Not at all 1 hour or less a day 2 hours a day 3 hours a day 4 hours a day 5 hours or more a day |
| bq7b | 8 | BQ7B | Hours a day do you watch TV videos or DVDs: Saturday and Sunday | Outside school time, how many hours a day on average do you | Single Response | 1. Not at all 2. 1 hour or less a day |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|--|---|---|
| | | | | usually watch TV, videos or DVDs? On Saturday and Sunday | | 3. 2 hours a day4. 3 hours a day5. 4 hours a day6. 5 hours or more a day |
| bq8a | 8 | BQ8A | Hours a day use computers for entertainment or play video games: Monday to Friday | Outside school time, how many hours a day on average do you usually use computers for entertainment or to play video games (e.g. surfing the net, Playstations, Nintendos)? On Monday to Friday | Single Response | 1. Not at all 2. 1 hour or less a day 3. 2 hours a day 4. 3 hours a day 5. 4 hours a day 6. 5 hours or more a day |
| bq8b | 8 | BQ8B | Hours a day use computers for entertainment or play video games: Saturday and Sunday | Outside school time, how many hours a day on average do you usually use computers for entertainment or to play video games (e.g. surfing the net, Playstations, Nintendos)? On Saturday and Sunday | Single Response | Not at all 1 hour or less a day 2 hours a day 3 hours a day 4 hours a day 5 hours or more a day |
| bq9a | 8 | BQ9A | Hours a day use computers for school work: Monday to Friday | Outside school time, how many hours a day on average do you usually use computers for study or school work? On Monday to Friday | Single Response | Not at all 1 hour or less a day 2 hours a day 3 hours a day 4 hours a day 5 hours or more a day |
| bq9b | 8 | BQ9B | Hours a day use computers for school work: Saturday and Sunday | Outside school time, how many hours a day on average do you usually use computers for study or school work? On Saturday and Sunday | Single Response | 1. Not at all 2. 1 hour or less a day 3. 2 hours a day 4. 3 hours a day 5. 4 hours a day 6. 5 hours or more a day |
| brand1 | 8 | BRANDA | Brand of cigarettes usually smoked - answer #1 | What brand of cigarettes do you usually smoke? | Part of multiple response question | 1. Alpine 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 2. Benson & Hedges 20. Other unspecified 21. St Moritz 22. John Player 23. Kent |

| | | | | | Coding and Comments | Code frame |
|---------|---|--------|--------------------------------------|---------------------------------|---------------------|----------------------|
| | | | | | | 24. Drum |
| | | | | | | 25. Cartier |
| | | | | | | 26. Craven |
| | | | | | | 27. Martins |
| | | | | | | 28. Freeport |
| | | | | | | 29. Superlights |
| | | | | | | 3. Dunhill |
| | | | | | | 30. Black & White |
| | | | | | | 31. More |
| | | | | | | 32. Ransom |
| | | | | | | 33. Port Royal |
| | | | | | | 34. Camel |
| | | | | | | 35. Rothmans |
| | | | | | | 36. Special Mild |
| | | | | | | 37. Kool |
| | | | | | | 38. Barclay |
| | | | | | | 39. Summit |
| | | | | | | 4. Escort |
| | | | | | | |
| | | | | | | 40. Hallmark |
| | | | | | | 41. Cambridge |
| | | | | | | 42. Peter Stuyvesant |
| | | | | | | 43. Viscount |
| | | | | | | 44. White Ox |
| | | | | | | 45. Du Maurier |
| | | | | | | 46. Flagship |
| | | | | | | 47. Lucky Strike |
| | | | | | | 48. Ecstasy |
| | | | | | | 49. Beedies/Bidis |
| | | | | | | 5. Fortune |
| | | | | | | 50. Other specified |
| | | | | | | 51. home made |
| | | | | | | 52. 555 |
| | | | | | | 53. Brandon |
| | | | | | | 54. Park Drive |
| | | | | | | 55. Champion |
| | | | | | | 56. Mild Seven |
| | | | | | | 57. Chop Chop |
| | | | | | | 6. Holiday |
| | | | | | | 7. Horizon |
| | | | | | | 8. Longbeach |
| | | | | | | 9. Marlboro |
| brand2 | 8 | BRANDA | Brand of cigarettes usually smoked - | What brand of cigarettes do you | Part of | 1. Alpine |
| Sidild2 | | | answer #2 | usually smoke? | multiple | 10. Peter Jackson |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|----------------|----------|---------------------|-----------------------|
| | | | | | response | 11. Sterling |
| | | | | | question | 12. Stradbroke |
| | | | | | ' | 13. Vogue |
| | | | | | | 14. Wills Super Mild |
| | | | | | | 15. Winfield |
| | | | | | | 16. Freedom |
| | | | | | | 2. Benson & Hedges |
| | | | | | | 20. Other unspecified |
| | | | | | | 21. St Moritz |
| | | | | | | 22. John Player |
| | | | | | | 23. Kent |
| | | | | | | 24. Drum |
| | | | | | | 25. Cartier |
| | | | | | | 26. Craven |
| | | | | | | 27. Martins |
| | | | | | | 28. Freeport |
| | | | | | | 29. Superlights |
| | | | | | | 3. Dunhill |
| | | | | | | 30. Black & White |
| | | | | | | 31. More |
| | | | | | | 32. Ransom |
| | | | | | | 33. Port Royal |
| | | | | | | 34. Camel |
| | | | | | | 35. Rothmans |
| | | | | | | 36. Special Mild |
| | | | | | | 37. Kool |
| | | | | | | 38. Barclay |
| | | | | | | 39. Summit |
| | | | | | | 4. Escort |
| | | | | | | 40. Hallmark |
| | | | | | | 41. Cambridge |
| | | | | | | 42. Peter Stuyvesant |
| | | | | | | 43. Viscount |
| | | | | | | 44. White Ox |
| | | | | | | 45. Du Maurier |
| | | | | | | 46. Flagship |
| | | | | | | 47. Lucky Strike |
| | | | | | | 48. Ecstasy |
| | | | | | | 49. Beedies/Bidis |
| | | | | | | 5. Fortune |
| | | | | | | 50. Other specified |
| | | | | | | 51. home made |
| | | | | | | 52. 555 |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|--|------------------------------------|--|
| | | | | | | 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 6. Holiday 7. Horizon 8. Longbeach |
| brand3 | 8 | BRANDA | Brand of cigarettes usually smoked - answer #3 | What brand of cigarettes do you usually smoke? | Part of multiple response question | 9. Marlboro 1. Alpine 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 2. Benson & Hedges 20. Other unspecified 21. St Moritz 22. John Player 23. Kent 24. Drum 25. Cartier 26. Craven 27. Martins 28. Freeport 29. Superlights 3. Dunhill 30. Black & White 31. More 32. Ransom 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay 39. Summit 4. Escort 40. Hallmark 41. Cambridge 42. Peter Stuyvesant |

| 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 5. Fortune | | | Coding and Comments | Question | Variable label | Format | Type Length | Variable Name |
|--|--|---|---------------------------|----------|----------------|--------|----------------|------------------|
| brand4 8 BRANDA Brand of cigarettes usually smoked answer #4 What brand of cigarettes do you usually smoke? Part of multiple response question 1. Alpine 1. Alpine 1. Stardbroke 1. Stardb | der rike Bidis Bidis Becified ade re n Ben Ben Ben Ben Ben Ber Ber Ber Ber Bidis Becified Ber | 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 5. Fortune 50. Other specifie 51. home made 52. 555 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 6. Holiday 7. Horizon 8. Longbeach 9. Marlboro 1. Alpine 10. Peter Jacksor 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super M 15. Winfield 16. Freedom 2. Benson & Hedg 20. Other unspeci 21. St Moritz 22. John Player 23. Kent 24. Drum 25. Cartier 26. Craven 27. Martins 28. Freeport 29. Superlights 3. Dunhill 30. Black & White 31. More | Part of multiple response | | | BRANDA | Length | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|--|---|--|
| | | | | | | 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay 39. Summit 4. Escort 40. Hallmark 41. Cambridge 42. Peter Stuyvesant 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 5. Fortune 50. Other specified 51. home made 52. 555 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 6. Holiday 7. Horizon 8. Longbeach |
| brand5 | 8 | BRANDA | Brand of cigarettes usually smoked - answer #5 | What brand of cigarettes do you usually smoke? | Part of multiple response question | 9. Marlboro 1. Alpine 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 2. Benson & Hedges 20. Other unspecified 21. St Moritz 22. John Player |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--------------------------------------|---------------------------------|---------------------|----------------------|
| | | | | | | 23. Kent |
| | | | | | | 24. Drum |
| | | | | | | 25. Cartier |
| | | | | | | 26. Craven |
| | | | | | | 27. Martins |
| | | | | | | 28. Freeport |
| | | | | | | 29. Superlights |
| | | | | | | 3. Dunhill |
| | | | | | | 30. Black & White |
| | | | | | | 31. More |
| | | | | | | 32. Ransom |
| | | | | | | 33. Port Royal |
| | | | | | | 34. Camel |
| | | | | | | 35. Rothmans |
| | | | | | | 36. Special Mild |
| | | | | | | 37. Kool |
| | | | | | | 38. Barclay |
| | | | | | | 39. Summit |
| | | | | | | 4. Escort |
| | | | | | | 40. Hallmark |
| | | | | | | 41. Cambridge |
| | | | | | | 42. Peter Stuyvesant |
| | | | | | | 43. Viscount |
| | | | | | | 44. White Ox |
| | | | | | | 45. Du Maurier |
| | | | | | | 46. Flagship |
| | | | | | | 47. Lucky Strike |
| | | | | | | 48. Ecstasy |
| | | | | | | 49. Beedies/Bidis |
| | | | | | | 5. Fortune |
| | | | | | | 50. Other specified |
| | | | | | | 51. home made |
| | | | | | | 52. 555 |
| | | | | | | 53. Brandon |
| | | | | | | 54. Park Drive |
| | | | | | | 55. Champion |
| | | | | | | 56. Mild Seven |
| | | | | | | 57. Chop Chop |
| | | | | | | 6. Holiday |
| | | | | | | 7. Horizon |
| | | | | | | 8. Longbeach |
| | | | | | | 9. Marlboro |
| brand6 | 0 | BRANDA | Prand of cigarottes usually amaked | What brand of cigarattee do you | Part of | |
| บเสเนช | 8 | DKANDA | Brand of cigarettes usually smoked - | What brand of cigarettes do you | ן רמונטו | 1. Alpine |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|--|------------------------------------|---|
| | g | | | | | 52. 555 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 6. Holiday 7. Horizon 8. Longbeach 9. Marlboro |
| brand7 | 8 | BRANDA | Brand of cigarettes usually smoked - answer #7 | What brand of cigarettes do you usually smoke? | Part of multiple response question | 1. Alpine 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 2. Benson & Hedges 20. Other unspecified 21. St Moritz 22. John Player 23. Kent 24. Drum 25. Cartier 26. Craven 27. Martins 28. Freeport 29. Superlights 3. Dunhill 30. Black & White 31. More 32. Ransom 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay 39. Summit 4. Escort 40. Hallmark 41. Cambridge |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--------------------------------------|---------------------------------|----------------------------------|--|
| brand8 | 8 | BRANDA | Brand of cigarettes usually smoked - | What brand of cigarettes do you | Part of | 42. Peter Stuyvesant 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 5. Fortune 50. Other specified 51. home made 52. 555 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 6. Holiday 7. Horizon 8. Longbeach 9. Marlboro 1. Alpine |
| DIANUO | 0 | BRANDA | answer #8 | usually smoke? | multiple response question | 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 2. Benson & Hedges 20. Other unspecified 21. St Moritz 22. John Player 23. Kent 24. Drum 25. Cartier 26. Craven 27. Martins 28. Freeport 29. Superlights 3. Dunhill 30. Black & White 31. More |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---------------------|---|
| | | | | | | 32. Ransom 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay 39. Summit 4. Escort 40. Hallmark 41. Cambridge 42. Peter Stuyvesant 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 5. Fortune 50. Other specified 51. home made 52. 555 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 6. Holiday 7. Horizon 8. Longbeach 9. Marlboro |
| buycigot | 8 | BUYCIGOT | Ease of getting someone else to buy cigarettes | At most shops in the area where you live and go to school, how easy or difficult would it be: for you to get someone else to buy cigarettes for you? | Single Response | Very easy Easy Neither easy or difficult Difficult Very difficult |
| buycigsf | 8 | BUYCIGSF | Ease of buying cigarettes | At most shops in the area where you live and go to school, how easy or difficult would it be: for you to buy cigarettes? | Single Response | Very easy Easy Neither easy or difficult Difficult Very difficult |
| cash | 8 | CASH | How much money available to spend in | During a normal week, how much | Single | 1. None |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|---|---------------------|--|
| | | | a normal week | money do you have available to spend on yourself (e.g. from pocket money, part-time job)? | Response | 2. Less than \$10 3. \$11 - \$20 4. \$21 - \$40 5. \$41 - \$60 6. \$61 - \$80 7. Over \$80 |
| coc4 | 8 | COCAA | Used/taken cocaine in last 4 weeks | How many times, if ever, have you used or taken cocaine: In the last four weeks? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| coc7 | 8 | COCA | Used/taken cocaine in last 7 days | How many times, if ever, have you used or taken cocaine: In the last week? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| coclf | 8 | COCLF | Ever used/taken cocaine in lifetime | How many times, if ever, have you used or taken cocaine: In your lifetime? | Single Response | None Once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times |
| cocyr | 8 | COCYR | Used/taken cocaine in last year | How many times, if ever, have you used or taken cocaine: In the last year? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| cupwater | 8 | | Cups of water usually consumed per day | How many cups of water do you usually drink? | Single Response | |
| denom | 8 | DENOM | School denomination | | | govt non-technical govt primary schools technical schools catholic schools independent schools aboriginal schools |
| disadvqt | 8 | DISADV | Socioeconomic Disadvantage Quintile | | Derived | 1. 1st Quintile least |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|---|--|
| | | | | | variable | disadvantaged 2. 2nd Quintile 3. 3rd Quintile 4. 4th Quintile 5. 5th Quintile most disadvantaged |
| dope4 | 8 | DOPEAA | Used/smoked marijuana/cannabis in last 4 weeks | How many times, if ever, have you smoked or used marijuana/cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint): In the last four weeks? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| dope7 | 8 | DOPEA | Used/smoked marijuana/cannabis in last 7 days | How many times, if ever, have you smoked or used marijuana/cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint): In the last week? | Single Response | None Once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times |
| dopelf | 8 | DOPELF | Ever used/smoked marijuana/cannabis in lifetime | How many times, if ever, have you smoked or used marijuana/cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint): In your lifetime? | Single Response | None Once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times |
| dopepol1 | 8 | DOPEPOLA | Substance used on same occasion as marijuana/cannabis - answer #1 | In the last year, did you use any other substances on the same occasion that you used marijuana/cannabis? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|---|---|
| | | | | | | 5. hallucinogens6. amphetamines7. ecstasy8. no other substance used9. food |
| dopepol2 | 8 | DOPEPOLB | Substance used on same occasion as marijuana/cannabis - answer #2 | In the last year, did you use any other substances on the same occasion that you used marijuana/cannabis? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| dopepol3 | 8 | DOPEPOLC | Substance used on same occasion as marijuana/cannabis - answer #3 | In the last year, did you use any other substances on the same occasion that you used marijuana/cannabis? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|---|---|
| | | | | | | 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| dopepol4 | 8 | DOPEPOLD | Substance used on same occasion as marijuana/cannabis - answer #4 | In the last year, did you use any other substances on the same occasion that you used marijuana/cannabis? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| dopepol5 | 8 | DOPEPOLE | Substance used on same occasion as marijuana/cannabis - answer #5 | In the last year, did you use any other substances on the same occasion that you used marijuana/cannabis? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|---|---|
| | | | | | | 7. ecstasy 8. no other substance used 9. food |
| dopepol6 | 8 | DOPEPOLF | Substance used on same occasion as marijuana/cannabis - answer #6 | In the last year, did you use any other substances on the same occasion that you used marijuana/cannabis? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| dopepol7 | 8 | DOPEPOLG | Substance used on same occasion as marijuana/cannabis - answer #7 | In the last year, did you use any other substances on the same occasion that you used marijuana/cannabis? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. ecstasy |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|------------------------------------|---|
| | | | | | | 8. no other substance used 9. food |
| dopepol8 | 8 | DOPEPOLH | Substance used on same occasion as marijuana/cannabis - answer #8 | In the last year, did you use any other substances on the same occasion that you used marijuana/cannabis? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| dopeself | 8 | DOPESELF | Usually use cannabis by self or with others | Do you usually use cannabis (marijuana) by yourself or with others? | Single Response | By myself With others By myself and with others about equally often |
| dopetype | 8 | DOPETYPE | Type/method of using marijuana/cannabis | When you use cannabis (marijuana) do you usually: | Single Response | Smoke it as a joint Smoke it from a bong or a pipe Eat it Other Other unspecified Gravity/gravities |
| dopewher | 8 | DOPEWHER | Where last used cannabis | Where did you last use cannabis? | Single Response | 1. At a hotel, pub, tavern or RSL club 10. In a car 11. On school grounds during school time 12. On school grounds after hours 2. At a dance venue, dance party, rave 20. Other unspecified |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|---------|--|---|---|--|
| | | | | | | 21. At a sporting event 22. Other function 23. Other adults/relations home 24. Public area 25. Bush/camping 26. Holiday 3. At a nightclub 30. Other specified 4. At a party 5. At my home 6. At my friends home 7. At a sports club 8. At the beach 9. In a park |
| dopeyr | 8 | DOPEYR | Used/smoked marijuana/cannabis in last year | How many times, if ever, have you smoked or used marijuana/cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint): In the last year? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| drink12 | 8 | DRINK1A | Had an alcoholic drink in the last 12 months | Have you had an alcoholic drink in the last twelve months? | Single Response | 1. Yes 2. No |
| drink4 | 8 | DRINKA | Had an alcoholic drink in the last 4 weeks | Have you had an alcoholic drink in the last 4 weeks? | Single Response | 1. Yes 2. No |
| drink7 | 8 | DRINKAA | Had an alcoholic drink in the last 7 days | This question is about the number of alcoholic drinks you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of alcoholic drinks you had yesterday. If you didn't have any alcoholic drinks, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of alcoholic drinks you had each day in the circle. Put '0' for each day you didn't have any alcoholic drinks. | Derived variable from drinkmon, drinktue, drinkwed, drinkthur, drinkfri, drinksat, drinksun | 0. No 1. Yes |
| drinkfri | 8 | | Number of drinks last Friday | This question is about the number of alcoholic drinks you had during | Part of multiple | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--------------------------------|---|---|---|
| | | | | the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of alcoholic drinks you had yesterday. If you didn't have any alcoholic drinks, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of alcoholic drinks you had each day in the circle. Put '0' for each day you didn't have any alcoholic drinks. | response question | |
| drinkmon | 8 | | Number of drinks last Monday | This question is about the number of alcoholic drinks you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of alcoholic drinks you had yesterday. If you didn't have any alcoholic drinks, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of alcoholic drinks you had each day in the circle. Put '0' for each day you didn't have any alcoholic drinks. | Part of multiple response question | |
| drinknow | 8 | DRINKNOW | Current drinking status | At present do you consider yourself:? | Single Response | A non-drinker An occasional drinker A light drinker A party drinker A heavy drinker |
| drinksat | 8 | | Number of drinks last Saturday | This question is about the number of alcoholic drinks you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of alcoholic drinks you had yesterday. If you didn't have any alcoholic | Part of multiple response question | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--------------------------------|---|---|------------|
| | | | | drinks, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of alcoholic drinks you had each day in the circle. Put '0' for each day you didn't have any alcoholic drinks. | | |
| drinksun | 8 | | Number of drinks last Sunday | This question is about the number of alcoholic drinks you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of alcoholic drinks you had yesterday. If you didn't have any alcoholic drinks, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of alcoholic drinks you had each day in the circle. Put '0' for each day you didn't have any alcoholic drinks. | Part of multiple response question | |
| drinkthu | 8 | | Number of drinks last Thursday | This question is about the number of alcoholic drinks you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of alcoholic drinks you had yesterday. If you didn't have any alcoholic drinks, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of alcoholic drinks you had each day in the circle. Put '0' for each day you didn't have any alcoholic drinks. | Part of multiple response question | |
| drinktue | 8 | | Number of drinks last Tuesday | This question is about the number of alcoholic drinks you had during the last seven days, including | Part of multiple response | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|---|--|
| | | | | yesterday. Put a tick near yesterday. Then in the space provided, write the number of alcoholic drinks you had yesterday. If you didn't have any alcoholic drinks, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of alcoholic drinks you had each day in the circle. Put '0' for each day you didn't have any alcoholic drinks. | question | |
| drinkwed | 8 | | Number of drinks last Wednesday | This question is about the number of alcoholic drinks you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of alcoholic drinks you had yesterday. If you didn't have any alcoholic drinks, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of alcoholic drinks you had each day in the circle. Put '0' for each day you didn't have any alcoholic drinks. | Part of multiple response question | |
| drnk2wk1 | 8 | DRNK2WKA | Number of times in last 2 weeks had 11 or more drinks on any one occasion | Think back over the last two weeks. How many times, if any, have you had the following number of alcoholic drinks on any one occasion when you have been drinking in the last two weeks? 11 or more drinks in a row | Single Response | 1. None 2. Once 3. Twice 4. 3-6 times 5. 7-9 times 6. 10 or more |
| drnk2wk5 | 8 | DRNK2WKC | Number of times in last 2 weeks had 5 or more drinks on any one occasion | Think back over the last two weeks. How many times, if any, have you had the following number of alcoholic drinks on any one occasion when you have been drinking in the last two weeks? 5 or more drinks in a row | Single Response | 1. None 2. Once 3. Twice 4. 3-6 times 5. 7-9 times 6. 10 or more |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|--|---|--|
| drnk2wk7 | 8 | DRNK2WKB | Number of times in last 2 weeks had 7or more drinks on any one occasion | Think back over the last two weeks. How many times, if any, have you had the following number of alcoholic drinks on any one occasion when you have been drinking in the last two weeks? 7 or more drinks in a row | Single Response | 1. None 2. Once 3. Twice 4. 3-6 times 5. 7-9 times 6. 10 or more |
| drnkdrnk | 8 | DRNKDRNK | Where had last alcoholic drink | Where did you drink your last alcoholic drink? | Single Response | 1. At a beach, park or recreation area 10. On school grounds after hours 11. At my home 12. At my friends home 13. In a car 2. At a hotel, pub, bar, tavern or RSL club 20. Other unspecified 21. Traditional celebration 22. Other function 23. Other adults/relations home 24. Public place 25. Public Transport 26. Work 3. At a dance venue/dance party 30. Other specified 4. At a nightclub 5. At a party 6. At a restaurant 7. At a sporting event 8. At a sports club 9. On school grounds during school hours |
| drnkschl | 8 | DRNKSCHL | Any lessons/parts of lessons about drinking during 2004 | During 2004 (last year), did you have any lessons or parts of lessons at school that were about drinking? | Single Response | No, not even part of a lesson Yes, part of a lesson Yes, one lesson Yes, more than one lesson |
| drnkty1 | 8 | DRNKTYA | Alcoholic drink usually consumed - answer #1 | What alcoholic drink do you usually have? | Part of multiple response question | 1. Ordinary beer 10. Liqueurs 2. Low alcohol beer 20. Other unspecified 21. Port /sherry/stones 22. Cocktail/punch 23. Mixers |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---|--|
| | | | | | | 3. Wine 30. Other specified 4. Wine Cooler 5. Champagne or sparkling wine 6. Alcoholic Apple Cider 7. Alcoholic sodas 8. Premixed spirits 9. Spirits |
| drnkty2 | 8 | DRNKTYAA | Alcoholic drink usually consumed - answer #2 | What alcoholic drink do you usually have? | Part of multiple response question | 1. Ordinary beer 10. Liqueurs 2. Low alcohol beer 20. Other unspecified 21. Port /sherry/stones 22. Cocktail/punch 23. Mixers 3. Wine 30. Other specified 4. Wine Cooler 5. Champagne or sparkling wine 6. Alcoholic Apple Cider 7. Alcoholic sodas 8. Premixed spirits 9. Spirits |
| drnkty3 | 8 | DRNKTYAB | Alcoholic drink usually consumed - answer #3 | What alcoholic drink do you usually have? | Part of multiple response question | 1. Ordinary beer 10. Liqueurs 2. Low alcohol beer 20. Other unspecified 21. Port /sherry/stones 22. Cocktail/punch 23. Mixers 3. Wine 30. Other specified 4. Wine Cooler 5. Champagne or sparkling wine 6. Alcoholic Apple Cider 7. Alcoholic sodas 8. Premixed spirits 9. Spirits |
| drnkty4 | 8 | DRNKTYAC | Alcoholic drink usually consumed - answer #4 | What alcoholic drink do you usually have? | Part of multiple response question | 1. Ordinary beer 10. Liqueurs 2. Low alcohol beer 20. Other unspecified 21. Port /sherry/stones |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---|--|
| | | | | | | 22. Cocktail/punch 23. Mixers 3. Wine 30. Other specified 4. Wine Cooler 5. Champagne or sparkling wine 6. Alcoholic Apple Cider 7. Alcoholic sodas 8. Premixed spirits 9. Spirits |
| drnkty5 | 8 | DRNKTYAD | Alcoholic drink usually consumed - answer #5 | What alcoholic drink do you usually have? | Part of multiple response question | 1. Ordinary beer 10. Liqueurs 2. Low alcohol beer 20. Other unspecified 21. Port /sherry/stones 22. Cocktail/punch 23. Mixers 3. Wine 30. Other specified 4. Wine Cooler 5. Champagne or sparkling wine 6. Alcoholic Apple Cider 7. Alcoholic sodas 8. Premixed spirits 9. Spirits |
| drnkty6 | 8 | DRNKTYAE | Alcoholic drink usually consumed - answer #6 | What alcoholic drink do you usually have? | Part of multiple response question | 1. Ordinary beer 10. Liqueurs 2. Low alcohol beer 20. Other unspecified 21. Port /sherry/stones 22. Cocktail/punch 23. Mixers 3. Wine 30. Other specified 4. Wine Cooler 5. Champagne or sparkling wine 6. Alcoholic Apple Cider 7. Alcoholic sodas 8. Premixed spirits 9. Spirits |
| drnkty7 | 8 | DRNKTYAF | Alcoholic drink usually consumed - answer #7 | What alcoholic drink do you usually have? | Part of multiple response | Ordinary beer Liqueurs Low alcohol beer |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---|--|
| | | | | | question | 20. Other unspecified 21. Port /sherry/stones 22. Cocktail/punch 23. Mixers 3. Wine 30. Other specified 4. Wine Cooler 5. Champagne or sparkling wine 6. Alcoholic Apple Cider 7. Alcoholic sodas 8. Premixed spirits 9. Spirits |
| drnkty8 | 8 | DRNKTYAG | Alcoholic drink usually consumed - answer #8 | What alcoholic drink do you usually have? | Part of multiple response question | 1. Ordinary beer 10. Liqueurs 2. Low alcohol beer 20. Other unspecified 21. Port /sherry/stones 22. Cocktail/punch 23. Mixers 3. Wine 30. Other specified 4. Wine Cooler 5. Champagne or sparkling wine 6. Alcoholic Apple Cider 7. Alcoholic sodas 8. Premixed spirits 9. Spirits |
| drugschl | 8 | DRUGSCHL | Any lessons/parts of lessons about illicit drugs during 2004 | During 2004 (last year), did you have any lessons or parts of lessons at school that were about illicit drugs such as marijuana, ecstasy, heroin, amphetamines, hallucinogens, cocaine? | Single Response | 1. No, not even part of a lesson 2. Yes, part of a lesson 3. Yes, one lesson 4. Yes, more than one lesson |
| everdrnk | 8 | EVERDRNK | Ever had even part of an alcoholic drink | Have you ever had even part of an alcoholic drink? | Single Response | 1. No 2. Yes, just a few sips 3. Yes, I have had fewer than 10 alcoholic drinks in my life 4. Yes, I have had more than 10 alcoholic drinks in my life |
| eversmok | 8 | EVERSMOK | Ever smoked even part of a cigarette | Have you ever smoked even part of a cigarette? | Single Response | No Yes, just a few puffs Yes, I have smoked fewer than cigarettes in my life |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---------------------|---|
| | | | | | | 4. Yes, I have smoked more than 10 but fewer than 100 cigs 5. Yes, I have smoked more than 100 cigarettes in my life |
| filter | 8 | FILTER_A | SuppType=2 (FILTER) | | | Not Selected Selected |
| fruit05 | 8 | FRUIT0A | Serves of fruit usually eaten each day | How many serves of fruit do you usually eat each day? (A serve is equal to 1 medium piece or 2 small pieces of fruit, or 1 cup of diced pieces of fruit) | Single Response | 1. 1 serve or less 2. 2 serves 3. 3 serves 4. 4 serves 5. 5 serves 6. 6 serves or more 7. I do not eat fruit |
| getdrnk | 8 | GETDRNK | Source of last alcoholic drink | Where, or from whom, did you get your last alcoholic drink? | Single Response | 1. My parent(s) gave it to me 2. My brother or sister gave it to me 20. Other unspecified 21. Home 22. Party 23. Other relative 24. Other adult 25. Church 26. Work 27. Wedding 3. I took it from home without my parent(s) permission 30. Other specified 4. Friends gave it to me 5. I got someone to buy it for me 51. At a hotel, pub, bar, tavern, RSL Club 52. At a licensed liquor store or supermarket 53. At a walk-in bottle shop at a pub or hotel 54. At a drive-in bottle shop 55. At a restaurant 56. At a dance venue/dance party 57. At a nightclub 58. At a sporting event 59. At a sports club 60. Through the Internet |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---|---|
| | | | | | | 61. By phone, fax, mail order 70. Other unspecified 71. Bottle shop-unspecified 72. Party 73. bought from a friend 80. Other specified |
| grains05 | 8 | GRAINS0A | Serves of bread and/or cereal usually eaten each day | How many serves of bread and/or cereal do you usually eat each day? (A serve is 1 slice of bread, 1/2 bread roll, 1/2 cup of breakfast cereal, or 1/2 cup pasta, rice or noodles) | Single Response | 1. 1 serve or less 2. 2 serves 3. 3 serves 4 serves 5 serves 6 serves or more I do not eat bread or cereals |
| halltyp1 | 8 | HALLTYPA | Type of hallucinogen used - answer #1 | In the last year, what forms of hallucinogens did you use? | Part of multiple response question | Tablets Paper tabs Liquids Magic Mushrooms Datura/Angels trumpet Other other unspecified |
| halltyp2 | 8 | HALLTYPB | Type of hallucinogen used - answer #2 | In the last year, what forms of hallucinogens did you use? | Part of multiple response question | Tablets Paper tabs Liquids Magic Mushrooms Datura/Angels trumpet Other other unspecified |
| halltyp3 | 8 | HALLTYPC | Type of hallucinogen used - answer #3 | In the last year, what forms of hallucinogens did you use? | Part of multiple response question | Tablets Paper tabs Liquids Magic Mushrooms Datura/Angels trumpet Other other unspecified |
| halltyp4 | 8 | HALLTYPD | Type of hallucinogen used - answer #4 | In the last year, what forms of hallucinogens did you use? | Part of multiple response question | Tablets Paper tabs Liquids Magic Mushrooms Datura/Angels trumpet Other other unspecified |
| halltyp5 | 8 | HALLTYPE | Type of hallucinogen used - answer #5 | In the last year, what forms of hallucinogens did you use? | Part of multiple | 1. Tablets 2. Paper tabs |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------------|--|--|---|---|
| | | | | | response question | 3. Liquids4. Magic Mushrooms5. Datura/Angels trumpet6. Other8. other unspecified |
| halltyp6 | 8 | HALLTYPF | Type of hallucinogen used - answer #6 | In the last year, what forms of hallucinogens did you use? | Part of multiple response question | 1. Tablets 2. Paper tabs 3. Liquids 4. Magic Mushrooms 5. Datura/Angels trumpet 6. Other 8. other unspecified |
| heroin4 | 8 | HEROINAA | Used/taken heroin in last 4 weeks | How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H) or other opiates (narcotics) such as methadone, morphine or pethidine other than for medical reasons: In the last four weeks? | Single Response | None Once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times |
| heroin7 | 8 | HEROINA | Used/taken heroin in last 7 days | How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H) or other opiates (narcotics) such as methadone, morphine or pethidine other than for medical reasons: In the last week? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| heroinlf | 8 | HEROINLF | Ever used/taken heroin in lifetime | How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H) or other opiates (narcotics) such as methadone, morphine or pethidine other than for medical reasons: In your lifetime? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| heroinyr | 8 | HEROINYR | Used/taken heroin in last year | How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H) or other opiates (narcotics) such as methadone, morphine or pethidine other than for medical reasons: In the last year? | Single Response | None Once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times |
| homework | 8 | HOMEWOR K | Hours of homework done on average school day | On an average school day, about how many hours a day do you do the following when you are not at | Single Response | 1. None2. 1 hour or less3. 2 hours |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---------------------------------------|--|---------------------|--|
| | | | | school: homework? | | 4. 3 hours 5. 4 hours 6. 5 or more hours |
| hsnum | 8 | | HsNum - Student Identification Number | | | |
| i_alcohol1 | 2 | \$S_INDF | Ever had alcoholic drink | The indicator includes those who have ever had even part of an alcoholic drink, including beer, wine, wine coolers, alcoholic sodas, spirits, premixed drinks, liqueurs, alcoholic apple cider, sherry or port. The question used to define the indicator was: Have you ever had even part of an alcoholic drink? | | 1. Yes 2. No X. Don't Know/Refused |
| i_alcohol12 | 1 | \$S_INDF | School messages about alcohol | The indicator includes those who had at least part of a lesson at school that was about drinking alcohol. The question used to define the indicator was: During 2004 (last year) did you have any lessons or parts of lessons at school about drinking? | | 1. Yes 2. No X. Don't Know/Refused |
| i_alcohol13 | 2 | \$S_INDF | Risk alcohol drinking | The indicator includes those who exceed Guideline 1 of the NHMRC Australian Alcohol Guidelines, as one or more of the following: consuming alcohol every day, consuming on average more than [4 if male/2 if female] standard drinks, consuming more than [6 if male/4 if female] on any one occasion or day. The question used to define the indicator was: During the last 7 days, including yesterday, write the number of alcoholic drinks you had each day of the week. | | 1. Yes 2. No X. Don't Know/Refused |
| i_alcohol14 | 2 | \$S_INDF | High risk alcohol drinking | The indicator includes those who consume alcohol and have had [11 or more if male/7 or more if female] drinks in a day. The question used to define the indicator was: Over the last 7 days how many times, if any, have you had the following number of alcoholic drinks on any | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---------------------------------------|---|---------------------|------------------------------------|
| | | | | one occasion [11 or more drinks in a row if male; 7 or more drinks in a row if female]? | | |
| i_alcohol2 | 1 | \$S_INDF | Had alcoholic drink in last 12 months | The indicator includes those who had an alcoholic drink in the last 12 months. The question used to define the indicator was: Have you had an alcoholic drink in the last 12 months? | | 1. Yes 2. No X. Don't Know/Refused |
| i_alcohol3 | 1 | \$S_INDF | Had alcoholic drink in last 4 weeks | The indicator includes those who had an alcoholic drink in the last 4 weeks. The question used to define the indicator was: Have you had an alcoholic drink in the last 4 weeks? | | 1. Yes 2. No X. Don't Know/Refused |
| i_alcohol4 | 1 | \$S_INDF | Had alcoholic drink in last 7 days | The indicator includes those who had an alcoholic drink in the last 7 days. The question used to define the indicator was: During the last 7 days, including yesterday, write the number of alcoholic drinks you had each day of the week. | | 1. Yes 2. No X. Don't Know/Refused |
| i_alcoholbu y | 2 | \$S_INDF | Tried to buy alcohol | The indicator includes those who had have tried to buy alcohol. The question used to define the indicator was: Ever tried to buy alcohol at a hotel/pub/club/restaurant/nightclub or bottleshop. | | 1. Yes 2. No X. Don't Know/Refused |
| i_bread1 | 1 | \$S_INDF | Adequate bread and cereal consumption | The indicator includes those who met the recommended bread and/or cereal consumption of at least 5 serves a day. The question used to define the indicator was: How many serves of bread and/or cereal do you usually eat each day? (A serve of bread or cereal is one slice of bread, 1/2 bread roll, 1/2 cup breakfast cereal or 1/2 cup pasta or rice or noodles.) | | 1. Yes 2. No X. Don't Know/Refused |
| i_cocaine1 | 1 | \$S_INDF | Ever used cocaine | The indicator includes those who have ever used or taken cocaine in their lifetime. The question used to define the indicator was: How many | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|---------------------|------------------------------------|
| | | | | times, if ever, have you used or taken cocaine in your lifetime? | | |
| i_cocaine2 | 1 | \$S_INDF | Cocaine use in last 4 weeks | The indicator includes those who used or took cocaine in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken cocaine in the last 4 weeks? | | 1. Yes 2. No X. Don't Know/Refused |
| i_dope1 | 1 | \$S_INDF | Ever used marijuana or cannabis | The indicator includes those who have ever smoked or used marijuana or cannabis in their lifetime. The question used to define the indicator was: How many times, if ever, have you smoked or used marijuana or cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint) in your lifetime? | | 1. Yes 2. No X. Don't Know/Refused |
| i_dope2 | 1 | \$S_INDF | Marijuana or cannabis use in last 4 weeks | The indicator includes those who smoked or used marijuana or cannabis in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you smoked or used marijuana or cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint) in the last 4 weeks? | | 1. Yes 2. No X. Don't Know/Refused |
| i_dope5 | 1 | \$S_INDF | Marijuana or cannabis use in last 12 months | The indicator includes those who smoked or used marijuana or cannabis in the last year. The question used to define the indicator was: How many times, if ever, have you smoked or used marijuana or cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint) in the last year? | | 1. Yes 2. No X. Don't Know/Refused |
| i_ecstasy1 | 1 | \$S_INDF | Ever used ecstasy | The indicator includes those who have ever used or taken ecstasy. The question used to define the indicator was: How many times, if ever, have you used or taken ecstasy in your lifetime? | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|-----------------------------|--|---------------------|------------------------------------|
| i_ecstasy2 | 1 | \$S_INDF | Ecstasy use in last 4 weeks | The indicator includes those who used or took ecstasy in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken ecstasy in the last 4 weeks? | | 1. Yes 2. No X. Don't Know/Refused |
| i_fruit1 | 2 | \$S_INDF | Adequate fruit consumption | The indicator includes those who met the recommended fruit consumption of 3 or more serves a day, according to the Dietary Guidelines for Children and Adolescents in Australia. The question used to define the indicator was: How many serves of fruit do you usually eat each day? (One serve is equivalent to one medium piece or 2 small pieces of fruit, or one cup of diced pieces of fruit.) | | 1. Yes 2. No X. Don't Know/Refused |
| i_heroin1 | 1 | \$S_INDF | Ever used heroin | The indicator includes those who have ever used or taken heroin. The question used to define the indicator was: How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H), or other opiates (narcotics) such as methadone, morphine or pethidine, other than for medical reasons, in your lifetime? | | 1. Yes 2. No X. Don't Know/Refused |
| i_heroin2 | 1 | \$S_INDF | Heroin use in last 4 weeks | The indicator includes those who used or took heroin in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H), or other opiates (narcotics) such as methadone, morphine or pethidine, other than for medical reasons, in the last 4 weeks? | | 1. Yes 2. No X. Don't Know/Refused |
| i_inhalants 1 | 1 | \$S_INDF | Ever used inhalants | The indicator includes those who have ever deliberately sniffed | | 1. Yes 2. No |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--------------------------------|---|---------------------|--|
| | | | | (inhaled) substances to get high. The question used to define the indicator was: How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel, in your lifetime? This does not include sniffing white-out, liquid paper, textas, markers or pens. | | X. Don't Know/Refused |
| i_inhalants 2 | 1 | \$S_INDF | Inhalant use in last 4 weeks | The indicator includes those who deliberately sniffed (inhaled) substances to get high in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel, in the last 4 weeks? This does not include sniffing white-out, liquid paper, textas, markers or pens. | | 1. Yes 2. No X. Don't Know/Refused |
| i_inhalants 5 | 1 | \$S_INDF | Inhalant use in last 12 months | The indicator includes those who have ever deliberately sniffed (inhaled) substances to get high. The question used to define the indicator was: How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel, in the last year? This does not include sniffing white-out, liquid paper, textas, markers or pens. | | 1. Yes 2. No X. Don't Know/Refused |
| i_injury1 | 1 | \$S_INDF | Injury in last 6 months | The indicator includes those who had been injured in the last 6 months: In the last 6 months have you hurt yourself or had an injury for which you had to see a doctor, physiotherapist or another health | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---------------------|------------------------------------|
| | | | | professional? | | |
| i_injury12 | 1 | \$S_INDF | Injury from physical activity or sport in the last 12 months | The indicator includes those who were injured while participating in physical activity or sport in the last 12 months. The question used to define the indicator was: In the last 12 months have you been injured participating in any sports, games or physical activities, either organised or non-organised? | | 1. Yes 2. No X. Don't Know/Refused |
| i_injury2 | 1 | \$S_INDF | Injury at school in last 6 months | This indicator includes those who had an injury at school in the last 6 months. The questions used were: In the last 6 months have you hurt yourself or had an injury for which you had to see a doctor, physiotherapist or another health professional? Where were you when the most recent injury requiring medical attention happened? | | 1. Yes 2. No X. Don't Know/Refused |
| i_injury3 | 1 | \$S_INDF | Injury at home in last 6 months | This indicator includes those who had an injury at home in the last 6 months. The questions used were: In the last 6 months have you hurt yourself or had an injury for which you had to see a doctor, physiotherapist or another health professional? Where were you when the most recent injury requiring medical attention happened? | | 1. Yes 2. No X. Don't Know/Refused |
| i_injury4 | 1 | \$S_INDF | Injury at sports facility in last 6 months | This indicator includes those who had an injury at a sports facility in the last 6 months. The questions used were: In the last 6 months have you hurt yourself or had an injury for which you had to see a doctor, physiotherapist or another health professional? Where were you when the most recent injury requiring medical attention happened? | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---------------------|--|
| i_lsd1 | 1 | \$S_INDF | Ever used hallucinogens | The indicator includes those who have ever used or taken hallucinogens in their lifetime. The question used was: How many times, if ever, have you used or taken hallucinogens (for example, LSD, acid, trips, magic mushrooms, datura, angel's trumpet) in your lifetime? | | 1. Yes 2. No X. Don't Know/Refused |
| i_lsd2 | 1 | \$S_INDF | Hallucinogens use in last 4 weeks | The indicator includes those who used or took hallucinogens in the last 4 weeks. The question used was: How many times, if ever, have you used or taken hallucinogens (for example, LSD, acid, trips, magic mushrooms, datura, angel's trumpet) in the last 4 weeks? | | 1. Yes 2. No X. Don't Know/Refused |
| i_mental1 | 2 | \$S_INDF | Feeling unhappy, sad or depressed in last 6 months | The indicator includes those students who were have felt unhappy or sad or depressed in the last 6 months. The question used to define the indicator was: During the last 6 months was there a time when you felt unhappy or sad or depressed? When you were feeling unhappy or sad or depressed how bad was it for you: almost more than I could take, quite bad, worse than usual, about usual? | | 1. Yes 2. No X. Don't Know/Refused |
| i_mental2 | 2 | \$S_INDF | Feeling nervous, stressed or under pressure in last 6 months | The indicator includes those students who were feeling nervous, stressed or under pressure in last 6 months. The question used to define the indicator was: uring the last 6 months was there a time when you felt nervous or stressed or under pressure? When you were feeling nervous or stressed or under pressure how bad was it for you: almost more than I could take, quite bad, worse than usual, about usual? | | 1. Yes 2. No X. Don't Know/Refused |
| i_mental3 | 2 | \$S_INDF | In trouble because of your behaviour in | The indicator includes those | | 1. Yes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|------------------------------|---|---------------------|--|
| | | | last 6 months | students who were in trouble because of your behaviour in last 6 months. The question used to define the indicator was: During the last 6 months was there a time when you were in trouble because of your behaviour? When you were in trouble because of your behaviour how bad was it for you: almost more than I could take, quite bad, worse than usual, about usual? | | 2. No X. Don't Know/Refused |
| i_mental4 | 1 | \$S_INDF | High psychological distress | The indicator includes those students who were having difficulties coping with feelings of unhappiness or sadness or depression; nervousness or stress or pressure; or being in trouble because of their behaviour. The questions used to define the indicator were: When you were feeling unhappy or sad or depressed how bad was it for you: almost more than I could take, quite bad, worse than usual, about usual? When you were feeling nervous or stressed or under pressure how bad was it for you: almost more than I could take, quite bad, worse than usual, about usual? When you were in trouble because of your behaviour how bad was it for you: almost more than I could take, quite bad, worse than usual, about usual, about usual? | | 1. Yes 2. No X. Don't Know/Refused |
| i_milk1 | 1 | \$S_INDF | Usual use of lower fat milks | The indicator includes those who usually have low fat, reduced fat or skim milk. The question used to define the indicator was: What type of milk do you usually have? | | 1. Yes 2. No X. Don't Know/Refused |
| i_pa4 | 1 | \$S_INDF | Adequate physical activity | The indicator includes those who had adequate physical activity. Adequate physical activity for | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|--|------------------------|--|
| | | | | children and adolescents is at least 60 minutes of moderate physical activity everyday. The question used to define the indicator was: How many days in the last week have you done any moderate or vigorous physical activity for a total of at least 60 minutes? (This can be made up of different activities during the day like: cycling or walking to and from school, playing sport at lunchtime or after school, doing an exercise class, doing | | |
| i_pills1 | 1 | \$S_INDF | Ever used painkillers or analgesics | housework etc.) The indicator includes those who have ever used or taken painkillers or analgesics. The question used to define the indicator was: How many times, if ever, have you used or taken painkillers or analgesics such as Disprin, Panadol or Aspro, for | | 1. Yes 2. No X. Don't Know/Refused |
| i_pills2 | 1 | \$S_INDF | Painkiller or analgesic use in last 4 weeks | any reason, in your lifetime? The indicator includes those who used or took painkillers or analgesics in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken painkillers or analgesics such as Disprin, Panadol or Aspro, for any reason, in the last 4 weeks? | | 1. Yes 2. No X. Don't Know/Refused |
| i_risk1 | 1 | \$S_INDF | Riding a bicycle without a helmet | The indicator includes those who often or always rode a bicycle without a helmet in the last 12 months. The question used to define the indicator was: How often have you been riding a bicycle without a helmet in the last 12 months? | | 1. Yes 2. No X. Don't Know/Refused |
| i_risk2 | 1 | \$S_INDF | Playing sports without warming up or stretching | The indicator includes those who often or always played sports without warming up or stretching in the last 12 months. The question | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---------------------|--|
| | | | | used to define the indicator was: How often have you been playing a game of sport without warming up or stretching in the last 12 months? | | |
| i_risk3 | 1 | \$S_INDF | Swimming at unpatrolled beach | The indicator includes those who often or always swam at an unpatrolled beach in the last 12 months. The question used to define the indicator was: How often have you been swimming at an unpatrolled beach in the last 12 months? | | 1. Yes 2. No X. Don't Know/Refused |
| i_risk5 | 1 | \$S_INDF | Playing contact sport without protective equipment | The indicator includes those who often or always played contact sport without protective equipment in the last 12 months. The question used to define the indicator was: How often have you been playing a contact sport without protective equipment (for example, mouthguards, shin pads) in the last 12 months? | | 1. Yes 2. No X. Don't Know/Refused |
| i_risk6 | 1 | \$S_INDF | Riding a skateboard on roadway | The indicator includes those who often or always rode a skateboard on a roadway in the last 12 months. The question used to define the indicator was: How often have you been riding a skateboard on a roadway in the last 12 months? | | 1. Yes 2. No X. Don't Know/Refused |
| i_sedentar y | 1 | \$S_INDF | Sedentary behaviour when not at school | The indicator includes those who spent at least 2 hours a day watching television or DVDs or videos and using the internet or playing computer games. The question used to define the indicator was: On an average school day, about how many hours a day do you do the following when you are not at school: watch television or DVDs or videos; use the internet or play computer games (not including for homework)? | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---------------------|--|
| i_smoke1 | 1 | \$S_INDF | Ever smoked tobacco | The indicator includes those who have ever smoked tobacco. The question used to define the indicator was: Have you ever smoked even part of a cigarette? | | 1. Yes 2. No X. Don't Know/Refused |
| i_smoke12 | 1 | \$S_INDF | School messages about tobacco smoking | The indicator includes those had at least part of a lesson at school about smoking tobacco. The question used to define the indicator was: During 2004 (last year), did you have any lessons or parts of lessons at school about smoking? | | 1. Yes 2. No X. Don't Know/Refused |
| i_smoke13 | 2 | \$S_INDF | Addicted to tobacco smoking | The indicator includes those who think they are addicted to smoking. The questions used to define the indicator were: At the present time do you consider yourself a heavy or light or occasional smoker? and Do you think you are addicted to tobacco smoking? | | 1. Yes 2. No X. Don't Know/Refused |
| i_smoke14 | 2 | \$S_INDF | Intention to quit tobacco smoking | The indicator includes those who would like to quit smoking. The questions used to define the indicator were: At the present time do you consider yourself a heavy or light or occasional smoker? and Would you like to quit smoking? | | 1. Yes 2. No X. Don't Know/Refused |
| i_smoke17 | 2 | \$S_INDF | Perceptions of celebrity tobacco smoking | The question used to define the indicator was: Do you think smoking by celebrities (for example, movie stars, television personalities, models, and sports stars) encourages young people to take up smoking? | | 1. Yes 2. No X. Don't Know/Refused |
| i_smoke2 | 1 | \$S_INDF | Current tobacco smoker | The indicator includes those who currently smoke tobacco that is they consider themselves to be heavy, light or occasional smokers. The question used to define the indicator was: At the present time, do you consider yourself: a heavy smoker, a light smoker, an | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|----------------------------------|---|---------------------|--|
| | | | | occasional smoker, an ex-smoker, a non-smoker? | | |
| i_smoke3 | 1 | \$S_INDF | Smoked tobacco in last 7 days | The indicator includes those who have smoked tobacco in the last 7 days. The question used to define the indicator was: During the last 7 days, including yesterday, write the number of cigarettes you smoked each day of the week. | | 1. Yes 2. No X. Don't Know/Refused |
| i_smoke4 | 1 | \$S_INDF | Daily tobacco smoking | The indicator includes those who smoked tobacco every day of the week in the last 7 days. The question used to define the indicator was: During the last 7 days, including yesterday, write the number of cigarettes you smoked each day of the week. | | 1. Yes 2. No X. Don't Know/Refused |
| i_smoke5 | 1 | \$S_INDF | Smoked tobacco in last 12 months | The indicator includes those who smoked in the last 12 months. The question used to define the indicator was: Have you smoked cigarettes in the last 12 months? | | 1. Yes 2. No X. Don't Know/Refused |
| i_smoke6 | 1 | \$S_INDF | Smoked tobacco in last 4 weeks | The indicator includes those who smoked in the last 4 weeks. The question used to define the indicator was: Have you smoked cigarettes in the last 4 weeks? | | 1. Yes 2. No X. Don't Know/Refused |
| i_smokebu y | 2 | \$S_INDF | Tried to buy cigarettes | The indicator includes those who had have tried to buy cigarettes. The question used to define the indicator was: Have you ever tried to buy cigarettes from a shop? | | 1. Yes 2. No X. Don't Know/Refused |
| i_speed1 | 1 | \$S_INDF | Ever used amphetamines | The indicator includes those who have ever used or taken amphetamines. The question used to define the indicator was: How many times, if ever, have you used or taken amphetamines (for example, speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice) in your lifetime? | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---------------------|------------------------|
| i_speed2 | 1 | \$S_INDF | Amphetamine use in last 4 weeks | The indicator includes those who | Comments | 1. Yes |
| | | | | have used or taken amphetamines | | 2. No |
| | | | | in the last 4 weeks. The question | | X. Don't Know/Refused |
| | | | | used to define the indicator was: | | |
| | | | | How many times, if ever, have you | | |
| | | | | used or taken amphetamines (for | | |
| | | | | example, speed, uppers, MDA, | | |
| | | | | goey, dex, dexies, | | |
| | | | | dexamphetamine, ox blood, | | |
| | | | | methamphetamine, ice) in the last 4 | | |
| | | | | weeks? | | |
| i_steroids1 | 1 | \$S_INDF | Ever used steroids | The indicator includes those who | | 1. Yes |
| | | | | have ever used or taken steroids. | | 2. No |
| | | | | The question used to define the | | X. Don't Know/Refused |
| | | | | indicator was: How many times, if | | |
| | | | | ever, have you used or taken | | |
| | | | | steroids (muscle, roids, or gear) | | |
| | | | | without doctor's prescription, in an | | |
| | | | | attempt to make you better at sport, to increase muscle size, or to | | |
| | | | | * | | |
| | | | | improve your general appearance, in your lifetime? | | |
| i_steroids2 | 1 | \$S_INDF | Steroid use in last 4 weeks | The indicator includes those who | | 1. Yes |
| | | | | have used or taken steroids in the | | 2. No |
| | | | | last 4 weeks. The question used to | | X. Don't Know/Refused |
| | | | | define the indicator was: How many | | |
| | | | | times, if ever, have you taken | | |
| | | | | steroids (muscle, roids, or gear) | | |
| | | | | without doctor's prescription in an | | |
| | | | | attempt to make you better at sport, | | |
| | | | | to increase muscle size or to | | |
| | | | | improve your general appearance, in the last 4 weeks? | | |
| i aubatana | 1 | \$S_INDF | Sahaal maaaagaa ahaut illigit | The indicator includes those who | | 1. Yes |
| i_substanc e5 | ' | שט_וואטר | School messages about illicit substances | had at least part of a lesson at | | 1. Yes 2. No |
| 60 | | | Substatices | school that was about illicit drugs. | | X. Don't Know/Refused |
| | | | | The question used to define the | | 7. DOITE KIIOW/NGIUSGU |
| | | | | indicator was: During 2004 (last | | |
| | | | | year), did you have any lessons or | | |
| | | | | parts of lessons at school about | | |
| | | | | illicit drugs such as marijuana or | | |
| | | | | cannabis, ecstasy, heroin, | | |
| | | | | amphetamines, hallucinogens, or | | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---------------------|--|
| | | | | cocaine? | | |
| i_sun1 | 1 | \$S_INDF | Wears a hat in summer | The indicator includes those who usually or always wore a hat on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you wear a hat? | | 1. Yes 2. No X. Don't Know/Refused |
| i_sun10 | 1 | \$S_INDF | Solarium or sunbed use in last 12 months | This indicator includes those who used a solarium or sunbed at least once in the last 12 months. The question used to define the indicator was: How many times have you used a solarium or sunbed in the last 12 months? | | 1. Yes 2. No X. Don't Know/Refused |
| i_sun15 | 2 | \$S_INDF | High sun protection behaviour in summer | The indicator uses the responses from 5 questions about respondents' sun protection behaviours, to calculate a sun protection behaviour score, similar to that used elsewhere, as reported in the literature. The questions used to define the indicator were: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you: wear a hat; wear clothes covering most of your body (including arms and legs); wear maximum protection sunscreen (SPF 30+); stay mainly in the shade?, Thinking about sunny days in summer, between 11.00 a.m. and 3.00 p.m. how often would you spend most of the time inside? Respondents who always spent most of the time inside between 11.00 a.m. and 3.00 p.m. were given an average score of 5. All other respondents were given a | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|--|------------------------|--|
| | | | | score between 1 and 5 depending on their responses. Scores for each respondent were then added and averaged across the 5 questions. Those respondents scoring an average score of 3 to 5 | | |
| i_sun2 | 1 | \$S_INDF | Wears maximum protection sunscreen in summer | The indicator includes those who usually or always wore maximum protection sunscreen on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you wear maximum protection sunscreen? | | 1. Yes 2. No X. Don't Know/Refused |
| i_sun3 | 1 | \$S_INDF | Stays mainly in shade in summer | The indicator includes those who usually or always stay mainly in shade on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you stay mainly in the shade? | | 1. Yes 2. No X. Don't Know/Refused |
| i_sun4 | 1 | \$S_INDF | Wears clothes covering most of body in summer | The indicator includes those who usually or always wear clothes covering most of the body on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you wear clothes covering most of your body (including arms and legs)? | | 1. Yes 2. No X. Don't Know/Refused |
| i_sun5 | 1 | \$S_INDF | Wears sunglasses in summer | The indicator includes those who usually or always wear sunglasses on sunny days in summer. The question used to define the | _ | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---------------------|--|
| | | | | indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you wear sunglasses? | | |
| i_sun6 | 1 | \$S_INDF | Spends most of time inside in summer | The indicator includes those who usually or always spend most of the time inside on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, between 11.00 a.m. and 3.00 p.m. how often would you spend most of the time inside? | | 1. Yes 2. No X. Don't Know/Refused |
| i_sun7 | 1 | \$S_INDF | Sunburnt at least once last summer | The indicator includes those who got sunburnt last summer. The question used to define the indicator was: Over the last summer, did you get sunburn that was sore or tender the next day? | | 1. Yes 2. No X. Don't Know/Refused |
| i_sun8 | 1 | \$S_INDF | Ever had severe sunburn | The indicator includes those who ever had severe sunburn. The question used to define the indicator was: Have you ever had severe sunburn that has blistered? | | 1. Yes 2. No X. Don't Know/Refused |
| i_sun9 | 1 | \$S_INDF | Belief you only get skin cancer if you get burnt often | The indicator includes those who believe you only get skin cancer if you get burnt often. The question used to define the indicator: You only get skin cancer if you get burnt often [true or false]. | | 1. Yes 2. No X. Don't Know/Refused |
| i_tranq1 | 1 | \$S_INDF | Ever used sedatives or tranquillisers | The indicator includes those who ever used sedatives or tranquillisers for other than medical reasons. The question used to define the indicator was: How many times, if ever, have you used or taken sleeping tablets, tranquillisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons, in your lifetime? | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|--|---------------------|--|
| i_tranq2 | 1 | \$S_INDF | Sedative or tranquilliser use in last 4 weeks | The indicator includes those who used sedatives or tranquillisers for other than medical reasons in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken sleeping tablets, tranquillisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons, in the last 4 weeks? | | 1. Yes 2. No X. Don't Know/Refused |
| i_veg1 | 2 | \$S_INDF | Adequate vegetable consumption | The indicator includes those who met the recommended vegetable consumption of 4 serves or more a day, according to the Dietary Guidelines for Children and Adolescents in Australia. The question used to define the indicator was: How many serves of vegetables do you usually eat each day? (A serve is equal to 1/2 cup of cooked vegetables or one cup of salad vegetables.) | | 1. Yes 2. No X. Don't Know/Refused |
| i_walk1 | 1 | \$S_INDF | Walking for transport | The indicator includes those who have walked for transport in a normal week (including Saturdays and Sundays) during the current school term. The question used to define the indicator was: Please think about a normal week during this school term (including Saturdays and Sundays). In the table below, please tick the sports, games or other physical activities you usually do, and for each of the ticked items write in the total amount of time you spend doing them each week. | | 1. Yes 2. No X. Don't Know/Refused |
| i_walk2 | 1 | \$S_INDF | Walking for pleasure | The indicator includes those who have walked for pleasure in a normal week (including Saturdays and Sundays) during the current school term. The question used to | | 1. Yes 2. No X. Don't Know/Refused |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|--|---------------------|--|
| | | | | define the indicator was: Please think about a normal week during this school term (including Saturdays and Sundays). In the table below, please tick the sports, games or other physical activities you usually do, and for each of the ticked items write in the total amount of time you spend doing them each week. | | |
| i_weight1 | 1 | \$S_INDF | Overweight and obesity | The indicator includes those with a scaled Body Mass Index (BMI) of 25 or higher. The questions used to define the indicator were: How tall are you without shoes? and How much do you weigh without clothes or shoes? BMI is calculated as follows: BMI = weight (kg)/height²(m). Categories for this indicator include overweight (BMI between 25 and 29.9) and obese (BMI of 30 and over). These are the same BMI categories as adults, which have been linked to BMI centiles for children and adolescents aged 2 to 18 to provide child and adolescent cutoff points. | | 1. Yes 2. No X. Don't Know/Refused |
| i_weight5 | 1 | \$S_INDF | Perceived overweight | The indicator includes those who perceive themselves as being overweight. The question used to define the indicator was: Do you think of yourself as being too thin, about the right weight, or too fat? | | 1. Yes 2. No X. Don't Know/Refused |
| intent | 8 | INTENT | Smoking cigarettes this time next year | Do you think you will be smoking cigarettes this time next year? | Single Response | Certain not to be smoking Very unlikely to be smoking Unlikely to be smoking Cant decide how likely Likely to be smoking Very likely to be smoking Certain to be smoking |
| internet | 8 | INTERNET | Hours spent using Internet/playing computer games on average school day | On an average school day, about how many hours a day do you do the following when you are not at | Single Response | 1. None 2. 1 hour or less 3. 2 hours |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|--|------------------------------------|--|
| | | | | school: use the Internet/playing computer games? (Don't include computer use for homework) | | 4. 3 hours 5. 4 hours 6. 5 or more hours |
| junkfood | 8 | JUNKFOOD | Times eaten from fast food outlets in last week | How many times in the last week did you eat a fast food meal like McDonalds, Hungry Jacks, pizzas, fish and chips, hamburgers, meat pies, pasties etc? | Single Response | 1. Once 2. Twice 3. 3 times 4. 4 times 5. 5 times 6. 6 times 7. 7 or more times 8. None |
| langua1 | 8 | LANGUAA | Second language spoken at home | What is the main language spoken at home? | Part of multiple response question | 1. Aboriginal language 10. German 11. Greek 12. Indian/Sri Lankan/Singhalese/Urdu/Kashmi ri 13. Indonesian 14. Italian 15. Macedonian 16. Maltese 17. Polish 18. Polynesian/other Oceanic language 19. Portugese 2. African/ Northern African language/Swahili 20. Spanish 21. Turkish 22. Vietnamese 23. Other Asian 24. Other European 25. Hebrew 3. Albanian 30. Other unspecified 31. Other specified 4. Arabic /Lebanese/Persian/Farsi/Assyria n 5. Chinese 6. Former Yugoslav languages 7. Dutch 8. Filipino |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--------------------------------|---|---|---|
| | | | | | | /Tagalog/Visayan/Pangasinan 9. French/Creole |
| langua2 | 8 | LANGUAAA | Third language spoken at home | What is the main language spoken at home? | Part of multiple response question | 1. Aboriginal language 10. German 11. Greek 12. Indian/Sri Lankan/Singhalese/Urdu/Kashmi ri 13. Indonesian 14. Italian 15. Macedonian 16. Maltese 17. Polish 18. Polynesian/other Oceanic language 19. Portugese 2. African/ Northern African language/Swahili 20. Spanish 21. Turkish 22. Vietnamese 23. Other Asian 24. Other European 25. Hebrew 3. Albanian 30. Other unspecified 31. Other specified 4. Arabic /Lebanese/Persian/Farsi/Assyria n 5. Chinese 6. Former Yugoslav languages 7. Dutch 8. Filipino /Tagalog/Visayan/Pangasinan 9. French/Creole |
| langua3 | 8 | LANGUAAB | Fourth language spoken at home | What is the main language spoken at home? | Part of multiple response question | 1. Aboriginal language 10. German 11. Greek 12. Indian/Sri Lankan/Singhalese/Urdu/Kashmi ri 13. Indonesian |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--------------------------------------|--|---|--|
| | | | | | | 14. Italian 15. Macedonian 16. Maltese 17. Polish 18. Polynesian/other Oceanic language 19. Portugese 2. African/ Northern African language/Swahili 20. Spanish 21. Turkish 22. Vietnamese 23. Other Asian 24. Other European 25. Hebrew 3. Albanian 30. Other unspecified 31. Other specified 4. Arabic /Lebanese/Persian/Farsi/Assyria n 5. Chinese 6. Former Yugoslav languages 7. Dutch 8. Filipino /Tagalog/Visayan/Pangasinan 9. French/Creole |
| language | 8 | LANGUAGE | Main language spoken at home | What is the main language spoken at home? | Part of multiple response question | English Another Language only English and another language |
| lastcig | 8 | LASTCIG | Source of last cigarette that smoked | Where or from whom did you get the last cigarette that you smoked? | Single Response | 1. My parent(s) gave it to me 2. My brother or sister gave it to me 20. Other unspecified 21. Other relative 22. Other adult 23. Found it / stole it 3. I took it from home without my parent(s) permission 30. Other specified 4. Friends gave it to me 5. I got someone to buy it for me |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|---------|---|---|---------------------|--|
| | | | | | | 51. At a hotel, pub, bar, tavern, RSL Club 52. At a supermarket 53. At a newsagency 54. At a milk bar or delicatessen 55. At a convenience store 56. At a tobacconist/tobacco shop 57. At a take-away food shop 58. At a petrol station 59. Through the Internet 70. Other unspecified 72. Bottle shop 73. Bought from friends 80. Other specified |
| lessons | 8 | LESSONS | Any lessons/parts of lessons about skin cancer/sun protection during 2004 | During 2004 (that is last year), did you have any lessons or parts of lessons at school that were about skin cancer or protection from the sun? | Single Response | No, not even part of a lesson Yes, part of a lesson Yes, one lesson Yes, more than one lesson |
| Isd4 | 8 | LSDAA | Used/taken hallucinogens in last 4 weeks | How many times, if ever, have you used or taken hallucinogens (e.g. LSD, acid trips, magic mushrooms, datura, angel's trumpet): In the last four weeks? | Single Response | None Once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times |
| lsd7 | 8 | LSDA | Used/taken hallucinogens in last 7 days | How many times, if ever, have you used or taken hallucinogens (e.g. LSD, acid trips, magic mushrooms, datura, angel's trumpet): In the last week? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| Isdlf | 8 | LSDLF | Ever used/taken hallucinogens in lifetime? | How many times, if ever, have you used or taken hallucinogens (e.g. LSD, acid trips, magic mushrooms, datura, angel's trumpet): In your lifetime? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| Isdpol1 | 8 | LSDPOLA | Substance used on same occasion as hallucinogens - answer #1 | In the last year, did you use any other substance or substances on | Part of multiple | 1. tobacco 10. other |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---|--|
| | | | | the same occasion that you used hallucinogens (e.g. LSD, acid, trips, magic mushrooms, datura, angel's trumpet)? | response question | 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. marijuana/cannabis 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| Isdpol2 | 8 | LSDPOLAA | Substance used on same occasion as hallucinogens - answer #2 | In the last year, did you use any other substance or substances on the same occasion that you used hallucinogens (e.g. LSD, acid, trips, magic mushrooms, datura, angel's trumpet)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. marijuana/cannabis 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| Isdpol3 | 8 | LSDPOLAB | Substance used on same occasion as hallucinogens - answer #3 | In the last year, did you use any other substance or substances on the same occasion that you used | Part of multiple response | tobacco tother tother unspecified |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---|--|
| | | | | hallucinogens (e.g. LSD, acid, trips, magic mushrooms, datura, angel's trumpet)? | question | 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. marijuana/cannabis 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| Isdpol4 | 8 | LSDPOLAC | Substance used on same occasion as hallucinogens - answer #4 | In the last year, did you use any other substance or substances on the same occasion that you used hallucinogens (e.g. LSD, acid, trips, magic mushrooms, datura, angel's trumpet)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. marijuana/cannabis 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| Isdpol5 | 8 | LSDPOLAD | Substance used on same occasion as hallucinogens - answer #5 | In the last year, did you use any other substance or substances on the same occasion that you used hallucinogens (e.g. LSD, acid, trips, | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---|--|
| | | | | magic mushrooms, datura, angel's trumpet)? | | 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. marijuana/cannabis 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| Isdpol6 | 8 | LSDPOLAE | Substance used on same occasion as hallucinogens - answer #6 | In the last year, did you use any other substance or substances on the same occasion that you used hallucinogens (e.g. LSD, acid, trips, magic mushrooms, datura, angel's trumpet)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. marijuana/cannabis 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| Isdpol7 | 8 | LSDPOLAF | Substance used on same occasion as hallucinogens - answer #7 | In the last year, did you use any other substance or substances on the same occasion that you used hallucinogens (e.g. LSD, acid, trips, magic mushrooms, datura, angel's | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---|--|
| | | | | trumpet)? | | 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. marijuana/cannabis 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| Isdpol8 | 8 | LSDPOLAG | Substance used on same occasion as hallucinogens - answer #8 | In the last year, did you use any other substance or substances on the same occasion that you used hallucinogens (e.g. LSD, acid, trips, magic mushrooms, datura, angel's trumpet)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. marijuana/cannabis 6. amphetamines 7. ecstasy 8. no other substance used 9. food |
| Isdyr | 8 | LSDYR | Times used/taken hallucinogens in last year? | How many times, if ever, have you used or taken hallucinogens (e.g. LSD, acid trips, magic mushrooms, datura, angel's trumpet): In the last year? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|--|---------------------|--|
| | | | | | | 7. 40 or more times |
| minpa60 | 8 | MINPA6A | Days in a week done physical activity for a total of 60 minutes | How many days in the past week have you done any vigorous or moderate physical activity for a total of at least 60 minutes? (This could be made up of different activities during the day like cycling or walking to and from school, playing sport at lunchtime or after school, doing an exercise class, doing housework etc.) | Single Response | 1. 1 day 2. 2 days 3. 3 days 4. 4 days 5. 5 days 6. 6 days 7. 7 days 8. No days in the last week |
| modpa | 8 | MODPA | Times did moderate physical activity in last week | How many times in the last week did you: do any moderate physical activity for at least 30 minutes that did not made you huff and puff or sweat? (e.g. slow bike riding, housework, brisk walking, pushing a lawnmower) | Single Response | 1. None2. Once3. Twice4. 3 times5. 4 times6. 5 times7. 6 or more times |
| mosthoin | 8 | MOSTHOIN | How often spend most time indoors on a sunny day | Thinking about sunny days in summer between 11am and 3pm: How often would you spend most of the time inside? | Single Response | 1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always |
| out15 | 8 | OUT1A | How often wear sunscreen (SPF 30+) on a sunny day | Thinking about sunny days in summer, when you are outside for an hour or more between 11am and 3pm, how often would you: Wear maximum protection sunscreen (SPF 30+)? | Single Response | 1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always |
| outcloth | 8 | OUTCLOTH | How often wear clothes covering body on a sunny day | Thinking about sunny days in summer, when you are outside for an hour or more between 11am and 3pm, how often would you: Wear clothes covering most of your body (including arms and legs)? | Single Response | 1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always |
| outhat | 8 | OUTHAT | How often wear hat on a sunny day | Thinking about sunny days in summer, when you are outside for an hour or more between 11am and 3pm, how often would you: Wear a hat? | Single Response | Never Rarely Sometimes Usually Always |
| outinsha | 8 | OUTINSHA | How often stay mainly in the shade on a sunny day | Thinking about sunny days in summer, when you are outside for an hour or more between 11am and | Single Response | Never Rarely Sometimes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---------------------|--|
| | | | | 3pm, how often would you: Stay mainly in the shade? | | 4. Usually 5. Always |
| outsglss | 8 | OUTSGLSS | How often wear sunglasses on a sunny day | Thinking about sunny days in summer, when you are outside for an hour or more between 11am and 3pm, how often would you: Wear sunglasses? | Single Response | Never Rarely Sometimes Usually Always |
| outstrip | 8 | OUTSTRIP | How often deliberately wear less clothing on a sunny day | Thinking about sunny days in summer, when you are outside for an hour or more between 11am and 3pm, how often would you: Deliberately wear less or briefer clothing so as to get some sun on your skin? | Single Response | 1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always |
| paink4 | 8 | PAINKAA | Used/taken pain killers/analgesics in last 4 weeks | How many times, if ever, have you used or taken painkillers/analgesics such as Disprin, Panadol or Aspro, for any reason: In the last four weeks? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| paink7 | 8 | PAINKA | Used/taken pain killers/analgesics in last 7 days | How many times, if ever, have you used or taken painkillers/analgesics such as Disprin, Panadol or Aspro, for any reason: In the last week? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| painklf | 8 | PAINKLF | Ever used/taken pain killers/analgesics in lifetime | How many times, if ever, have you used or taken painkillers/analgesics such as Disprin, Panadol or Aspro, for any reason: In your lifetime? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| painkyr | 8 | PAINKYR | Used/taken pain killers/analgesics in last year | How many times, if ever, have you used or taken painkillers/analgesics such as Disprin, Panadol or Aspro, for any reason: In the last year? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| pktsize1 | 8 | PKTSIZEA | Size of packet cigarettes usually come | Do the cigarettes you usually | Single | 1. 20s |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---|---|
| | | | from | smoke come from packets of? | Response | 10. Roll my own 2. 25s 3. 30s 4. 35s 5. 40s 6. 50s |
| q1 | 8 | Q1PSMK | Perceived difficulty to give up smoking | How hard do you think it would be for someone to give up smoking? | Single Response | 1. Impossible 2. Very hard 3. Fairly hard 4. Not too hard 5. Easy |
| q10_bott | 8 | Q10_BOTT | How often refused service in a bottleshop? | How often have you been refused service in a hotel, club, pub, restaurant, nightclub or bottleshop? | Part of multiple response question | 1. Never 2. 1 to 4 times 3. 5 or more times |
| q10_hote | 8 | Q10_HOTE | How often refused service in a hotel/pub/club? | How often have you been refused service in a hotel, club, pub, restaurant, nightclub or bottleshop? | Part of multiple response question | 1. Never 2. 1 to 4 times 3. 5 or more times |
| q10_nigh | 8 | Q10_NIGH | How often refused service in a nightclub/dance venue? | How often have you been refused service in a hotel, club, pub, restaurant, nightclub or bottleshop? | Part of multiple response question | 1. Never 2. 1 to 4 times 3. 5 or more times |
| q10_rest | 8 | Q10_REST | How often refused service in a restaurant? | How often have you been refused service in a hotel, club, pub, restaurant, nightclub or bottleshop? | Part of multiple response question | 1. Never 2. 1 to 4 times 3. 5 or more times |
| q14_agec | 8 | Q14_AGEC | Type of id document used: Fake proof of age card | If you have used someone else's identification (ID) or fake identification (ID) what type of document was it?: A fake proof of age card | Single Response | 0. no 1. yes |
| q14_driv | 8 | Q14_DRIV | Type of id document used: Fake learners or drivers license | If you have used someone else's identification (ID) or fake identification (ID) what type of document was it?: A fake learner's or driver's licence | Single Response | 0. no 1. yes |
| q14_frie | 8 | Q14_FRIE | Type of id document used: Someone else's proof of age card/drivers license | If you have used someone else's identification (ID) or fake identification (ID) what type of document was it?: Someone else's proof of age card or driver's license | Single Response | 0. no 1. yes |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---------------------|---|
| q14_inva | 8 | Q14_INVA | Type of id document used: Invalid response | If you have used someone else's identification (ID) or fake identification (ID) what type of document was it?: | Single Response | 0. no 1. yes |
| q14_miss | 8 | Q14_MISS | Type of id document used: Missing answer | If you have used someone else's identification (ID) or fake identification (ID) what type of document was it?: | Single Response | 0. no 1. yes |
| q14_mult | 8 | Q14_MULT | Type of id document used: Multiple response | If you have used someone else's identification (ID) or fake identification (ID) what type of document was it?: | Single Response | 0. no 1. yes |
| q14_oac | 8 | Q14_OAC | Type of id document used: Stolen proof of age card | If you have used someone else's identification (ID) or fake identification (ID) what type of document was it?: A stolen proof of age card | Single Response | 0. no 1. yes |
| q14_oldl | 8 | Q14_OLDL | Type of id document used: Stolen learners or drivers license | If you have used someone else's identification (ID) or fake identification (ID) what type of document was it?: A stolen learner's or driver's licence | Single Response | 0. no 1. yes |
| q14_othe | 8 | Q14_OTHE | Type of id document used: Other | If you have used someone else's identification (ID) or fake identification (ID) what type of document was it?: Other document | Single Response | 0. no 1. yes |
| q2_break | 8 | Q2_BREAK | Days per week something to eaten for breakfast | How many days per week do you usually have something to eat for breakfast? | Single Response | No days 1 day 2 days 3 days 4 days 5 days 6 days 7 days I dont know |
| q3_beach | 8 | Q3_BEACH | Smoking location: At the beach/park/recreation area | Where do you smoke? At the beach, park or recreation area | Single Response | 0. No 1. Yes |
| q3_dont | 8 | Q3_DONT | Smoking location: I don't smoke at all | Where do you smoke? I don't smoke at all | Single Response | 0. No 1. Yes |
| q3_frien | 8 | Q3_FRIEN | Smoking location: At friends home | Where do you smoke? At my friend's home/s | Single Response | 0. No 1. Yes |
| q3_home | 8 | Q3_HOME | Smoking location: At home | Where do you smoke? At home | Single | 0. No |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------------|--|---|---------------------|-------------------------------------|
| | | | | | Response | 1. Yes |
| q3_inval | 8 | Q3_INVAL | Smoking location: Invalid response | Where do you smoke? Invalid | Single | 0. No |
| | | | | response | Response | 1. Yes |
| q3_missi | 8 | Q3_MISSI | Smoking location: Missing answer | Where do you smoke? Missing | Single | 0. No |
| | | | | answer | Response | 1. Yes |
| q3_other | 8 | Q3_OTHER | Smoking location: Other | Where do you smoke? Other | Single | 0. No |
| | | | | | Response | 1. Yes |
| q3_parti | 8 | Q3_PARTI | Smoking location: At parties | Where do you smoke? At parties | Single | 0. No |
| | | | | | Response | 1. Yes |
| q3_pubs | 8 | Q3_PUBS | Smoking location: In hotels pubs or | Where do you smoke? In hotels, | Single | 0. No |
| | | | clubs | pubs or clubs | Response | 1. Yes |
| q3_schoo | 8 | Q3_SCHOO | Smoking location: At school | Where do you smoke? At school | Single | 0. No |
| | | | | | Response | 1. Yes |
| q3_shopp | 8 | Q3_SHOPP | Smoking location: In shopping areas | Where do you smoke? In shopping | Single | 0. No |
| | | | | areas | Response | 1. Yes |
| q3_tall | 8 | Q3_TALL | Height in cm | How tall are you without shoes? | Single | 1. I dont know |
| | | | | | Response | |
| q3_trav | 8 | Q3_TRAV | Smoking location: Travelling to and from | Where do you smoke? Travelling to | Single | 0. No |
| | | | school | and from school | Response | 1. Yes |
| q3_work | 8 | Q3_WORK | Smoking location: At work | Where do you smoke? At work | Single | 0. No |
| | <u> </u> | | | | Response | 1. Yes |
| q4 | 8 | QA | Ever tried to buy cigarettes from a shop | Have you ever tried to buy | Single | 1. No |
| | | 0.4.14/51011 | | cigarettes from a shop? | Response | 2. Yes |
| q4_weigh | 8 | Q4_WEIGH | Weight in kg | How much do you weigh without | Single | 1. I dont know |
| | | 0.5010 | | clothes or shoes? | Response | |
| q5 | 8 | Q5CIG | Shopkeeper ever refused service when | Has a shopkeeper ever refused you | Single | 1. No |
| | | | you tried to buy cigarettes | service when you tried to buy | Response | 2. Yes once or twice |
| | | 00010 | | cigarettes? | 0: 1 | 3. Yes frequently |
| q6 | 8 | Q6CIG | Shopkeeper ever asked for proof of age | Has a shopkeeper ever asked for | Single | 1. No |
| | | | or ID when tried to buy cigarettes | proof of age or identification (ID) | Response | 2. Yes once or twice |
| a.C | | OC MILIC | M/h at the analysis decreased his house | when you tried to buy cigarettes? | Oin alla | 3. Yes frequently |
| q6_milk | 8 | Q6_MILK | What type of milk do you usually have? | What type of milk do you usually | Single | 1. Whole milk |
| | | | | have? | Response | 2. Reduced fat milk |
| | | | | | | 3. Skim milk |
| | | | | | | 4. Evaporated or sweetened |
| | | | | | | condensed milk 5. None of the above |
| | | | | | | 6. I dont know |
| a7 | 8 | Q7ID | Ever used a friends ID or a fake ID to | Have you ever used a friend's | Single | 1. No |
| q7 | 0 | עווט | | Have you ever used a friend's identification (ID) or a fake | Single Response | 2. Yes once or twice |
| | | | buy cigarettes | identification (ID) to purchase | 17e9house | 3. Yes frequently |
| | | | | cigarettes? | | J. 165 Hequently |
| | | | | organettes: | | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|--|---------------------|---|
| q8 | 8 | QA | Ever tried to buy alcohol at a hotel/pub/club/restaurant/nightclub/bottl eshop? | Have you ever tried to buy alcohol at a hotel, pub, club, restaurant, nightclub or bottleshop? | Single Response | 1. No 2. Yes |
| rcoc4 | 8 | RCOCAA | recoded used cocaine in last month | | Derived Variable | none once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times user, freq unknown multiple response inconsistent answer |
| rcoc7 | 8 | RCOCA | recoded used cocaine in last week | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rcoclf | 8 | RCOCLF | recoded used cocaine in lifetime | | Derived Variable | none once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times user, freq unknown multiple response inconsistent answer |
| rcocyr | 8 | RCOCYR | recoded used cocaine in last year | | Derived Variable | none once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times user, freq unknown multiple response inconsistent answer |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---------------------------------|----------|---------------------|---|
| rdope4 | 8 | RDOPEAA | Recoded used dope in last month | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rdope7 | 8 | RDOPEA | Recoded use dope in last week | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rdopelf | 8 | RDOPELF | Recoded used dope in lifetime | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rdopeyr | 8 | RDOPEYR | Recoded used dope in last year | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| recdenom | 8 | RECDENOM | Recoded school denomination | | Derived Variable | 1. Gov 2. Catholic 3. Independent |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|------------------------------------|----------|---------------------|---|
| region | 4 | \$REGION | Urban/Rural | | Derived Variable | X800. Urban X880. Rural |
| rheroin4 | 8 | RHEROINB | recoded used heroin in last month | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rheroin7 | 8 | RHEROINA | recoded used heroin in last week | | Derived Variable | none once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times user, freq unknown multiple response inconsistent answer |
| rheronlf | 8 | RHERONLF | recoded used heroin in lifetime | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rheronyr | 8 | RHERONYR | recoded used heroin in last year | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rlsd4 | 8 | RLSDAA | recoded used hallucinogens in last | | Derived | 1. none |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|---------|---|---|---------------------|---|
| | | | month | | Variable | 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rlsd7 | 8 | RLSDA | recoded used hallucinogens in last week | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rlsdlf | 8 | RLSDLF | recoded used hallucinogens in lifetime | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rlsdyr | 8 | RLSDYR | recoded used hallucinogens in last year | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| roids4 | 8 | ROIDSAA | Used/taken steroids in last 4 weeks | How many times, if ever, have you used or taken steroids, (muscle, roids or gear) without a doctor's prescription in an attempt to make | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---------------------|---|
| | | | | you better at sport, to increase muscle size or to improve your general appearance: In the last 4 weeks? | | 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| roids7 | 8 | ROIDSA | Used/taken steroids in last 7 days | How many times, if ever, have you used or taken steroids, (muscle, roids or gear) without a doctor's prescription in an attempt to make you better at sport, to increase muscle size or to improve your general appearance: In the last week? | Single Response | None Once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times |
| roidslf | 8 | ROIDSLF | Ever used/taken steroids in lifetime | How many times, if ever, have you used or taken steroids, (muscle, roids or gear) without a doctor's prescription in an attempt to make you better at sport, to increase muscle size or to improve your general appearance: In your lifetime? | Single Response | None Once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times |
| roidsyr | 8 | ROIDSYR | Used/taken steroids in last year | How many times, if ever, have you used or taken steroids, (muscle, roids or gear) without a doctor's prescription in an attempt to make you better at sport, to increase muscle size or to improve your general appearance: In the last year? | Single Response | None Once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times |
| rpaink4 | 8 | RPAINKAA | recoded used painkillers in last month | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rpaink7 | 8 | RPAINKA | recoded used painkillers in last week | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---------------------------------------|----------|---------------------|---|
| | | | | | | 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rpainklf | 8 | RPAINKLF | recoded used painkillers in lifetime | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rpainkyr | 8 | RPAINKYR | recoded used painkillers in last year | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rroids4 | 8 | RROIDSAA | recoded used steroids in last month | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rroids7 | 8 | RROIDSA | recoded used steroids in last week | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--------------------------------------|----------|---------------------|---|
| | | | | | | 88. multiple response 98. inconsistent answer |
| rroidsIf | 8 | RROIDSLF | recoded used steroids in lifetime | | Derived Variable | none once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times user, freq unknown multiple response inconsistent answer |
| rroidsyr | 8 | RROIDSYR | recoded used steroids in last year | | Derived Variable | none once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times user, freq unknown multiple response inconsistent answer |
| rsniff4 | 8 | RSNIFFA | recoded used inhalants in last month | | Derived Variable | none once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times user, freq unknown multiple response inconsistent answer |
| rsniff7 | 8 | RSNIFFA | recoded used inhalants in last week | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rsnifflf | 8 | RSNIFFLF | recoded used inhalants in lifetime | | Derived | 1. none |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|----------|---------------------|---|
| | | | | | Variable | 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rsniffyr | 8 | RSNIFFYR | recoded used inhalants in last year | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rspeed4 | 8 | RSPEEDAA | Recoded used amphetamines in last month | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rspeed7 | 8 | RSPEEDA | Recoded used amphetamines in last week | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rspeedIf | 8 | RSPEEDLF | Recoded used amphetamines in lifetime | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|----------|---------------------|---|
| | | | | | | 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rspeedyr | 8 | RSPEEDYR | Recoded used amphetamines in last year | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rtranq4 | 8 | RTRANQA | Recoded used tranquillisers in last month | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rtranq7 | 8 | RTRANQA | Recoded used tranquillisers in last week | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rtranqlf | 8 | RTRANQLF | Recoded used tranquillisers in lifetime | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|----------|---------------------|---|
| | | | | | | 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rtranqyr | 8 | RTRANQYR | Recoded used tranquillisers in last year | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rxtc4 | 8 | RXTCAA | Recoded used xtc in last month | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rxtc7 | 8 | RXTCA | Recoded used xtc in last week | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| rxtclf | 8 | RXTCLF | Recoded used xtc in lifetime | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---------------------|--|
| rxtcyr | 8 | RXTCYR | Recoded used xtc in last year | | Derived Variable | 1. none 2. once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. user, freq unknown 88. multiple response 98. inconsistent answer |
| sch | 8 | | School ID Code | | Derived Variable | |
| schlev | 8 | SCHLEV | School level | | Derived Variable | Primary Secondary |
| schpatt | 8 | SCHPATT | School pattern | | Derived Variable | 1. Years 7-10 2. Years 11-12 |
| sex | 8 | SEX | Student sex | What sex are you? | | 1. Male 2. Female |
| sexschl | 8 | SEXSCHL | School sex | | | 1. Co-ed 2. Boys only 3. Girls only |
| singlcig | 8 | SINGLCIG | Bought cigarettes not in a full packet in the last 4 weeks | Sometimes people break open a packet of cigarettes and sell single cigarettes. In the last four weeks, have you bought cigarettes that were not in a full packet (for example, buying one or more cigarette(s) at a time)? | Single Response | 1. Yes 2. No |
| singlfrm | 8 | SINGLFRM | Source of cigarettes not in a full packet | Thinking of the last time you bought cigarettes that were not in a full packet who did you buy the cigarette(s) from? | Single Response | 1. I bought the cigarette(s) at a shop2. I bought the cigarette(s) from a friend or relative3. I bought the cigarette(s) from someone else |
| skintype | 8 | SKINTYPE | Effect of strong sunlight for 30 minutes on own skin Any lessons/parts of lessons about | Suppose your skin was exposed to strong sunshine at the beginning of summer with no protection at all. If you stayed in the sun for 30 minutes, would your skin: During 2004 (last year), did you | Single Response | 1. Just burn or go red 2. Burn or go red first, then tan afterwards 3. Just tan 4. Nothing would happen because I was born with dark skin 1. No, not even part of a lesson |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|---------|--|---|---|--|
| | | | smoking during 2004 | have any lessons or parts of lessons at school that were about smoking? | Response | 2. Yes, part of a lesson3. Yes, one lesson4. Yes, more than one lesson |
| smoke12 | 8 | SMOKE1A | Smoked cigarettes in the last 12 months | Have you smoked cigarettes in the last 12 months? | | 1. Yes 2. No |
| smoke4 | 8 | SMOKEA | Smoked cigarettes in the last four weeks | Have you smoked cigarettes in the last four weeks? | Single Response | 0. No 1. Yes |
| smoke7 | 8 | SMOKEA | Smoked cigarettes in last 7 days | This question is about the number of cigarettes you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of cigarettes you had yesterday. If you didn't smoke any cigarettes, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of cigarettes you smoked each day in the circle. Put '0' for each day you didn't smoke | Derived variable from smokemon, smoketue, smokewed, smokethur, smokefri, smokesat, smokesun | 0. No 1. Yes |
| smoke7nu m | 8 | | Total number of cigarettes smoked in the last 7 days | any cigarettes. This question is about the number of cigarettes you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of cigarettes you had yesterday. If you didn't smoke any cigarettes, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of cigarettes you smoked each day in the circle. Put '0' for each day you didn't smoke any cigarettes. | Part of multiple response question | |
| smokefri | 8 | | Number of cigarettes smoked last Friday | This question is about the number of cigarettes you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of cigarettes you had | Part of multiple response question | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|--|--|---|------------|
| | | | | yesterday. If you didn't smoke any cigarettes, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of cigarettes you smoked each day in the circle. Put '0' for each day you didn't smoke | | |
| smokemon | 8 | | Number of cigarettes smoked last Monday | any cigarettes. This question is about the number of cigarettes you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of cigarettes you had yesterday. If you didn't smoke any cigarettes, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of cigarettes you smoked each day in the circle. Put '0' for each day you didn't smoke any cigarettes. | Part of multiple response question | |
| smokesat | 8 | | Number of cigarettes smoked last Saturday | This question is about the number of cigarettes you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of cigarettes you had yesterday. If you didn't smoke any cigarettes, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of cigarettes you smoked each day in the circle. Put '0' for each day you didn't smoke any cigarettes. | Part of multiple response question | |
| smokesun | 8 | | Number of cigarettes smoked last Sunday | This question is about the number of cigarettes you had during the last seven days, including yesterday. Put a tick near yesterday. Then in | Part of multiple response question | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|--------|---|--|---|------------|
| | | | | the space provided, write the number of cigarettes you had yesterday. If you didn't smoke any cigarettes, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of cigarettes you smoked each day in the circle. Put '0' for each day you didn't smoke any cigarettes. | | |
| smokethu | 8 | | Number of cigarettes smoked last Thursday | This question is about the number of cigarettes you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of cigarettes you had yesterday. If you didn't smoke any cigarettes, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of cigarettes you smoked each day in the circle. Put '0' for each day you didn't smoke any cigarettes. | Part of multiple response question | |
| smoketue | 8 | | Number of cigarettes smoked last Tuesday | This question is about the number of cigarettes you had during the last seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of cigarettes you had yesterday. If you didn't smoke any cigarettes, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of cigarettes you smoked each day in the circle. Put '0' for each day you didn't smoke any cigarettes. | Part of multiple response question | |
| smokewed | 8 | | Number of cigarettes smoked last Wednesday | This question is about the number of cigarettes you had during the last | Part of multiple | |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|--|---|---|
| | | | | seven days, including yesterday. Put a tick near yesterday. Then in the space provided, write the number of cigarettes you had yesterday. If you didn't smoke any cigarettes, put in '0'. Start filling in the spaces beginning with yesterday, and follow the arrows. Answer for every day of the week. Write the number of cigarettes you smoked each day in the circle. Put '0' for each day you didn't smoke any cigarettes. | response question | |
| smoknow | 8 | SMOKNOW | Current smoking status | At the present time, do you consider yourself? | Single Response | A heavy smoker A light smoker An occasional smoker An ex-smoker A non-smoker |
| snacks | 8 | SNACKS | Times eaten snacks in the last week | How many times in the last week did you eat snacks like a chocolate bar, a piece of cake, a packet of chips/Twisties/corn chips, icecream, 3-4 sweet biscuits? | Single Response | 1. Once 2. Twice 3. 3 times 4. 4 times 5. 5 times 6. 6 times 7. 7 or more times 8. None |
| snffself | 8 | SNFFSELF | Use inhalants by self or with others | Do you usually sniff or inhale substances by yourself or with others? | Single Response | By myself With others By myself and with others about equally often |
| snfftyp1 | 8 | SNFFTYPA | Substance last inhaled or sniffed - answer #2 | Thinking about the last time you did this, what substance did you inhale or sniff? | Part of multiple response question | Glue nail polish nitrous oxide Paint other unspecified Petrol Thinners Butane gas Other specified texta whiteout deodorant |
| snfftyp2 | 8 | SNFFTYPB | Substance last inhaled or sniffed - | Thinking about the last time you did | Part of | 1. Glue |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---|---|
| | | | answer #3 | this, what substance did you inhale or sniff? | multiple response question | 10. nail polish 11. nitrous oxide 2. Paint 20. other unspecified 3. Petrol 4. Thinners 5. Butane gas 6. Other specified 7. texta 8. whiteout 9. deodorant |
| snfftyp3 | 8 | SNFFTYPC | Substance last inhaled or sniffed - answer #4 | Thinking about the last time you did this, what substance did you inhale or sniff? | Part of multiple response question | 1. Glue 10. nail polish 11. nitrous oxide 2. Paint 20. other unspecified 3. Petrol 4. Thinners 5. Butane gas 6. Other specified 7. texta 8. whiteout 9. deodorant |
| snfftyp4 | 8 | SNFFTYPD | Substance last inhaled or sniffed - answer #5 | Thinking about the last time you did this, what substance did you inhale or sniff? | Part of multiple response question | Glue nail polish nitrous oxide Paint other unspecified Petrol Thinners Butane gas Other specified texta whiteout deodorant |
| snfftyp5 | 8 | SNFFTYPF | Substance last inhaled or sniffed - answer #6 | Thinking about the last time you did this, what substance did you inhale or sniff? | Part of multiple response question | Glue nail polish nitrous oxide Paint other unspecified Petrol Thinners Butane gas |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|--|---|---|
| | | | | | | 6. Other specified 7. texta 8. whiteout 9. deodorant |
| snfftype | 8 | SNFFTYPE | Substance last inhaled or sniffed - answer #1 | Thinking about the last time you did this, what substance did you inhale or sniff? | Part of multiple response question | 1. Glue 10. nail polish 11. nitrous oxide 2. Paint 20. other unspecified 3. Petrol 4. Thinners 5. Butane gas 6. Other specified 7. texta 8. whiteout 9. deodorant |
| sniff4 | 8 | SNIFFA | Deliberately sniffed spray cans/glue/paint/petrol/thinners in last 4 weeks | How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel: In the last four weeks? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| sniff7 | 8 | SNIFFA | Deliberately sniffed spray cans/glue/paint/petrol/thinners in last 7 days | How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel: In the last week? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| snifflf | 8 | SNIFFLF | Ever deliberately sniffed spray cans/glue/paint/petrol/thinners in lifetime | How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel: In your lifetime? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| sniffyr | 8 | SNIFFYR | Deliberately sniffed spray cans/glue/paint/petrol/thinners in last year | How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel: In the last year? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|---|---|
| | | | | | | 7. 40 or more times |
| softdrnk | 8 | SOFTDRNK | Times drank soft drink in the last week | How many times in the last week did you drink a can of soft drink (like Coke, Pepsi, lemonade, Fanta), an energy drink (like Redbull, V, Wild), fruit juice or have at least 2 glasses of cordial in a row? This does not include diet or low joule drinks. | Single Response | 1. Once 2. Twice 3. 3 times 4. 4 times 5. 5 times 6. 6 times 7. 7 or more times 8. None |
| sore | 8 | SORE | Sunburnt over the last summer | Over the last summer, did you get sunburn that was sore or tender the next day? | Single Response | 1. Yes, just once 2. Yes, 2 or 3 times 3. Yes, 4 or more times 4. No, not at all |
| spedpol1 | 8 | SPEDPOLA | Substance used on same occasion as amphetamines - answer #1 | In the last year, did you use any other substance or substances on the same occasion that you used amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. marijuana/cannabis 7. ecstasy 8. no other substance used 9. food |
| spedpol2 | 8 | SPEDPOLB | Substance used on same occasion as amphetamines - answer #2 | In the last year, did you use any other substance or substances on the same occasion that you used amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|---|---|
| | | | | | | 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. marijuana/cannabis 7. ecstasy 8. no other substance used 9. food |
| spedpol3 | 8 | SPEDPOLC | Substance used on same occasion as amphetamines - answer #3 | In the last year, did you use any other substance or substances on the same occasion that you used amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. marijuana/cannabis 7. ecstasy 8. no other substance used 9. food |
| spedpol4 | 8 | SPEDPOLD | Substance used on same occasion as amphetamines - answer #4 | In the last year, did you use any other substance or substances on the same occasion that you used amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|---|---|
| | | | | | | 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. marijuana/cannabis 7. ecstasy 8. no other substance used 9. food |
| spedpol5 | 8 | SPEDPOLE | Substance used on same occasion as amphetamines - answer #5 | In the last year, did you use any other substance or substances on the same occasion that you used amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. marijuana/cannabis 7. ecstasy 8. no other substance used 9. food |
| spedpol6 | 8 | SPEDPOLF | Substance used on same occasion as amphetamines - answer #6 | In the last year, did you use any other substance or substances on the same occasion that you used amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|---|---|---|
| | | | | | | 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. marijuana/cannabis 7. ecstasy 8. no other substance used 9. food |
| spedpol7 | 8 | SPEDPOLG | Substance used on same occasion as amphetamines - answer #7 | In the last year, did you use any other substance or substances on the same occasion that you used amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. marijuana/cannabis 7. ecstasy 8. no other substance used 9. food |
| spedpol8 | 8 | SPEDPOLH | Substance used on same occasion as amphetamines - answer #8 | In the last year, did you use any other substance or substances on the same occasion that you used amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---|--|
| | | | | | | 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. marijuana/cannabis 7. ecstasy 8. no other substance used 9. food |
| speed4 | 8 | SPEEDAA | Used/taken amphetamines in last 4 weeks | How many times, if ever, have you used or taken amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice) other than for medical reasons: In the last 4 weeks? | Single Response | 1. None2. Once or twice3. 3-5 times4. 6-9 times5. 10-19 times6. 20-39 times7. 40 or more times |
| speed7 | 8 | SPEEDA | Used/taken amphetamines in last 7 days | How many times, if ever, have you used or taken amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice) other than for medical reasons: In the last week? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| speedIf | 8 | SPEEDLF | Ever used/taken amphetamines in lifetime | How many times, if ever, have you used or taken amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice) other than for medical reasons: In your lifetime? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| speedyr | 8 | SPEEDYR | Used/taken amphetamines in last year | How many times, if ever, have you used or taken amphetamines (e.g. speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice) other than for medical reasons: In the last year? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| spfuse1 | 8 | SPFUSEA | SPF of sunscreen usually used on a sunny day - answer #1 | What is the SPF (Sun Protection Factor) of the sunscreen you usually use on a sunny day in summer? | Part of multiple response question | 1. I dont use sunscreen 2. SPF 12 or lower 3. SPF 15 4. SPF 30+ 5. Cant remember/ dont know |
| spfuse2 | 8 | SPFUSEAA | SPF of sunscreen usually used on a | What is the SPF (Sun Protection | Part of | 1. I dont use sunscreen |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|---|--|----------------------------------|--|
| | | | sunny day - answer #2 | Factor) of the sunscreen you usually use on a sunny day in summer? | multiple response question | 2. SPF 12 or lower 3. SPF 15 4. SPF 30+ 5. Cant remember/ dont know |
| state | 8 | STATE | State ID Code | | | 1. Victoria 2. NSW 3. SA 4. WA 5. QLD 6. ACT 7. TAS 8. NT |
| strenpa | 8 | STRENPA | Times did vigorous physical activity in last week | How many times in the last week did you: do any vigorous physical activity for at least 30 minutes that made you huff and puff or sweat? (e.g. basketball, netball, soccer, football, running, fast bike riding, aerobics) | Single Response | 1. None 2. Once 3. Twice 4. 3 times 5. 4 times 6. 5 times 7. 6 or more times |
| supptype | 8 | SUPPTYPE | Supplementary questionnaire | | | 1. Supp A 2. Supp B 3. Both 4. None |
| tanliked | 8 | TANLIKED | Like to get a tan | Do you like to get a suntan? | Single Response | 1. No 2. Yes, a light tan 3. Yes, a moderate tan 4. Yes, a dark tan 5. Yes, a very dark tan |
| teacher | 8 | TEACHER | Teacher present | | | 1. Present 2. Absent |
| tfoftbrn | 8 | TFOFTBRN | Only get skin cancer if get burnt often | You only get skin cancer if you get burnt often | Single Response | 1. True 2. False |
| tfuvr | 8 | TFUVR | Most skin cancer is caused by UVR from the sun | Most skin cancer is caused by ultraviolet radiation (UVR) from the sun. | Single Response | 1. True 2. False |
| tranq4 | 8 | TRANQA | Used/taken sleeping tablets in last 4 weeks | How many times, if ever, have you used or taken sleeping tablets, tranquillisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons: In the last four weeks? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---------------------|---|
| tranq7 | 8 | TRANQA | Used/taken sleeping tablets in last 7 days | How many times, if ever, have you used or taken sleeping tablets, tranquillisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons: In the last week? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| tranqlf | 8 | TRANQLF | Ever used/taken sleeping tablets in lifetime | How many times, if ever, have you used or taken sleeping tablets, tranquillisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons: In your lifetime? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| tranqyr | 8 | TRANQYR | Used/taken sleeping tablets in last year | How many times, if ever, have you used or taken sleeping tablets, tranquillisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons: In the last year? | Single Response | None Once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times |
| tv | 8 | TV | Hours spent watching TV/videos on average school day | On an average school day, about how many hours a day do you do the following when you are not at school: watch TV/DVDs/videos? | Single Response | 1. None2. 1 hour or less3. 2 hours4. 3 hours5. 4 hours6. 5 or more hours |
| typehat | 8 | TYPEHAT | Type of hat worn most often on a sunny day | What type of hat do you most often wear on a sunny day in summer? | Single Response | 1. Wide brimmed hat 10. Cap & Narrow brimmed 11. Cap & Sun-visor 12. legionnaires & cap 2. Narrow-brimmed hat 3. Legionnaire hat 4. Cap 5. Sun-visor 6. Other 7. None 8. Cap & Wide brimmed |
| vegies05 | 8 | VEGIES0A | Serves of vegetables usually eaten each day | How many serves of vegetables do you usually eat each day? (A serve is equal to 1/2 cup of cooked vegetables or 1 cup of salad vegetables) | Single Response | 1. 1 serve or less 2. 2 serves 3. 3 serves 4. 4 serves 5. 5 serves |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|---|---------------------|---|
| | | | | | | 6. 6 serves or more7. I do not eat vegetables |
| vendmach | 8 | VENDMACH | Last cigarette bought from a coin- operated vending machine | If you bought your last cigarette, was it from a coin-operated vending machine? | Single Response | 1. Yes 2. No |
| water | 8 | WATER | Usually consume water | How many cups of water do you usually drink? | Single Response | Number of cups per day I dont drink water I dont know |
| whnburn | 8 | WHNBURN | How long ago last severely sunburnt | If yes: How long ago was the last time you were severely sunburnt? | Single Response | In the last year 1 to 2 years ago More than 2 years ago |
| whobuyal | 8 | WHOBUYAL | Person who purchased alcohol on behalf of student | If someone else bought alcohol for you, who was this person? | Single Response | 1. Friend who is 18 or over 2. Brother/Sister or other relative who is 18 or over 20. other unspecified 24. other adult 3. Friend who is not yet aged 18 4. Brother/Sister or other relative who is not yet 18 5. Stranger who was able to buy alcohol 6. Other specified |
| whobuycg | 8 | WHOBUYCG | Person who purchased cigarettes on behalf of student | If someone else bought cigarettes for you, who was this person? | Single Response | 1. Friend who is 18 or over 2. Brother/Sister or other relative who is 18 or over 20. other unspecified 24. other adult 3. Friend who is not yet aged 18 4. Brother/Sister or other relative who is not yet 18 5. Stranger who was able to buy alcohol 6. Other specified |
| wt | 8 | | Sampling weight | | Derived Variable | |
| xtc4 | 8 | XTCAA | Used/taken ecstasy in last 4 weeks | How many times, if ever, have you used or taken ecstasy or XTC (E, MDMA, ecci, X, bickies): In the last four weeks? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| xtc7 | 8 | XTCA | Used/taken ecstasy in last 7 days | How many times, if ever, have you | Single | 1. None |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---|--|
| | | | | used or taken ecstasy or XTC (E, MDMA, ecci, X, bickies): In the last week? | Response | 2. Once or twice3. 3-5 times4. 6-9 times5. 10-19 times6. 20-39 times7. 40 or more times |
| xtclf | 8 | XTCLF | Ever used/taken ecstasy in lifetime | How many times, if ever, have you used or taken ecstasy or XTC (E, MDMA, ecci, X, bickies): In your lifetime? | Single Response | None Once or twice 3-5 times 6-9 times 10-19 times 20-39 times 40 or more times |
| xtcpol1 | 8 | XTCPOLA | Substance used on same occasion as ecstasy - answer #1 | In the last year, did you use any other substance or substances on the same occasion that you used ecstasy (XTC, E, MDMA, ecci, X, bickies)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. marijuana/cannabis 8. no other substance used 9. food |
| xtcpol2 | 8 | XTCPOLAA | Substance used on same occasion as ecstasy - answer #2 | In the last year, did you use any other substance or substances on the same occasion that you used ecstasy (XTC, E, MDMA, ecci, X, bickies)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---|--|
| | | | | | | 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. marijuana/cannabis 8. no other substance used 9. food |
| xtcpol3 | 8 | XTCPOLAB | Substance used on same occasion as ecstasy - answer #3 | In the last year, did you use any other substance or substances on the same occasion that you used ecstasy (XTC, E, MDMA, ecci, X, bickies)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. marijuana/cannabis 8. no other substance used 9. food |
| xtcpol4 | 8 | XTCPOLAC | Substance used on same occasion as ecstasy - answer #4 | In the last year, did you use any other substance or substances on the same occasion that you used ecstasy (XTC, E, MDMA, ecci, X, bickies)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---|--|
| | | | | | | 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. marijuana/cannabis 8. no other substance used 9. food |
| xtcpol5 | 8 | XTCPOLAD | Substance used on same occasion as ecstasy - answer #5 | In the last year, did you use any other substance or substances on the same occasion that you used ecstasy (XTC, E, MDMA, ecci, X, bickies)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. marijuana/cannabis 8. no other substance used 9. food |
| xtcpol6 | 8 | XTCPOLAE | Substance used on same occasion as ecstasy - answer #6 | In the last year, did you use any other substance or substances on the same occasion that you used ecstasy (XTC, E, MDMA, ecci, X, bickies)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|----------|--|--|---|--|
| | | | | | | 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. marijuana/cannabis 8. no other substance used 9. food |
| xtcpol7 | 8 | XTCPOLAF | Substance used on same occasion as ecstasy - answer #7 | In the last year, did you use any other substance or substances on the same occasion that you used ecstasy (XTC, E, MDMA, ecci, X, bickies)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. marijuana/cannabis 8. no other substance used 9. food |
| xtcpol8 | 8 | XTCPOLAG | Substance used on same occasion as ecstasy - answer #8 | In the last year, did you use any other substance or substances on the same occasion that you used ecstasy (XTC, E, MDMA, ecci, X, bickies)? | Part of multiple response question | 1. tobacco 10. other 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin / opium 17. Metho 18. texta 19. whiteout 2. alcohol 20. deodorant |

| Variable Name | Type Length | Format | Variable label | Question | Coding and Comments | Code frame |
|------------------|----------------|---------|---|---|---------------------|---|
| | | | | | | 3. pain killers/analgesics 4. sedatives/tranquillisers/sleeping tabs 5. hallucinogens 6. amphetamines 7. marijuana/cannabis 8. no other substance used 9. food |
| xtcyr | 8 | XTCYR | Used/taken ecstasy in last year? | How many times, if ever, have you used or taken ecstasy or XTC (E, MDMA, ecci, X, bickies): In the last year? | Single Response | 1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times |
| year | 4 | | Year survey conducted | | | |
| ynosch | 8 | YNOSCH | Reason why absent from school on previous day | If no, why were you away? | Single Response | 1. You were ill or had some other health problem 10. Other unspecified 11. Harvest leave 12. Holiday 13. Wagging 14. Work 15. Other study 16. Parent(s) let me stay home 17. Suspended 18. Missed transport to school 19. Misinterpreted the question 2. Study day or other school-related activities 20. Other specified 21. Didnt want to go/ couldnt be bothered 22. Tired/stressed 3. Family reasons 4. Other |
| yrlevel | 8 | YRLEVEL | Student year level | What year level are you in? | Single Response | 1. Year 7 2. Year 8 3. Year 9 4. Year 10 5. Year 11 6. Year 12 |