

# 2008 SSHB Survey Data Dictionary

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
ABILITY	8	ABILITYF	At school work, do you consider yourself:		1. A lot above average 2. Above average 3. Average 4. Below average 5. A lot below average 77. Invalid response given 88. Multiple responses give 99. No response given
ADULTSUP	8	ADULTSUPF	Was an adult supervising you when you had this drink?		1. Yes 2. No 77. Invalid response given 88. Multiple responses give 99. No response given
AGE	8	AGEF	Student age		10. 10 11. 11 12. 12 13. 13 14. 14 15. 15 16. 16 17. 17 18. 18 19. 19 and over 77. Invalid response given 88. Multiple responses give 99. No response given
ALC6HRS	8	ALC6HRSF	Had you consumed alcohol in the 6 hours before you were hurt or injured?		1. Yes 2. No 77. Invalid response given 88. Multiple responses give 99. No response given
ALCAVE	8		Average number of alcoholic drinks consumed		
AQ13A	8	AQ13AF	Bought cigarettes over the Internet or by phone/fax or mail order? No		0. No 1. Yes
AQ13B	8	AQ13BF	Bought cigarettes over the Internet or by phone/fax or mail order? Yes, over the Internet		0. No 1. Yes
AQ13C	8	AQ13CF	Bought cigarettes over the Internet or by		0. No

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
			phone/fax or mail order? Yes, by phone/fax or mail order		1. Yes
AQ13D	8	AQ13DF	Bought cigarettes over the Internet or by phone/fax or mail order? Invalid response		0. No 1. Yes
AQ13E	8	AQ13EF	Bought cigarettes over the Internet or by phone/fax or mail order? No response given		0. No 1. Yes
AQ16A	8	AQ16AF	How often have you been asked for proof of your age or ID at a hotel, pub or club?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
AQ16B	8	AQ16BF	How often have you been asked for proof of your age or ID at a restaurant?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
AQ16C	8	AQ16CF	How often have you been asked for proof of your age or ID at a nightclub or dance venue?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
AQ16D	8	AQ16DF	How often have you been asked for proof of your age or ID at a bottle shop?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
AQ17	8	AQ17F	How often have you used someone else's ID/fake ID to enter and/or ask for alcohol		1. Never 2. Yes, once or twice 3. Yes, frequently 77. Invalid response given 88. Multiple responses give 99. No response given
AQ19A	8	AQ19AF	Bought alcohol over the Internet or by phone/fax or mail order? No		0. No 1. Yes
AQ19B	8	AQ19BF	Bought alcohol over the Internet or by phone/fax or mail order? Internet		0. No 1. Yes
AQ19C	8	AQ19CF	Bought alcohol over the Internet or by phone/fax or mail order? Phone/fax, mail order		0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
AQ19D	8	AQ19DF	Bought alcohol over the Internet or by phone/fax or mail order? Invalid response		0. No 1. Yes
AQ19E	8	AQ19EF	Bought alcohol over the Internet or by phone/fax or mail order? No response given		0. No 1. Yes
AQ20	8	AQ20F	During the last six months, was there a time when you felt unhappy, sad or depressed?		1. No 2. Yes, at home and at school 3. Yes, but only at home 4. Yes, but only at school 77. Invalid response given 88. Multiple responses give 99. No response given
AQ21	8	AQ21F	When you were feeling unhappy, sad or depressed, how bad was it for you?		1. Almost more than I could take 2. Quite bad 3. Worse than usual 4. About usual 77. Invalid response given 88. Multiple responses give 99. No response given
AQ22A	8	AQ22AF	When you were feeling unhappy, who did you talk to about it? no one		0. No 1. Yes
AQ22B	8	AQ22BF	When you were feeling unhappy, who did you talk to about it? Family		0. No 1. Yes
AQ22C	8	AQ22CF	When you were feeling unhappy, who did you talk to about it? Friends		0. No 1. Yes
AQ22D	8	AQ22DF	When you were feeling unhappy, who did you talk to about it? Teachers, school counsellors		0. No 1. Yes
AQ22E	8	AQ22EF	When you were feeling unhappy, who did you talk to about it? Doctors other health prof		0. No 1. Yes
AQ22F	8	AQ22FF	When you were feeling unhappy, who did you talk to about it? Religious advisors, groups		0. No 1. Yes
AQ22G	8	AQ22GF	When you were feeling unhappy, who did you talk to about it? Helpline, Internet		0. No 1. Yes
AQ22H	8	AQ22HF	When you were feeling unhappy, who did you talk to about it? Other person or group specified		0. No 1. Yes
AQ22I	8	AQ22IF	When you were feeling unhappy, who did you talk to about it? Other unspecified		0. No 1. Yes
AQ22J	8	AQ22JF	When you were feeling unhappy, who did you talk to about it? Invalid responses		0. No 1. Yes
AQ22K	8	AQ22KF	When you were feeling unhappy, who did you talk to about it? No response given		0. No 1. Yes
AQ23	8	AQ23F	If you talked to someone about feeling		1. Not at all helpful

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
			unhappy, sad or depressed, how helpful were they?		2. Somewhat helpful 3. Quite helpful 4. Very helpful 77. Invalid response given 88. Multiple responses give 99. No response given
AQ24	8	AQ24F	During the last six months, was there a time when you felt nervous, stressed, or under pressure?		1. No 2. Yes, at home and at school 3. Yes, but only at home 4. Yes, but only at school 77. Invalid response given 88. Multiple responses give 99. No response given
AQ25	8	AQ25F	When you were feeling nervous, stressed, or under pressure, how bad was it for you?		1. Almost more than I could take 2. Quite bad 3. Worse than usual 4. About usual 77. Invalid response given 88. Multiple responses give 99. No response given
AQ26A	8	AQ26AF	When you were feeling stressed, who did you talk to about it? no one		0. No 1. Yes
AQ26B	8	AQ26BF	When you were feeling stressed, who did you talk to about it? Family		0. No 1. Yes
AQ26C	8	AQ26CF	When you were feeling stressed, who did you talk to about it? Friends		0. No 1. Yes
AQ26D	8	AQ26DF	When you were feeling stressed, who did you talk to about it? Teachers, school counsellors		0. No 1. Yes
AQ26E	8	AQ26EF	When you were feeling stressed, who did you talk to about it? Doctors other health prof		0. No 1. Yes
AQ26F	8	AQ26FF	When you were feeling stressed, who did you talk to about it? Religious advisors, groups		0. No 1. Yes
AQ26G	8	AQ26GF	When you were feeling stressed, who did you talk to about it? Helpline/Internet		0. No 1. Yes
AQ26H	8	AQ26HF	When you were feeling stressed, who did you talk to about it? Other person or group unspecified		0. No 1. Yes
AQ26I	8	AQ26IF	When you were feeling stressed, who did you talk to about it? Counsellor/psychiatrist/therapist		0. No 1. Yes
AQ26J	8	AQ26JF	When you were feeling stressed, who did you talk to about it? Other unspecified		0. No 1. Yes
AQ26K	8	AQ26KF	When you were feeling stressed, who did you		0. No

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
			talk to about it? Invalid response		1. Yes
AQ26L	8	AQ26LF	When you were feeling stressed, who did you talk to about it? No response given		0. No 1. Yes
AQ27	8	AQ27F	If you talked to someone about feeling nervous, stressed, or under pressure, how helpful were they?		1. Not at all helpful 2. Somewhat helpful 3. Quite helpful 4. Very helpful 77. Invalid response given 88. Multiple responses give 99. No response given
AQ28	8	AQ28F	During the last six months, was there a time when you were in trouble because of your behaviour?		1. No 2. Yes, at home and at school 3. Yes, but only at home 4. Yes, but only at school 77. Invalid response given 88. Multiple responses give 99. No response given
AQ29	8	AQ29F	When you were in trouble because of your behaviour, how bad was it for you?		1. Almost more than I could take 2. Quite bad 3. Worse than usual 4. About usual 77. Invalid response given 88. Multiple responses give 99. No response given
AQ30A	8	AQ30AF	When you were in trouble because of your behaviour, who did you talk to? - no one		0. No 1. Yes
AQ30B	8	AQ30BF	When you were in trouble because of your behaviour, who did you talk to? - Family		0. No 1. Yes
AQ30C	8	AQ30CF	When you were in trouble because of your behaviour, who did you talk to? - Friends		0. No 1. Yes
AQ30D	8	AQ30DF	When you were in trouble because of your behaviour, who did you talk to? - Teachers, school counsellors		0. No 1. Yes
AQ30E	8	AQ30EF	When you were in trouble because of your behaviour, who did you talk to? - Doctors other health prof		0. No 1. Yes
AQ30F	8	AQ30FF	When you were in trouble because of your behaviour, who did you talk to? - Religious advisors, groups		0. No 1. Yes
AQ30G	8	AQ30GF	When you were in trouble because of your behaviour, who did you talk to? - Helpline/Internet		0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
AQ30H	8	AQ30HF	When you were in trouble because of your behaviour, who did you talk to? - Other person or group specified		0. No 1. Yes
AQ30I	8	AQ30IF	When you were in trouble because of your behaviour, who did you talk to? - Counsellor/psychiatrist		0. No 1. Yes
AQ30J	8	AQ30JF	When you were in trouble because of your behaviour, who did you talk to? - Other unspecified		0. No 1. Yes
AQ31	8	AQ31F	If you talked to someone about being in trouble because of your behaviour, how helpful were they?		1. Not at all helpful 2. Somewhat helpful 3. Quite helpful 4. Very helpful 77. Invalid response given 88. Multiple responses give 99. No response given
AQ32	8	AQ32F	During the last six months, was there a time when you had problems studying at home or school that affected your performance in school tests and other work?		1. No 2. Yes, at home and at school 3. Yes, but only at home 4. Yes, but only at school 77. Invalid response given 88. Multiple responses give 99. No response given
AQ33	8	AQ33F	When you were having those study problems, how bad was it for you?		1. Almost more than I could take 2. Quite bad 3. Worse than usual 4. About usual 77. Invalid response given 88. Multiple responses give 99. No response given
AQ34A	8	AQ34AF	When you were having those study problems, whom did you talk to? - no one		0. No 1. Yes
AQ34B	8	AQ34BF	When you were having those study problems, whom did you talk to? - Family		0. No 1. Yes
AQ34C	8	AQ34CF	When you were having those study problems, whom did you talk to? - Friends		0. No 1. Yes
AQ34D	8	AQ34DF	When you were having those study problems, whom did you talk to? - Teachers, school counsellors		0. No 1. Yes
AQ34E	8	AQ34EF	When you were having those study problems, whom did you talk to? - Doctors other health prof		0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
AQ34F	8	AQ34FF	When you were having those study problems, whom did you talk to? - Religious advisors, groups		0. No 1. Yes
AQ34G	8	AQ34GF	When you were having those study problems, whom did you talk to? - Helpline/Internet		0. No 1. Yes
AQ34H	8	AQ34HF	When you were having those study problems, whom did you talk to? - Other person or group unspecified		0. No 1. Yes
AQ34I	8	AQ34IF	When you were having those study problems, whom did you talk to? - Counsellor/psychiatrist/therapists		0. No 1. Yes
AQ34J	8	AQ34JF	When you were having those study problems, whom did you talk to? - Other unspecified		0. No 1. Yes
AQ34K	8	AQ34KF	When you were having those study problems, whom did you talk to? - Invalid response		0. No 1. Yes
AQ34L	8	AQ34LF	When you were having those study problems, whom did you talk to? - No response given		0. No 1. Yes
AQ35	8	AQ35F	If you talked to someone about having those study problems, how helpful were they?		1. Not at all helpful 2. Somewhat helpful 3. Quite helpful 4. Very helpful 77. Invalid response given 88. Multiple responses give 99. No response given
AQ4	8	AQ4F	Would you like to quit smoking?		1. Yes 2. No 3. I am not sure 4. I don't smoke 77. Invalid response given 88. Multiple responses give 99. No response given
AQ5	8	AQ5F	Have you tried to quit smoking in the last 12 months?		1. Yes, have tried to give up 2. I smoke but have not tried to quit in the last 2 months 77. Invalid response given 88. Multiple responses give 99. No response given
AQ5A	8	AQ5AF	Number of times tried to quit smoking		777. Invalid response given 999. No response given
AQ5A_OLD	8		OLD-data: Number of times tried to quit smoking		
AQ7A	8	AQ7AF	Seen cigarette advertising? No		0. No

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					1. Yes
AQ7B	8	AQ7BF	Seen cigarette advertising? magazines or newspapers		0. No 1. Yes
AQ7C	8	AQ7CF	Seen cigarette advertising? Internet		0. No 1. Yes
AQ7D	8	AQ7DF	Seen cigarette advertising? shops or tobacconists		0. No 1. Yes
AQ7E	8	AQ7EF	Seen cigarette advertising? billboards		0. No 1. Yes
AQ7F	8	AQ7FF	Seen cigarette advertising? Sports event		0. No 1. Yes
AQ7G	8	AQ7GF	Seen cigarette advertising? while watching TV coverage of a sports event		0. No 1. Yes
AQ7H	8	AQ7HF	Seen cigarette advertising? Invalid response		0. No 1. Yes
AQ7I	8	AQ7IF	Seen cigarette advertising? No response given		0. No 1. Yes
AQ8	8	AQ8F	Do you think smoking by celebrities encourages young people to take up smoking?		1. Yes 2. No 3. Not sure 77. Invalid response given 88. Multiple responses give 99. No response given
AQ9	8	AQ9F	Percentage of smokers		777. Invalid response given 999. No response given
ARHSRES	\$4	ARHSRESF	Area Health Service		500. Sydney South West 510. South Eastern Sydney & Illawarra 520. Sydney West 530. Northern Sydney & Central Coast 540. Hunter & New England 550. North Coast 560. Greater Southern 570. Greater Western
ARIAPLUSC	\$14	\$ARIAPLS			1. Major Cities 2. Inner Regional 3. Outer Regional 4. Remote 5. Very Remote
ATSCHOOL	8	ATSCHOOL F	Were you at school on the last school day?		1. Yes 2. No 77. Invalid response given 88. Multiple responses give



Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					99. No response given
BQ10_08	8	BQ10_08F	In the past 6 months have you hurt yourself or had an injury		1. No 2. Yes 77. Invalid response given 88. Multiple responses give 99. No response given
BQ11_08	8	BQ11_08F	Where were you the most recent time you were hurt or injured		1. At school 2. At home 3. At a sports facility 4. On a street or road 5. At a place for shopping or leisure 6. At work 7. Any other type of place specified 8. Other unspecified 9. Friend's house 10. Dancing/ballet class 77. Invalid response given 88. Multiple responses give 99. No response given
BQ12A_08	8	BQ12A_08F	What were you doing the most recent time you were hurt or injured - School activity (including school sport)		0. No 1. Yes
BQ12B_08	8	BQ12B_08F	What were you doing the most recent time you were hurt or injured - Sport		0. No 1. Yes
BQ12C_08	8	BQ12C_08F	What were you doing the most recent time you were hurt or injured - Leisure or play		0. No 1. Yes
BQ12D_08	8	BQ12D_08F	What were you doing the most recent time you were hurt or injured - Working for money		0. No 1. Yes
BQ12E_08	8	BQ12E_08F	What were you doing the most recent time you were hurt or injured - Travelling in a vehicle		0. No 1. Yes
BQ12F_08	8	BQ12F_08F	What were you doing the most recent time you were hurt or injured - Travelling on foot or on wheels		0. No 1. Yes
BQ12G_08	8	BQ12G_08F	What were you doing the most recent time you were hurt or injured - Doing any other activity specified		0. No 1. Yes
BQ12H_08	8	BQ12H_08F	What were you doing the most recent time you were hurt or injured - Self Harm		0. No 1. Yes
BQ12I_08	8	BQ12I_08F	What were you doing the most recent time you were hurt or injured - Other unspecified		0. No 1. Yes
BQ12J_08	8	BQ12J_08F	What were you doing the most recent time you were hurt or injured - Doing		0. No 1. Yes

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
			nothing/resting/relaxing/sitting down/watching tv		
BQ12K_08	8	BQ12K_08F	What were you doing the most recent time you were hurt or injured - Domestic duties/chores/cleaning/painting		0. No 1. Yes
BQ12L_08	8	BQ12L_08F	What were you doing the most recent time you were hurt or injured - Fighting/in a fight		0. No 1. Yes
BQ12M_08	8	BQ12M_08F	What were you doing the most recent time you were hurt or injured - Being bullied/bashed		0. No 1. Yes
BQ12N_08	8	BQ12N_08F	What were you doing the most recent time you were hurt or injured - Medical procedure/operation		0. No 1. Yes
BQ12O_08	8	BQ12O_08F	What were you doing the most recent time you were hurt or injured - Eating/drinking		0. No 1. Yes
BQ12P_08	8	BQ12P_08F	What were you doing the most recent time you were hurt or injured - Invalid response		0. No 1. Yes
BQ12Q_08	8	BQ12Q_08F	What were you doing the most recent time you were hurt or injured - No response given		0. No 1. Yes
BQ18	8	BQ18F	How many times have you used a solarium(sunbed) in the past 12 months?		1. None 2. Once 3. 2 to 5 times 4. 6 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
BQ4	8	BQ4F	Do you think of yourself as being too thin, about the right weight, or too fat?		1. Too thin (underweight) 2. About the right weight 3. Too fat (overweight) 77. Invalid response given 88. Multiple responses give 99. No response given
BQ5	8	BQ5F	Which of the following are you trying to do about your weight?		1. Lose weight 2. Gain weight 3. Stay the same weight 4. I am not trying to do anything about my weight 77. Invalid response given 88. Multiple responses give 99. No response given
BQ7A	8	BQ7AF	Outside school time, how many hours a day on average do you usually watch TV, videos or DVDs? On Monday to Friday		1. Not at all 2. 1 hour or less a day 3. 2 hours a day

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					4. 3 hours a day 5. 4 hours a day 6. 5 or more hours a day 77. Invalid response given 88. Multiple responses give 99. No response given
BQ7B	8	BQ7BF	Outside school time, how many hours a day on average do you usually watch TV, videos or DVDs? On Saturday and Sunday		1. Not at all 2. 1 hour or less a day 3. 2 hours a day 4. 3 hours a day 5. 4 hours a day 6. 5 or more hours a day 77. Invalid response given 88. Multiple responses give 99. No response given
BQ8A	8	BQ8AF	Outside school time, how many hours a day on average do you usually use computers for entertainment or to play video games on Monday to Friday		1. Not at all 2. 1 hour or less a day 3. 2 hours a day 4. 3 hours a day 5. 4 hours a day 6. 5 or more hours a day 77. Invalid response given 88. Multiple responses give 99. No response given
BQ8B	8	BQ8BF	Outside school time, how many hours a day on average do you usually use computers for entertainment or to play video games on Saturday and Sunday		1. Not at all 2. 1 hour or less a day 3. 2 hours a day 4. 3 hours a day 5. 4 hours a day 6. 5 or more hours a day 77. Invalid response given 88. Multiple responses give 99. No response given
BQ9A	8	BQ9AF	Outside school time, how many hours a day on average do you usually use computers for study or school work? On Monday to Friday		1. Not at all 2. 1 hour or less a day 3. 2 hours a day 4. 3 hours a day 5. 4 hours a day 6. 5 or more hours a day 77. Invalid response given 88. Multiple responses give 99. No response given
BQ9B	8	BQ9BF	Outside school time, how many hours a day on		1. Not at all

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
			average do you usually use computers for study or school work? On Saturday and Sunday		2. 1 hour or less a day 3. 2 hours a day 4. 3 hours a day 5. 4 hours a day 6. 5 or more hours a day 77. Invalid response given 88. Multiple responses give 99. No response given
BRAND1	8	BRAND1F	What brand of cigarettes do you usually smoke?		1. Alpine 2. Benson & Hedges 3. Dunhill 4. Escort 5. Fortune 6. Holiday 7. Horizon 8. Longbeach 9. Marlboro 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 20. Other unspecified 21. St Moritz 22. John Player 23. Kent 24. Drum 25. Cartier 26. Craven 27. Martins 28. Freeport 29. Superlights 30. Black & White 31. More 32. Ransom 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					39. Summit 40. Hallmark 41. Cambridge 42. Peter Stuyvesant 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 50. Other specified 51. home made 52. 555 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 77. Invalid response given 88. Missing 99. No response given
BRAND2	8	BRAND2F	What brand of cigarettes do you usually smoke?		1. Alpine 2. Benson & Hedges 3. Dunhill 4. Escort 5. Fortune 6. Holiday 7. Horizon 8. Longbeach 9. Marlboro 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 20. Other unspecified 21. St Moritz 22. John Player 23. Kent 24. Drum

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					25. Cartier 26. Craven 27. Martins 28. Freeport 29. Superlights 30. Black & White 31. More 32. Ransom 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay 39. Summit 40. Hallmark 41. Cambridge 42. Peter Stuyvesant 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 50. Other specified 51. home made 52. 555 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 77. Invalid response given 88. Missing 99. No response given
BRAND3	8	BRAND3F	What brand of cigarettes do you usually smoke?		1. Alpine 2. Benson & Hedges 3. Dunhill 4. Escort 5. Fortune 6. Holiday 7. Horizon

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					8. Longbeach 9. Marlboro 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 20. Other unspecified 21. St Moritz 22. John Player 23. Kent 24. Drum 25. Cartier 26. Craven 27. Martins 28. Freeport 29. Superlights 30. Black & White 31. More 32. Ransom 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay 39. Summit 40. Hallmark 41. Cambridge 42. Peter Stuyvesant 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 50. Other specified 51. home made 52. 555 53. Brandon

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 77. Invalid response given 88. Missing 99. No response given
BRAND4	8	BRAND4F	What brand of cigarettes do you usually smoke?		1. Alpine 2. Benson & Hedges 3. Dunhill 4. Escort 5. Fortune 6. Holiday 7. Horizon 8. Longbeach 9. Marlboro 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 20. Other unspecified 21. St Moritz 22. John Player 23. Kent 24. Drum 25. Cartier 26. Craven 27. Martins 28. Freeport 29. Superlights 30. Black & White 31. More 32. Ransom 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay 39. Summit



Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					40. Hallmark 41. Cambridge 42. Peter Stuyvesant 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 50. Other specified 51. home made 52. 555 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 77. Invalid response given 88. Missing 99. No response given
BRAND5	8	BRAND5F	What brand of cigarettes do you usually smoke?		1. Alpine 2. Benson & Hedges 3. Dunhill 4. Escort 5. Fortune 6. Holiday 7. Horizon 8. Longbeach 9. Marlboro 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 20. Other unspecified 21. St Moritz 22. John Player 23. Kent 24. Drum 25. Cartier

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					26. Craven 27. Martins 28. Freeport 29. Superlights 30. Black & White 31. More 32. Ransom 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay 39. Summit 40. Hallmark 41. Cambridge 42. Peter Stuyvesant 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 50. Other specified 51. home made 52. 555 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 77. Invalid response given 88. Missing 99. No response given
BRAND6	8	BRAND6F	What brand of cigarettes do you usually smoke?		1. Alpine 2. Benson & Hedges 3. Dunhill 4. Escort 5. Fortune 6. Holiday 7. Horizon 8. Longbeach

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					9. Marlboro 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 20. Other unspecified 21. St Moritz 22. John Player 23. Kent 24. Drum 25. Cartier 26. Craven 27. Martins 28. Freeport 29. Superlights 30. Black & White 31. More 32. Ransom 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay 39. Summit 40. Hallmark 41. Cambridge 42. Peter Stuyvesant 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 50. Other specified 51. home made 52. 555 53. Brandon 54. Park Drive

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					55. Champion 56. Mild Seven 57. Chop Chop 77. Invalid response given 88. Missing 99. No response given
BRAND7	8	BRAND7F	What brand of cigarettes do you usually smoke?		1. Alpine 2. Benson & Hedges 3. Dunhill 4. Escort 5. Fortune 6. Holiday 7. Horizon 8. Longbeach 9. Marlboro 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 20. Other unspecified 21. St Moritz 22. John Player 23. Kent 24. Drum 25. Cartier 26. Craven 27. Martins 28. Freeport 29. Superlights 30. Black & White 31. More 32. Ransom 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay 39. Summit 40. Hallmark

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					41. Cambridge 42. Peter Stuyvesant 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 50. Other specified 51. home made 52. 555 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 77. Invalid response given 88. Missing 99. No response given
BRAND8	8	BRAND8F	What brand of cigarettes do you usually smoke?		1. Alpine 2. Benson & Hedges 3. Dunhill 4. Escort 5. Fortune 6. Holiday 7. Horizon 8. Longbeach 9. Marlboro 10. Peter Jackson 11. Sterling 12. Stradbroke 13. Vogue 14. Wills Super Mild 15. Winfield 16. Freedom 20. Other unspecified 21. St Moritz 22. John Player 23. Kent 24. Drum 25. Cartier 26. Craven

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					27. Martins 28. Freeport 29. Superlights 30. Black & White 31. More 32. Ransom 33. Port Royal 34. Camel 35. Rothmans 36. Special Mild 37. Kool 38. Barclay 39. Summit 40. Hallmark 41. Cambridge 42. Peter Stuyvesant 43. Viscount 44. White Ox 45. Du Maurier 46. Flagship 47. Lucky Strike 48. Ecstasy 49. Beedies/Bidis 50. Other specified 51. home made 52. 555 53. Brandon 54. Park Drive 55. Champion 56. Mild Seven 57. Chop Chop 77. Invalid response given 88. Missing 99. No response given
BUYCIGOT	8	BUYCIGOTF	How easy would it be for you to get someone to buy cigarettes for you?		1. Very easy 2. Easy 3. Neither easy or difficult 4. Difficult 5. Very difficult 77. Invalid response given 88. Multiple responses give 99. No response given
BUYCIGSF	8	BUYCIGSFF	How easy would it be for you to buy		1. Very easy

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
			cigarettes?		2. Easy 3. Neither easy or difficult 4. Difficult 5. Very difficult 77. Invalid response given 88. Multiple responses give 99. No response given
CASH	8	CASHF	During a normal week, how much money do you have available to spend on yourself?		1. None 2. Less than \$10 3. \$11 - \$20 4. \$21 - \$40 5. \$41 - \$60 6. \$61 - \$80 7. Over \$80 77. Invalid response given 88. Multiple responses give 99. No response given
COC4	8	COC4F	Ever used/taken cocaine in last 4 weeks?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
COC7	8	COC7F	Ever used/taken cocaine in last 7 days?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
COCLF	8	COCLFF	Ever used/taken cocaine in lifetime?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
COCYR	8	COCYRF	Ever used/taken cocaine in last year?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
CUPWATER	8	CUPWATER F	Cups of water drink per day		999. no response given
CUPWATER _OLD	8		OLD Data_Cups of water drink per day		
DENOM	8		Strata		
DISADVQT	8	DISQT			0. NSW 1. 1st Quintile least disadvantaged 2. 2nd Quintile 3. 3rd Quintile 4. 4th Quintile 5. 5th Quintile most disadvantaged 6. NSW
DOPE4	8	DOPE4F	Ever used/smoked marijuana/cannabis in last 4 weeks?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
DOPE7	8	DOPE7F	Ever used/smoked marijuana/cannabis in last 7 days?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times



Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					77. Invalid response given 88. Multiple responses give 99. No response given
DOPELF	8	DOPELFF	Ever used/smoked marijuana/cannabis in lifetime?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
DOPEPOL1	8	DOPEPOL1F	Substance used on same occasion as marijuana/cannabis		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens 6. Amphetamines 7. Ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 99. No response given
DOPEPOL2	8	DOPEPOL2F	Substance used on same occasion as marijuana/cannabis		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens 6. Amphetamines 7. Ecstasy

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					<ul style="list-style-type: none"> <li>8. No other substance used</li> <li>9. Food</li> <li>10. Other specified</li> <li>11. Other unspecified</li> <li>12. Other medical</li> <li>14. Nitrous Oxide</li> <li>15. Cocaine</li> <li>16. Heroin, opium</li> <li>17. Metho</li> <li>18. Texta</li> <li>19. Whiteout</li> <li>20. Deodorant</li> <li>77. Invalid response given</li> <li>99. No response given</li> </ul>
DOPEPOL3	8	DOPEPOL3F	Substance used on same occasion as marijuana/cannabis		<ul style="list-style-type: none"> <li>1. Tobacco</li> <li>2. Alcohol</li> <li>3. Pain killers, analgesics</li> <li>4. Sedatives, tranquillisers, sleeping tabs</li> <li>5. Hallucinogens</li> <li>6. Amphetamines</li> <li>7. Ecstasy</li> <li>8. No other substance used</li> <li>9. Food</li> <li>10. Other specified</li> <li>11. Other unspecified</li> <li>12. Other medical</li> <li>14. Nitrous Oxide</li> <li>15. Cocaine</li> <li>16. Heroin, opium</li> <li>17. Metho</li> <li>18. Texta</li> <li>19. Whiteout</li> <li>20. Deodorant</li> <li>77. Invalid response given</li> <li>99. No response given</li> </ul>
DOPEPOL4	8	DOPEPOL4F	Substance used on same occasion as marijuana/cannabis		<ul style="list-style-type: none"> <li>1. Tobacco</li> <li>2. Alcohol</li> <li>3. Pain killers, analgesics</li> <li>4. Sedatives, tranquillisers, sleeping tabs</li> <li>5. Hallucinogens</li> <li>6. Amphetamines</li> </ul>

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					7. Ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 99. No response given
DOPEPOL5	8	DOPEPOL5F	Substance used on same occasion as marijuana/cannabis		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens 6. Amphetamines 7. Ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 99. No response given
DOPEPOL6	8	DOPEPOL6F	Substance used on same occasion as marijuana/cannabis		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					<ul style="list-style-type: none"> <li>6. Amphetamines</li> <li>7. Ecstasy</li> <li>8. No other substance used</li> <li>9. Food</li> <li>10. Other specified</li> <li>11. Other unspecified</li> <li>12. Other medical</li> <li>14. Nitrous Oxide</li> <li>15. Cocaine</li> <li>16. Heroin, opium</li> <li>17. Metho</li> <li>18. Texta</li> <li>19. Whiteout</li> <li>20. Deodorant</li> <li>77. Invalid response given</li> <li>99. No response given</li> </ul>
DOPESELF	8	DOPESELFF	Do you usually use cannabis by yourself or with others?		<ul style="list-style-type: none"> <li>1. By myself</li> <li>2. With others</li> <li>3. By myself and with others about equally often</li> <li>77. Invalid response given</li> <li>88. Multiple responses give</li> <li>99. No response given</li> </ul>
DOPETYPE	8	DOPETYPE F	Type/method of using marijuana/cannabis		<ul style="list-style-type: none"> <li>1. Smoke it as a joint</li> <li>2. Smoke it from a bong or a pipe</li> <li>3. Eat it</li> <li>4. Other specified</li> <li>5. Other unspecified</li> <li>6. Gravity/ities</li> <li>77. Invalid response given</li> <li>88. Multiple responses give</li> <li>99. No response given</li> </ul>
DOPEWHE R	8	DOPEWHER F	Where did you last use cannabis?		<ul style="list-style-type: none"> <li>1. At a hotel, pub, tavern or RSL club</li> <li>2. At a dance venue, dance party, rave</li> <li>3. At a nightclub</li> <li>4. At a party</li> <li>5. At my home</li> <li>6. At my friends home</li> <li>7. At a sports club</li> <li>8. At the beach</li> <li>9. In a park</li> <li>10. In a car</li> <li>11. On school grounds during school</li> </ul>

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					time 12. On school grounds after hours 20. Other unspecified 21. At a sporting event 22. Other function 23. Other adults/relations home 24. Public area 25. Bush/camping 26. Holiday 30. Other specified 77. Invalid response given 88. Multiple responses give 99. No response given
DOPEYR	8	DOPEYRF	Ever used/smoked marijuana/cannabis in last year?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
DRINK12	8	DRINK12F	Have you had an alcoholic drink in the last 12 months?		1. Yes 2. No 77. Invalid response given 88. Multiple responses give 99. No response given
DRINK4	8	DRINK4F	Have you had an alcoholic drink in the last 4 weeks?		1. Yes 2. No 77. Invalid response given 88. Multiple responses give 99. No response given
DRINK7	8	DRINK7F	Have you had an alcoholic drink in the last 7 days?		0. no drinking in pat 7 days 1. consumed alcohol in past 7 days 77. Missing 88. Missing 99. Missing
DRINK7DAY S	8		Total number days alcoholic drinks consumed in the last 7 days		
DRINK7NUM	8		Total number of alcoholic drinks consumed in the last 7 days		
DRINKFRI	8	DRINKFRIF	Number of drinks on Friday		777. Invalid response given

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					999. No response given
DRINKMON	8	DRINKMON F	Number of drinks on Monday		777. Invalid response given 999. No response given
DRINKNOW	8	DRINKNOW F	Current drinking status		1. A non-drinker 2. An occasional drinker 3. A light drinker 4. A party drinker 5. A heavy drinker 77. Invalid response given 88. Multiple responses give 99. No response given
DRINKSAT	8	DRINKSATF	Number of drinks on Saturday		777. Invalid response given 999. No response given
DRINKSUN	8	DRINKSUNF	Number of drinks on Sunday		777. Invalid response given 999. No response given
DRINKTHU	8	DRINKTHUF	Number of drinks on Thursday		777. Invalid response given 999. No response given
DRINKTUE	8	DRINKTUEF	Number of drinks on Tuesday		777. Invalid response given 999. No response given
DRINKWED	8	DRINKWED F	Number of drinks on Wednesday		777. Invalid response given 999. No response given
DRNKDRNK	8	DRNKDRNK F	Where did you drink your last alcoholic drink?		1. At a beach, park or recreation area 2. At a hotel, pub, bar, tavern or RSL club 3. At a dance venue/dance party 4. At a nightclub 5. At a party 6. At a restaurant 7. At a sporting event 8. At a sports club 9. On school grounds during school hours 10. On school grounds after hours 11. At my home 12. At my friends home 13. In a car 20. Other unspecified 21. Traditional celebration 22. Other function 23. Other adults/relations home 24. Public place 25. Public Transport 26. Work

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					28. Sport Club 30. Other specified 77. Invalid response given 88. Multiple responses give 99. No response given
DRNKSCHL	8	DRNKSCHL F	Any lessons/parts of lessons about drinking during 2007?		1. No, not even part of a lesson 2. Yes, part of a lesson 3. Yes, one lesson 4. Yes, more than one lesson 77. Invalid response given 88. Multiple responses give 99. No response given
DRNKTY1	8	DRNKTY1F	What alcoholic drink do you usually have?		1. ordinary beer 2. low alcohol beer 3. wine 4. wine cooler 5. champagne or sparkling wine 6. alcoholic cider 7. alcoholic soda 8. premixed spirits 9. spirits 10. liqueurs 11. other unpecified 21. port,sherry,stones 22. cocktail or punch 23. mixers 30. other specified
DRNKTY2	8	DRNKTY2F	What alcoholic drink do you usually have?		1. ordinary beer 2. low alcohol beer 3. wine 4. wine cooler 5. champagne or sparkling wine 6. alcoholic cider 7. alcoholic soda 8. premixed spirits 9. spirits 10. liqueurs 11. other unpecified 21. port,sherry,stones 22. cocktail or punch 23. mixers 30. other specified
DRNKTY3	8	DRNKTY3F	What alcoholic drink do you usually have?		1. ordinary beer

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					2. low alcohol beer 3. wine 4. wine cooler 5. champagne or sparkling wine 6. alcoholic cider 7. alcoholic soda 8. premixed spirits 9. spirits 10. liqueurs 11. other unpecified 21. port,sherry,stones 22. cocktail or punch 23. mixers 30. other specified
DRNKTY4	8	DRNKTY4F	What alcoholic drink do you usually have?		1. ordinary beer 2. low alcohol beer 3. wine 4. wine cooler 5. champagne or sparkling wine 6. alcoholic cider 7. alcoholic soda 8. premixed spirits 9. spirits 10. liqueurs 11. other unpecified 21. port,sherry,stones 22. cocktail or punch 23. mixers 30. other specified
DRNKTY5	8	DRNKTY5F	What alcoholic drink do you usually have?		1. ordinary beer 2. low alcohol beer 3. wine 4. wine cooler 5. champagne or sparkling wine 6. alcoholic cider 7. alcoholic soda 8. premixed spirits 9. spirits 10. liqueurs 11. other unpecified 21. port,sherry,stones 22. cocktail or punch 23. mixers



Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					30. other specified
DRNKTY6	8	DRNKTY6F	What alcoholic drink do you usually have?		1. ordinary beer 2. low alcohol beer 3. wine 4. wine cooler 5. champagne or sparkling wine 6. alcoholic cider 7. alcoholic soda 8. premixed spirits 9. spirits 10. liqueurs 11. other unpecified 21. port,sherry,stones 22. cocktail or punch 23. mixers 30. other specified
DRNKTY7	8	DRNKTY7F	What alcoholic drink do you usually have?		1. ordinary beer 2. low alcohol beer 3. wine 4. wine cooler 5. champagne or sparkling wine 6. alcoholic cider 7. alcoholic soda 8. premixed spirits 9. spirits 10. liqueurs 11. other unpecified 21. port,sherry,stones 22. cocktail or punch 23. mixers 30. other specified
DRNKTY8	8	DRNKTY8F	What alcoholic drink do you usually have?		1. ordinary beer 2. low alcohol beer 3. wine 4. wine cooler 5. champagne or sparkling wine 6. alcoholic cider 7. alcoholic soda 8. premixed spirits 9. spirits 10. liqueurs 11. other unpecified 21. port,sherry,stones

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					22. cocktail or punch 23. mixers 30. other specified
DRNKTY9	8	DRNKTY9F	What alcoholic drink do you usually have?		1. ordinary beer 2. low alcohol beer 3. wine 4. wine cooler 5. champagne or sparkling wine 6. alcoholic cider 7. alcoholic soda 8. premixed spirits 9. spirits 10. liqueurs 11. other unpecified 21. port,sherry,stones 22. cocktail or punch 23. mixers 30. other specified
DRUGS6HR	8	DRUGS6HR F	Had you taken any drugs other than alcohol in the 6 hours before you were hurt or injured?		1. Yes 2. No 77. Invalid response given 88. Multiple responses give 99. No response given
DRUGSCHL	8	DRUGSCHL F	Any lessons/parts of lessons about illicit drugs during 2007?		1. No, not even part of a lesson 2. Yes, part of a lesson 3. Yes, one lesson 4. Yes, more than one lesson 77. Invalid response given 88. Multiple responses give 99. No response given
EVERDRNK	8	EVERDRNK F	Have you ever had even part of an alcoholic drink?		1. No 2. Yes, just a few sips 3. Yes, I have had fewer than 10 alcoholic drinks in my life 4. Yes, I have had more than 10 alcoholic drinks in my life 77. Invalid response given 88. Multiple responses give 99. No response given
EVERSMOK	8	EVERSMOK F	Have you ever smoked even part of a cigarette?		1. No 2. Yes, just a few puffs 3. Yes, I have smoked fewer than 10 cigarettes in my life

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					4. Yes, I have smoked more than 10 but fewer than 100 cigs 5. Yes, I have smoked more than 100 cigarettes in my life 77. Invalid response given 88. Multiple responses give 99. No response given
FRUIT05	8	FRUIT05F	How many serves of fruit do you usually eat each day?		1. 1 serve or less 2. 2 serves 3. 3 serves 4. 4 serves 5. 5 serves 6. 6 serves or more 7. I do not eat fruit 77. Invalid response given 88. Multiple responses give 99. No response given
GETDRNK	8	GETDRNKF	Where or from whom did you get your last alcoholic drink?		1. My parent(s) gave it to me 2. My brother or sister gave it to me 3. I took it from home without my parent(s) permission 4. Friends gave it to me 5. I got someone to buy it for me 20. Other unspecified 21. Home 22. Party 23. Other relative 24. Other adult 25. Church 26. Work 27. Wedding 30. Other specified (I didn't buy it) 51. At a hotel, pub, bar, tavern, RSL Club 52. At a licensed liquor store or supermarket 53. At a walk-in bottle shop at a pub or hotel 54. At a drive-in bottle shop 55. At a restaurant 56. At a dance venue/dance party 57. At a nightclub 58. At a sporting event

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					59. At a sports club 60. Through the Internet 61. By phone, fax, mail order 70. Other specified (I bought it) 71. Bottle shop-unspecified 72. Party 73. From a friend 77. Invalid response given 80. Other specified 88. Multiple responses give 99. No response given
GETPAINK	8	GETPAINKF	Where or from whom did you get the last painkiller/analgesic?		1. My parent(s) gave it to me 2. My brother or sister gave it to me 3. I took it from home without my parent(s) permission 4. Friends gave it to me 5. A member of staff at my school gave it to me 6. A member of staff at my sporting club gave it to me 7. I bought it 8. Other specified 9. Doctor/Dentist/Nurse/Medical Professional 10. Ambulance/Hospital 11. Chemist/Prescription/Pharmacy 77. Invalid response given 88. Multiple responses give 99. No response given
GRAIN08	8	GRAIN08F	How many serves of bread and/or cereal do you usually eat each day?		1. 1 serve or less 2. 2 serves 3. 3 serves 4. 4 serves 5. 5 serves 6. 6 serves 7. 7 serves 8. 8 serves 9. 9 serves 10. 10 serves or more 11. I do not eat bread and/or cereal 77. Invalid response given 88. Multiple responses give 99. No response given

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
HEROIN4	8	HEROIN4F	Ever used/taken heroin in last 4 weeks?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
HEROIN7	8	HEROIN7F	Ever used/taken heroin in last 7 days?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
HEROINLF	8	HEROINLFF	Ever used/taken heroin in lifetime?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
HEROINYR	8	HEROINYRF	Ever used/taken heroin in last year?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
HM_BMI	8		Calcuted Actual BMI		
HM_CAT	\$1		Body Mass Index Category(4)		
HOMEWOR	8	HOMEWOR	On an average school day, about how many		1. None

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
K		KF	hours a day do you do the following when you are not at school		2. 1 hour or less 3. 2 hours 4. 3 hours 5. 4 hours 6. 5 or more hours 77. Invalid response given 88. Multiple responses give 99. No response given
HSNUM	8		HSnum		
INTENT	8	INTENTF	Do you think you will be smoking cigarettes this time next year?		1. Certain not to be smoking 2. Very unlikely to be smoking 3. Unlikely to be smoking 4. Can't decide how likely 5. Likely to be smoking 6. Very likely to be smoking 7. Certain to be smoking 77. Invalid response given 88. Multiple responses give 99. No response given
INTERNET	8	INTERNETF	On an average school day, about how many hours a day do you do the following when you are not at school		1. None 2. 1 hour or less 3. 2 hours 4. 3 hours 5. 4 hours 6. 5 or more hours 77. Invalid response given 88. Multiple responses give 99. No response given
I_ALCOHOL 1	2	\$\$_INDF	Ever consumed alcohol	The indicator includes those who have ever had even part of an alcoholic drink, including beer, wine, wine coolers, alcoholic sodas, spirits, premixed drinks, liqueurs, alcoholic apple cider, sherry or port. The question used to define the indicator was: Have you ever had even part of an alcoholic drink?	1. Yes 2. No X. Don't Know/Refused
I_ALCOHOL 12	2	\$\$_INDF	School messages about alcohol	The indicator includes those who had at least part of a lesson at school that was about drinking alcohol. The question used to define the indicator was: During 2007 (last year) did you have any lessons or parts of lessons	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				at school about drinking?	
I_ALCOHOL 16	2	\$\$_INDF	Alcohol consumption supervised by an adult, students aged 12 to 17 years who consumed alcohol in the last 7 days	The indicator includes those who had a alcoholic drink in the last 7 days under adult supervision. The questions used to define the indicator were: How many alcoholic drinks have you had each day in the last 7 days? and Was an adult supervising you and/or your friends when you had this drink?	1. Yes 2. No X. Don't Know/Refused
I_ALCOHOL 2	2	\$\$_INDF	Consumed alcohol in the last 12 months	The indicator includes those who had an alcoholic drink in the last 12 months. The question used to define the indicator was: Have you had an alcoholic drink in the last 12 months?	1. Yes 2. No X. Don't Know/Refused
I_ALCOHOL 3	2	\$\$_INDF	Consumed alcohol in the last 4 weeks	The indicator includes those who had an alcoholic drink in the last 4 weeks. The question used to define the indicator was: Have you had an alcoholic drink in the last 4 weeks?	1. Yes 2. No X. Don't Know/Refused
I_ALCOHOL 4	2	\$\$_INDF	Consumed alcohol in the last 7 days	The indicator includes those who had an alcoholic drink in the last 7 days. The question used to define the indicator was: During the last 7 days, including yesterday, write the number of alcoholic drinks you had each day of the week.	1. Yes 2. No X. Don't Know/Refused
I_ALCOHOL BUY	2	\$\$_INDF	Ever tried to buy alcohol	The indicator includes those who had have tried to buy alcohol. The question used to define the indicator was: Have you ever tried to buy alcohol at a hotel, pub, club, restaurant, nightclub, or bottleshop?	1. Yes 2. No X. Don't Know/Refused
I_BREAD1	2	\$\$_INDF	Adequate bread and cereal consumption	The indicator includes those who met the minimum recommended bread and/or cereal consumption of 5 serves a day, depending on the overall diet, according to the Dietary Guidelines for Children and Adolescents in Australia. The question used to define the indicator was: How many serves of bread and/or cereal do you usually eat each	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				day? (One serve of bread or cereal is 1 slice of bread, 1/2 bread roll, 1/2 cup breakfast cereal or 1/2 cup pasta or rice or noodles.)	
I_COCAINE 1	2	\$\$_INDF	Ever used cocaine	The indicator includes those who have ever used or taken cocaine in their lifetime. The question used to define the indicator was: How many times, if ever, have you used or taken cocaine in your lifetime?	1. Yes 2. No X. Don't Know/Refused
I_COCAINE 2	2	\$\$_INDF	Cocaine use in the last 4 weeks	The indicator includes those who used or took cocaine in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken cocaine in the last 4 weeks?	1. Yes 2. No X. Don't Know/Refused
I_COCAINE 3	2	\$\$_INDF	Cocaine use in the last 12 months	The indicator includes those who used or took cocaine in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken cocaine in the last year?	1. Yes 2. No X. Don't Know/Refused
I_COCAINE 4	2	\$\$_INDF	Cocaine use in the last 7 days	The indicator includes those who used or took cocaine in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken cocaine in the last week?	1. Yes 2. No X. Don't Know/Refused
I_DOPE1	2	\$\$_INDF	Ever used marijuana or cannabis	The indicator includes those who have ever smoked or used marijuana or cannabis in their lifetime. The question used to define the indicator was: How many times, if ever, have you smoked or used marijuana or cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint) in your lifetime?	1. Yes 2. No X. Don't Know/Refused
I_DOPE2	2	\$\$_INDF	Marijuana or cannabis use in the last 4 weeks	The indicator includes those who smoked or used marijuana or cannabis in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you smoked or used marijuana or	1. Yes 2. No X. Don't Know/Refused



Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint) in the last 4 weeks?	
I_DOPE3	2	\$\$_INDF	Marijuana or cannabis use in the last 12 months	The indicator includes those who smoked or used marijuana or cannabis in the last year. The question used to define the indicator was: How many times, if ever, have you smoked or used marijuana or cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint) in the last year?	1. Yes 2. No X. Don't Know/Refused
I_DOPE4	2	\$\$_INDF	Marijuana or cannabis use in the last 7 days	The indicator includes those who smoked or used marijuana or cannabis in the last week. The question used to define the indicator was: How many times, if ever, have you smoked or used marijuana or cannabis (grass, hash, dope, weed, mull, yarndi, ganga, pot, a bong, a joint) in the last week?	1. Yes 2. No X. Don't Know/Refused
I_ECSTASY 1	2	\$\$_INDF	Ever used ecstasy	The indicator includes those who have ever used or taken ecstasy. The question used to define the indicator was: How many times, if ever, have you used or taken ecstasy in your lifetime?	1. Yes 2. No X. Don't Know/Refused
I_ECSTASY 2	2	\$\$_INDF	Ecstasy use in the last 4 weeks	The indicator includes those who used or took ecstasy in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken ecstasy in the last 4 weeks?	1. Yes 2. No X. Don't Know/Refused
I_ECSTASY 3	2	\$\$_INDF	Ecstasy use in the last 12 months	The indicator includes those who used or took ecstasy in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken ecstasy in the last year?	1. Yes 2. No X. Don't Know/Refused
I_ECSTASY 4	2	\$\$_INDF	Ecstasy use in the last 7 days	The indicator includes those who used or took ecstasy in the last week. The question used to define the indicator was: How many times, if	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				ever, have you used or taken ecstasy in the last week?	
I_FRUIT1	2	\$\$_INDF	Adequate fruit consumption	The indicator includes those who met the minimum recommended fruit consumption of 3 serves a day, depending on the overall diet, according to the Dietary Guidelines for Children and Adolescents in Australia. The question used to define the indicator was: How many serves of fruit do you usually eat each day? (One serve is equivalent to 1 medium piece or 2 small pieces of fruit, or 1 cup of diced pieces of fruit.)	1. Yes 2. No X. Don't Know/Refused
I_HEROIN1	2	\$\$_INDF	Ever used heroin or opiates	The indicator includes those who have ever used or taken narcotics other than for medical reasons. The question used to define the indicator was: How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H), or other opiates (narcotics) such as methadone, morphine or pethidine, other than for medical reasons, in your lifetime?	1. Yes 2. No X. Don't Know/Refused
I_HEROIN2	2	\$\$_INDF	Heroin use in the last 4 weeks	The indicator includes those who used or took heroin in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H), or other opiates (narcotics) such as methadone, morphine or pethidine, other than for medical reasons, in the last 4 weeks?	1. Yes 2. No X. Don't Know/Refused
I_HEROIN3	2	\$\$_INDF	Heroin use in the last 12 months	The indicator includes those who used or took heroin in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H), or other opiates (narcotics) such as	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				methadone, morphine or pethidine, other than for medical reasons, in the last year?	
I_HEROIN4	2	\$\$_INDF	Heroin use in the last 7 days	The indicator includes those who used or took heroin in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken heroin (smack, horse, skag, hammer, H), or other opiates (narcotics) such as methadone, morphine or pethidine, other than for medical reasons, in the last week?	1. Yes 2. No X. Don't Know/Refused
I_INHALANT S1	2	\$\$_INDF	Ever used inhalants	The indicator includes those who have ever deliberately sniffed (inhaled) substances to get high. The question used to define the indicator was: How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel, in your lifetime? This does not include sniffing white-out, liquid paper, textas, markers or pens.	1. Yes 2. No X. Don't Know/Refused
I_INHALANT S2	2	\$\$_INDF	Inhalant use in the last 4 weeks	The indicator includes those who deliberately sniffed (inhaled) substances to get high in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel, in the last 4 weeks? This does not include sniffing white-out, liquid paper, textas, markers or pens.	1. Yes 2. No X. Don't Know/Refused
I_INHALANT S3	2	\$\$_INDF	Inhalant use in the last 12 months	The indicator includes those who deliberately sniffed (inhaled) substances to get high in the last year. The question used to define the indicator was: How many times, if	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel, in the last year? This does not include sniffing white-out, liquid paper, textas, markers or pens.	
I_INHALANT S4	2	\$\$_INDF	Inhalant use in the last 7 days	The indicator includes those who deliberately sniffed (inhaled) substances to get high in the last week. The question used to define the indicator was: How many times, if ever, have you deliberately sniffed (inhaled) from spray cans or sniffed things like glue, paint, petrol or thinners in order to get high or for the way it makes you feel, in the last week? This does not include sniffing white-out, liquid paper, textas, markers or pens.	1. Yes 2. No X. Don't Know/Refused
I_INJURY1	2	\$\$_INDF	Injured in the last 6 months	The indicator includes those who had been injured in the last 6 months: The question used to define the indicator in 1996, 2002 and 2005 was: In the last 6 months have you hurt yourself or had an injury for which you had to see a doctor, physiotherapist or another health professional? The question used to define the indicator in 2008 was: In the last 6 months have you hurt yourself or had an injury which required medical attention from an doctor, physiotherapist or another health professional?	1. Yes 2. No X. Don't Know/Refused
I_INJURY2	2	\$\$_INDF	Injured at school, students aged 12 to 17 years who were injured in the last 6 months	The indicator includes those who had an injury at school in the last 6 months. The questions used to define the indicator in 1996, 2002 and 2005 were: In the last 6 months have you hurt yourself or had an injury for which you had to see a	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				<p>doctor, physiotherapist or another health professional? Where were you when the most recent injury requiring medical attention happened? The questions used to define the indicator in 2008 were: In the last 6 months have you hurt yourself or had an injury which required medical attention from a doctor, physiotherapist or another health professional? Where were you the most recent time you were hurt or injured and required medical attention from a doctor, physiotherapist or another health professional?</p>	
I_INJURY3	2	\$\$_INDF	Injured at home, students aged 12 to 17 years who were injured in the last 6 months	<p>The indicator includes those who had an injury at home in the last 6 months. The questions used to define the indicator in 1996, 2002 and 2005 were: In the last 6 months have you hurt yourself or had an injury for which you had to see a doctor, physiotherapist or another health professional? Where were you when the most recent injury requiring medical attention happened? The questions used to define the indicator in 2008 were: In the last 6 months have you hurt yourself or had an injury which required medical attention from a doctor, physiotherapist or another health professional? Where were you the most recent time you were hurt or injured and required medical attention from a doctor, physiotherapist or another health professional?</p>	<p>1. Yes 2. No X. Don't Know/Refused</p>
I_INJURY4	2	\$\$_INDF	Injured at sports facility, students aged 12 to 17 years who were injured in the last 6 months	<p>The indicator includes those who had an injury at a sports facility in the last 6 months. The questions used to define the indicator in 1996, 2002</p>	<p>1. Yes 2. No X. Don't Know/Refused</p>

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				and 2005 were: In the last 6 months have you hurt yourself or had an injury for which you had to see a doctor, physiotherapist or another health professional? Where were you when the most recent injury requiring medical attention happened? The questions used to define the indicator in 2008 were: In the last6 months have you hurt yourself or had an injury which required medical attention from a doctor, physiotherapist or another health professional? Where were you the most recent time you were hurt or injured and required medical attention from a doctor, physiotherapist or another health professional?	
I_INJURYAL C	2	\$\$_INDF	Consumed alcohol before injured, students aged 12 to 17 years who were injured in the last 6 months	The indicator includes those who had an injury in the last 6 months and had consumed alcohol in the 6 hours prior. The questions used to define the indicator were: In the last6 months have you hurt yourself or had an injury which required medical attention from a doctor, physiotherapist or another health professional? Had you consumed alcohol in the 6 hours before you were hurt or injured?	1. Yes 2. No X. Don't Know/Refused
I_INJURYD RUG	2	\$\$_INDF	Took drugs before injured, students aged 12 to 17 years who were injured in the last 6 months	The indicator includes those who had an injury in the last 6 months and taken any drugs other than alcohol in the 6 hours prior. The questions used to define the indicator were: In the last6 months have you hurt yourself or had an injury which required medical attention from a doctor, physiotherapist or another health professional? Had you taken any drugs other than alcohol in the 6 hours before you were hurt or	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				injured?	
I_LSD1	2	\$\$_INDF	Ever used hallucinogens	The indicator includes those who have ever used or taken hallucinogens in their lifetime. The question used was: How many times, if ever, have you used or taken hallucinogens (for example, LSD, acid, trips, magic mushrooms, datura, angel's trumpet) in your lifetime?	1. Yes 2. No X. Don't Know/Refused
I_LSD2	2	\$\$_INDF	Hallucinogens use in the last 4 weeks	The indicator includes those who used or took hallucinogens in the last 4 weeks. The question used was: How many times, if ever, have you used or taken hallucinogens (for example, LSD, acid, trips, magic mushrooms, datura, angel's trumpet) in the last 4 weeks?	1. Yes 2. No X. Don't Know/Refused
I_LSD3	2	\$\$_INDF	Hallucinogens use in the last 12 months	The indicator includes those who used or took hallucinogens in the last year. The question used was: How many times, if ever, have you used or taken hallucinogens (for example, LSD, acid, trips, magic mushrooms, datura, angel's trumpet) in the last year?	1. Yes 2. No X. Don't Know/Refused
I_LSD4	2	\$\$_INDF	Hallucinogens use in the last 7 days	The indicator includes those who used or took hallucinogens in the last week. The question used was: How many times, if ever, have you used or taken hallucinogens (for example, LSD, acid, trips, magic mushrooms, datura, angel's trumpet) in the last week?	1. Yes 2. No X. Don't Know/Refused
I_MENTAL4	2	\$\$_INDF	High psychological distress in the last 6 months	The indicator includes those students who answered "almost more than I could take" to questions about feelings of unhappiness or sadness or depression, nervousness or stress or pressure, or being in trouble because of their behaviour in the last 6 months. The questions used to define the indicator were: When you	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				were feeling unhappy or sad or depressed how bad was it for you: almost more than I could take, quite bad, worse than usual, about usual? When you were feeling nervous or stressed or under pressure how bad was it for you: almost more than I could take, quite bad, worse than usual, about usual? When you were in trouble because of your behaviour how bad was it for you: almost more than I could take, quite bad, worse than usual, about usual?	
I_MILK1	2	\$\$_INDF	Usually consumes lower fat milk	The indicator includes those who usually have low fat, reduced fat or skim milk. The question used to define the indicator was: What type of milk do you usually have?	1. Yes 2. No X. Don't Know/Refused
I_PA4	2	\$\$_INDF	Adequate physical activity	The indicator includes those who had adequate physical activity. Adequate physical activity for children and adolescents is at least 60 minutes of moderate physical activity everyday. The question used to define the indicator was: How many days in the last week have you done any moderate or vigorous physical activity for a total of at least 60 minutes? (This can be made up of different activities during the day like: cycling or walking to and from school, playing sport at lunchtime or after school, doing an exercise class, doing housework etc.)	1. Yes 2. No X. Don't Know/Refused
I_PILLS1	2	\$\$_INDF	Ever used painkillers or analgesics	The indicator includes those who have ever used or taken painkillers or analgesics. The question used to define the indicator was: How many times, if ever, have you used or taken painkillers or analgesics such as Disprin, Panadol or Aspro, for any reason, in your lifetime?	1. Yes 2. No X. Don't Know/Refused
I_PILLS2	2	\$\$_INDF	Painkiller or analgesic use in the last 4 weeks	The indicator includes those who	1. Yes



Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				used or took painkillers or analgesics in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken painkillers or analgesics such as Disprin, Panadol or Aspro, for any reason, in the last 4 weeks?	2. No X. Don't Know/Refused
I_PILLS3	2	\$\$_INDF	Painkiller or analgesic use in the last 12 months	The indicator includes those who used or took painkillers or analgesics in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken painkillers or analgesics such as Disprin, Panadol or Aspro, for any reason, in the last 4 weeks?	1. Yes 2. No X. Don't Know/Refused
I_PILLS4	2	\$\$_INDF	Painkiller or analgesic use in the last 7 days	The indicator includes those who used or took painkillers or analgesics in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken painkillers or analgesics such as Disprin, Panadol or Aspro, for any reason, in the last week?	1. Yes 2. No X. Don't Know/Refused
I_QUIT1	2	\$\$_INDF	Influenced by advertisements to quit smoking, students aged 12 to 17 years who currently smoke and saw advertising about quitting smoking	The indicator includes those who currently smoke tobacco, have seen advertisements about quitting smoking and have been encouraged to quit smoking. The questions used to define the indicator were: At the present time, do you consider yourself: a heavy smoker, a light smoker, an occasional smoker, an ex-smoker, a non-smoker?, Have you seen any advertisements about quitting smoking in the last 6 months? and Do these Quit smoking advertisements encourage you: to not to take up smoking, to quit smoking, have no effect for me?	1. Yes 2. No X. Don't Know/Refused
I_SEDENTARY	2	\$\$_INDF	Two or more hours of sedentary behaviour when not at school	The indicator includes those who spent at least 2 hours a day watching television or DVDs or videos and using the internet or playing	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				computer games. The question used to define the indicator was: On an average school day, about how many hours a day do you do the following when you are not at school: watch television or DVDs or videos; use the internet or play computer games (not including for homework)?	
I_SMOKE1	2	\$\$_INDF	Ever smoked tobacco	The indicator includes those who have ever smoked tobacco. The question used to define the indicator was: Have you ever smoked even part of a cigarette?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE12	2	\$\$_INDF	School messages about tobacco smoking	The indicator includes those had at least part of a lesson at school about smoking tobacco. The question used to define the indicator was: During 2007 (last year), did you have any lessons or parts of lessons at school about smoking?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE14	2	\$\$_INDF	Wants to quit smoking, students aged 12 to 17 years who currently smoke	The indicator includes those who would like to quit smoking. The questions used to define the indicator were: At the present time do you consider yourself a heavy or light or occasional smoker? and Would you like to quit smoking?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE17	2	\$\$_INDF	Believes celebrity smoking encourages the young to smoke	The indicator includes those who think smoking by celebrities encourages young people to take up smoking. The question used to define the indicator was: Do you think smoking by celebrities (for example, movie stars, television personalities, models, and sports stars) encourages young people to take up smoking?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE2	2	\$\$_INDF	Current tobacco smoker	The indicator includes those who consider themselves to be heavy, light or occasional smokers. The question used to define the indicator was: At the present time, do you consider yourself: a heavy smoker, a	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				light smoker, an occasional smoker, an ex-smoker, a non-smoker?	
I_SMOKE3	2	\$\$_INDF	Smoked tobacco in the last 7 days	The indicator includes those who have smoked tobacco in the last 7 days. The question used to define the indicator was: During the last 7 days, including yesterday, write the number of cigarettes you smoked each day of the week.	1. Yes 2. No X. Don't Know/Refused
I_SMOKE5	2	\$\$_INDF	Smoked tobacco in the last 12 months	The indicator includes those who smoked in the last 12 months. The question used to define the indicator was: Have you smoked cigarettes in the last 12 months?	1. Yes 2. No X. Don't Know/Refused
I_SMOKE6	2	\$\$_INDF	Smoked tobacco in the last 4 weeks	The indicator includes those who smoked in the last 4 weeks. The question used to define the indicator was: Have you smoked cigarettes in the last 4 weeks?	1. Yes 2. No X. Don't Know/Refused
I_SMOKEBUY	2	\$\$_INDF	Ever tried to buy cigarettes from a shop	The indicator includes those who had ever tried to buy cigarettes. The question used to define the indicator was: Have you ever tried to buy cigarettes from a shop?	1. Yes 2. No X. Don't Know/Refused
I_SPEED1	2	\$\$_INDF	Ever used amphetamines	The indicator includes those who have ever used or taken amphetamines. The question used to define the indicator was: How many times, if ever, have you used or taken amphetamines (for example, speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice) in your lifetime?	1. Yes 2. No X. Don't Know/Refused
I_SPEED2	2	\$\$_INDF	Amphetamine use in the last 4 weeks	The indicator includes those who have used or taken amphetamines in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken amphetamines (for example, speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice) in the last 4	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				weeks?	
I_SPEED3	2	\$\$_INDF	Amphetamine use in the last 12 months	The indicator includes those who have used or taken amphetamines in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken amphetamines (for example, speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice) in the last year?	1. Yes 2. No X. Don't Know/Refused
I_SPEED4	2	\$\$_INDF	Amphetamine use in the last 7 days	The indicator includes those who have used or taken amphetamines in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken amphetamines (for example, speed, uppers, MDA, goey, dex, dexies, dexamphetamine, ox blood, methamphetamine, ice) in the last week?	1. Yes 2. No X. Don't Know/Refused
I_STEROID S1	2	\$\$_INDF	Ever used steroids	The indicator includes those who have ever used or taken steroids. The question used to define the indicator was: How many times, if ever, have you used or taken steroids (muscle, roids, or gear) without doctor's prescription, in an attempt to make you better at sport, to increase muscle size, or to improve your general appearance, in your lifetime?	1. Yes 2. No X. Don't Know/Refused
I_STEROID S2	2	\$\$_INDF	Steroid use in the last 4 weeks	The indicator includes those who have used or taken steroids in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you taken steroids (muscle, roids, or gear) without doctor's prescription in an attempt to make you better at sport, to increase muscle size or to improve your general appearance, in the last 4 weeks?	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
I_STEROID S3	2	\$\$_INDF	Steroid use in the last 12 months	The indicator includes those who have used or taken steroids in the last year. The question used to define the indicator was: How many times, if ever, have you taken steroids (muscle, roids, or gear) without doctor's prescription in an attempt to make you better at sport, to increase muscle size or to improve your general appearance, in the last year?	1. Yes 2. No X. Don't Know/Refused
I_STEROID S4	2	\$\$_INDF	Steroid use in the last 7 days	The indicator includes those who have used or taken steroids in the last week. The question used to define the indicator was: How many times, if ever, have you taken steroids (muscle, roids, or gear) without doctor's prescription in an attempt to make you better at sport, to increase muscle size or to improve your general appearance, in the last week?	1. Yes 2. No X. Don't Know/Refused
I_SUBSTAN CE5	2	\$\$_INDF	School messages about illicit substances	The indicator includes those who had at least part of a lesson at school that was about illicit drugs. The question used to define the indicator was: During 2007 (last year), did you have any lessons or parts of lessons at school about illicit drugs such as marijuana or cannabis, ecstasy, heroin, amphetamines, hallucinogens, or cocaine?	1. Yes 2. No X. Don't Know/Refused
I_SUN1	2	\$\$_INDF	Usually or always wears a hat between 11.00 a.m. and 3.00 p.m. on sunny summer days	The indicator includes those who usually or always wore a hat on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you wear a hat?	1. Yes 2. No X. Don't Know/Refused
I_SUN10	2	\$\$_INDF	Used solarium or sunbed at least once in the last 12 months	This indicator includes those who used a solarium or sunbed at least	1. Yes 2. No

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				once in the last 12 months. The question used to define the indicator was: How many times have you used a solarium or sunbed in the last 12 months?	X. Don't Know/Refused
I_SUN2	2	\$\$_INDF	Usually or always wears maximum protection sunscreen between 11.00 a.m. and 3.00 p.m. on sunny summer days	The indicator includes those who usually or always wore maximum protection sunscreen on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you wear maximum protection sunscreen?	1. Yes 2. No X. Don't Know/Refused
I_SUN3	2	\$\$_INDF	Usually or always stays mainly in the shade between 11.00 a.m. and 3.00 p.m. on sunny summer days	The indicator includes those who usually or always stay mainly in shade on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you stay mainly in the shade?	1. Yes 2. No X. Don't Know/Refused
I_SUN4	2	\$\$_INDF	Usually or always wears clothes covering most of body between 11.00 a.m. and 3.00 p.m. on sunny summer days	The indicator includes those who usually or always wear clothes covering most of the body on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you wear clothes covering most of your body (including arms and legs)?	1. Yes 2. No X. Don't Know/Refused
I_SUN5	2	\$\$_INDF	Usually or always wears sunglasses between 11.00 a.m. and 3.00 p.m. on sunny summer days	The indicator includes those who usually or always wear sunglasses on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, when you were outside for an hour or more between 11.00 a.m. and 3.00 p.m. how often would you	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				wear sunglasses?	
I_SUN6	2	\$\$_INDF	Usually or always spends most of the time inside between 11.00 a.m. and 3.00 p.m. on sunny summer days	The indicator includes those who usually or always spend most of the time inside on sunny days in summer. The question used to define the indicator was: Thinking about sunny days in summer, between 11.00 a.m. and 3.00 p.m. how often would you spend most of the time inside?	1. Yes 2. No X. Don't Know/Refused
I_SUN7	2	\$\$_INDF	Sunburnt at least once last summer	The indicator includes those who got sunburnt last summer. The question used to define the indicator was: Over the last summer, did you get sunburn that was sore or tender the next day?	1. Yes 2. No X. Don't Know/Refused
I_SUN9	2	\$\$_INDF	Believes you only get skin cancer if you get burnt often	The indicator includes those who believe you only get skin cancer if you get burnt often. The question used to define the indicator: You only get skin cancer if you get burnt often [true or false].	1. Yes 2. No X. Don't Know/Refused
I_TRANQ1	2	\$\$_INDF	Ever used sleeping tablets or tranquilisers or sedatives	The indicator includes those who ever used sedatives or tranquilisers for other than medical reasons. The question used to define the indicator was: How many times, if ever, have you used or taken sleeping tablets, tranquilisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons, in your lifetime?	1. Yes 2. No X. Don't Know/Refused
I_TRANQ2	2	\$\$_INDF	Sedative or tranquilliser use in the last 4 weeks	The indicator includes those who used sedatives or tranquilisers for other than medical reasons in the last 4 weeks. The question used to define the indicator was: How many times, if ever, have you used or taken sleeping tablets, tranquilisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons, in the last 4 weeks?	1. Yes 2. No X. Don't Know/Refused

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
I_TRANQ3	2	\$\$_INDF	Sedative or tranquilliser use in the last 12 months	The indicator includes those who used sedatives or tranquillisers for other than medical reasons in the last year. The question used to define the indicator was: How many times, if ever, have you used or taken sleeping tablets, tranquillisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons, in the last year?	1. Yes 2. No X. Don't Know/Refused
I_TRANQ4	2	\$\$_INDF	Sedative or tranquilliser use in the last 7 days	The indicator includes those who used sedatives or tranquillisers for other than medical reasons in the last week. The question used to define the indicator was: How many times, if ever, have you used or taken sleeping tablets, tranquillisers or sedatives, such as Valium, Serepax or Rohypnol (rohies, barbs) other than for medical reasons, in the last week?	1. Yes 2. No X. Don't Know/Refused
I_VEG1	2	\$\$_INDF	Adequate vegetable consumption	The indicator includes those who met the minimum recommended vegetable consumption of 4 serves a day, depending on the overall diet, according to the Dietary Guidelines for Children and Adolescents in Australia. The question used to define the indicator was: How many serves of vegetables do you usually eat each day? (One serve is equal to 1/2 cup of cooked vegetables or 1 cup of salad vegetables.)	1. Yes 2. No X. Don't Know/Refused
I_WEIGHT1	2	\$\$_INDF	Overweight or obese	The indicator includes those who were overweight or obese. The questions used to define the indicator were: How tall are you without shoes? How much do you weigh without clothes or shoes?	1. Yes 2. No X. Don't Know/Refused
I_WEIGHT2	2	\$\$_INDF	Obese	The indicator includes those who were obese. The questions used to define the indicator were: How tall	1. Yes 2. No X. Don't Know/Refused



Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
				are you without shoes? How much do you weigh without clothes or shoes?	
I_WEIGHT3	2	\$\$_INDF	Overweight	The indicator includes those who were overweight. The questions used to define the indicator were: How tall are you without shoes? How much do you weigh without clothes or shoes?	1. Yes 2. No X. Don't Know/Refused
I_WEIGHT5	2	\$\$_INDF	Perceived themselves as too fat	The indicator includes those who perceive themselves as being too fat. The question used to define the indicator was: Do you think of yourself as being too thin, about the right weight, or too fat?	1. Yes 2. No X. Don't Know/Refused
I_WEIGHT7	2	\$\$_INDF	Trying to lose weight, students aged 12 to 17 years calculated as overweight or obese	The indicator includes those with a scaled Body Mass Index (BMI) of 25.0 or higher who are trying to loose weight. The questions used to define the indicator were: How tall are you without shoes? How much do you weigh without clothes or shoes? Which of the following are you trying to do about your weight: lose weight, gain weight, stay the same weight, I'm not trying to do anything about my weight?	1. Yes 2. No X. Don't Know/Refused
JUNKFOOD	8	JUNKFOOD F	How many times in the last week did you eat a fast food meal?		1. Once 2. Twice 3. 3 times 4. 4 times 5. 5 times 6. 6 times 7. 7 or more times 8. None 77. Invalid response given 88. Multiple responses give 99. No response given
LANGUA1	8	LANGUA1F	Second language spoken at home		1. Aboriginal language 2. African/Northern African language/Swahili 3. Albanian 4.

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					Arabic/Lebanese/Persian/Farsi/Assyrian 5. Chinese 6. Former Yugoslav languages 7. Dutch 8. Filipino/Tagalog/Visayan/Pangasinan 9. French/Creole 10. German 11. Greek 12. Indian/Sri Lankan/Singhalese/Urdu/Kashmiri 13. Indonesian 14. Italian 15. Macedonian 16. Maltese 17. Polish 18. Polynesian/other Oceanic language 19. Portugese 20. Spanish 21. Turkish 22. Vietnamese 23. Other Asian 24. Other European 25. Hebrew 26. Other unspecified 27. Other specified 77. Invalid response given 88. Multiple responses give 99. No response given
LANGUA2	8	LANGUA2F	Third language spoken at home		1. Aboriginal language 2. African/Northern African language/Swahili 3. Albanian 4. Arabic/Lebanese/Persian/Farsi/Assyrian 5. Chinese 6. Former Yugoslav languages 7. Dutch 8. Filipino/Tagalog/Visayan/Pangasinan 9. French/Creole 10. German 11. Greek 12. Indian/Sri Lankan/Singhalese/Urdu/Kashmiri

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					13. Indonesian 14. Italian 15. Macedonian 16. Maltese 17. Polish 18. Polynesian/other Oceanic language 19. Portugese 20. Spanish 21. Turkish 22. Vietnamese 23. Other Asian 24. Other European 25. Hebrew 26. Other unspecified 27. Other specified 77. Invalid response given 88. Multiple responses give 99. No response given
LANGUA3	8	LANGUA3F	Fourth language spoken at home		1. Aboriginal language 2. African/Northern African language/Swahili 3. Albanian 4. Arabic/Lebanese/Persian/Farsi/Assyrian 5. Chinese 6. Former Yugoslav languages 7. Dutch 8. Filipino/Tagalog/Visayan/Pangasinan 9. French/Creole 10. German 11. Greek 12. Indian/Sri Lankan/Singhalese/Urdu/Kashmiri 13. Indonesian 14. Italian 15. Macedonian 16. Maltese 17. Polish 18. Polynesian/other Oceanic language 19. Portugese 20. Spanish 21. Turkish 22. Vietnamese

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					23. Other Asian 24. Other European 25. Hebrew 26. Other unspecified 27. Other specified 77. Invalid response given 88. Multiple responses give 99. No response given
LANGUAGE	8	LANGUAGE F	What is the main language spoken at home?		1. English 2. Another Language only 3. English and another language 77. Invalid response given 88. Multiple responses give 99. No response given
LASTCIG	8	LASTCIGF	Where or from whom did you get the last cigarette that you smoked?		1. My parent(s) gave it to me 2. My brother or sister gave it to me 3. I took it from home without my parent(s) permission 4. Friends gave it to me 5. I got someone to buy it for me 20. Other unspecified 21. Other relative 22. Other adult 23. Found it/stole it 30. Other specified 51. At a hotel, pub, bar, tavern, RSL Club 52. At a supermarket 53. At a newsagency 54. At a milk bar or delicatessen 55. At a convenience store 56. At a tobacconist/tobacco shop 57. At a take-away food shop 58. At a petrol station 59. Through the Internet 70. Other unspecified 72. Bottle shop 73. Bought from friends 77. Invalid response given 80. Other specified 88. Multiple responses give 99. No response given
LSD4	8	LSD4F	Ever used/taken hallucinogens in last 4		1. None

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
			weeks?		2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
LSD7	8	LSD7F	Ever used/taken hallucinogens in last 7 days?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
LSDLF	8	LSDLFF	Ever used/taken hallucinogens in lifetime?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
LSDPOL1	8	LSDPOL1F	Substance used on same occasion as hallucinogens		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Cannabis 6. Amphetamines 7. ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 99. No response given
LSDPOL2	8	LSDPOL2F	Substance used on same occasion as hallucinogens		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Cannabis 6. Amphetamines 7. ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 88. Missing 99. No response given
LSDPOL3	8	LSDPOL3F	Substance used on same occasion as hallucinogens		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Cannabis 6. Amphetamines 7. ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 88. Missing 99. No response given
LSDPOL4	8	LSDPOL4F	Substance used on same occasion as hallucinogens		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Cannabis 6. Amphetamines 7. ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 88. Missing 99. No response given
LSDPOL5	8	LSDPOL5F	Substance used on same occasion as hallucinogens		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Cannabis 6. Amphetamines 7. ecstasy 8. No other substance used

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 88. Missing 99. No response given
LSDPOL6	8	LSDPOL6F	Substance used on same occasion as hallucinogens		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Cannabis 6. Amphetamines 7. ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 88. Missing 99. No response given
LSDYR	8	LSDYRF	Ever used/taken hallucinogens in last year?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times



Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
MINPA60	8	MINPA60F	How many days in the past week have you done any vigorous or moderate physical activity for a total of at least 60 minutes?		1. 1 day 2. 2 days 3. 3 days 4. 4 days 5. 5 days 6. 6 days 7. 7 days 8. No days in the last week 77. Invalid response given 88. Multiple responses give 99. No response given
MODPA	8	MODPAF	Moderate physical activity for at least 30 minutes		1. None 2. Once 3. Twice 4. 3 times 5. 4 times 6. 5 times 7. 6 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
MOSTHOIN	8	MOSTHOINF	Spend most of the time inside?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses give 99. No response given
OUT15	8	OUT15F	Wear maximum protection sunscreen (SPF 30+)?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses give 99. No response given
OUTCLOTH	8	OUTCLOTH F	Wear clothes covering most of your body		1. Never 2. Rarely

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses give 99. No response given
OUTGLSS	8	OUTGLSSF	Wear sunglasses?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses give 99. No response given
OUTHAT	8	OUTHATF	Wear a hat?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses give 99. No response given
OUTINSHA	8	OUTINSHAF	Stay mainly in the shade?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses give 99. No response given
OUTSTRIP	8	OUTSTRIPF	Deliberately wear less or briefer clothing so as to get some sun on your skin?		1. Never 2. Rarely 3. Sometimes 4. Usually 5. Always 77. Invalid response given 88. Multiple responses give 99. No response given
PAINK4	8	PAINK4F	Ever used/taken pain killers/analgesics in last 4 weeks?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
PAINK7	8	PAINK7F	Ever used/taken pain killers/analgesics in last 7 days?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
PAINKLF	8	PAINKLFF	Ever used/taken pain killers/analgesics in lifetime?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
PAINKYR	8	PAINKYRF	Ever used/taken pain killers/analgesics in last year?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
PKTSIZE1	8	PKTSIZE1F	Size of packet cigarettes usually come from		1. 20s 2. 25s 3. 30s 4. 35s 5. 40s 6. 50s 10. Roll my own 77. Invalid response given

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					99. No response given
PKTSIZE2	8	PKTSIZE2F	Size of packet cigarettes usually come from		1. 20s 2. 25s 3. 30s 4. 35s 5. 40s 6. 50s 10. Roll my own 77. Invalid response given 99. No response given
PKTSIZE3	8	PKTSIZE3F	Size of packet cigarettes usually come from		1. 20s 2. 25s 3. 30s 4. 35s 5. 40s 6. 50s 10. Roll my own 77. Invalid response given 99. No response given
Q1	8	Q1F	How hard do you think it would be for someone to give up smoking?		1. Impossible 2. Very hard 3. Fairly hard 4. Not too hard 5. Easy 77. Invalid response given 88. Multiple responses give 99. No response given
Q10_BOTT	8	Q10_BOTTF	How often have you been refused service in a bottle shop?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
Q10_HOTE	8	Q10_HOTEF	How often have you been refused service in a hotel, pub or club?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
Q10_NIGH	8	Q10_NIGHF	How often have you been refused service in a nightclub?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					88. Multiple responses give 99. No response given
Q10_REST	8	Q10_RESTF	How often have you been refused service in a restaurant?		1. Never 2. 1-4 times 3. 5 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
Q14_AGEC	8	Q14_AGECF	Type of document - Fake proof of age card		1. Yes 2. No
Q14_DRIV	8	Q14_DRIVF	Type of document - Fake learner's/driver's licence		1. Yes 2. No
Q14_FRIE	8	Q14_FRIEF	Type of document - Someone else's proof of age card/driver's licence		1. Yes 2. No
Q14_INVA	8	Q14_INVAF	Type of document - Invalid response		1. Yes 2. No
Q14_MISS	8	Q14_MISSF	Type of document - No response given		1. Yes 2. No
Q14_OAC	8	Q14_OACF	Type of document - Stolen proof of age card		1. Yes 2. No
Q14_OLDL	8	Q14_OLDLF	Type of document - Stolen learner's/driver's licence		1. Yes 2. No
Q14_OTHE	8	Q14_OTHEF	Type of document - Other document		1. Yes 2. No
Q14_OUNS	8	Q14_OUNSF	Type of document - Other unspecified		1. Yes 2. No
Q3_TALL	8	Q3_TALLF	Height in cm		7777. Invalid response given 9999. No response given
Q4	8	Q4F	Have you ever tried to buy cigarettes from a shop?		1. No 2. Yes 77. Invalid response given 88. Multiple responses give 99. No response given
Q4_WEIGH	8	Q4_WEIGHF	Weight in kg		7777. Invalid response given 9999. No response given
Q5	8	Q5F	Has a shopkeeper ever refused you service when you tried to buy cigarettes?		1. No 2. Yes, once or twice 3. Yes, frequently 77. Invalid response given 88. Multiple responses give 99. No response given
Q6_MILK	8	Q6_MILKF	What type of milk do you usually have?		1. Whole milk

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					2. Reduced fat milk 3. Skim milk (including Shape) 4. Evaporated or sweetened condensed milk 5. None of the above 6. I don't know 77. Invalid response given 88. Multiple responses give 99. No response given
Q8	8	Q8F	Have you ever tried to buy alcohol at a hotel, pub, club, restaurant, nightclub or bottle shop?		1. No 2. Yes 77. Invalid response given 88. Multiple responses give 99. No response given
QUITADS1	8	QUITADS1F	Seen advertisements about quitting smoking? No		0. No 1. Yes
QUITADS10	8	QUITADS10F	Seen advertisements about quitting smoking? No response given		0. No 1. Yes
QUITADS2	8	QUITADS2F	Seen advertisements about quitting smoking? Magazines,newspapers		0. No 1. Yes
QUITADS3	8	QUITADS3F	Seen advertisements about quitting smoking? Internet		0. No 1. Yes
QUITADS4	8	QUITADS4F	Seen advertisements about quitting smoking? Shops, tobacconists		0. No 1. Yes
QUITADS5	8	QUITADS5F	Seen advertisements about quitting smoking? On billboards		0. No 1. Yes
QUITADS6	8	QUITADS6F	Seen advertisements about quitting smoking? Sports event		0. No 1. Yes
QUITADS7	8	QUITADS7F	Seen advertisements about quitting smoking? TV		0. No 1. Yes
QUITADS8	8	QUITADS8F	Seen advertisements about quitting smoking? Unsure		0. No 1. Yes
QUITADS9	8	QUITADS9F	Seen advertisements about quitting smoking? Invalid response		0. No 1. Yes
QUITADSD	8	QUITADSDF	Do these Quit smoking advertisements encourage you:		1. Not to take up smoking 2. To quit smoking 3. Have no effect for me 77. Invalid response given 88. Multiple responses give 99. No response given
RCOC4	8	RCOC4F	recoded used cocaine in last month		55. Answered drug questions the same 77- 99. Missing

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
RCOC7	8	RCOC7F	recoded used cocaine in last week		55. Answered drug questions the same 77- 99. Missing
RCOCLF	8	RCOCLFF	recoded used cocaine in lifetime		55. Answered drug questions the same 77- 99. Missing
RCOCYR	8	RCOCYRF	recoded used cocaine in last year		55. Answered drug questions the same 77- 99. Missing
RDOPE4	8	RDOPE4F	Recoded used dope in last month		55. Answered drug questions the same 77- 99. Missing
RDOPE7	8	RDOPE7F	Recoded use dope in last week		55. Answered drug questions the same 77- 99. Missing
RDOPELF	8	RDOPELFF	Recoded used dope in lifetime		55. Answered drug questions the same 77- 99. Missing
RDOPEYR	8	RDOPEYRF	Recoded used dope in last year		55. Answered drug questions the same 77- 99. Missing
RECDENOM	8	RECDENOM F	Recoded strata of schools		1. Govt schools 2. Catholic schools 3. Independent schools
REGION	\$4				
RHEROIN4	8	RHEROIN4F	recoded used heroin in last month		55. Answered drug questions the same 77- 99. Missing
RHEROIN7	8	RHEROIN7F	recoded used heroin in last week		55. Answered drug questions the same 77- 99. Missing
RHERONLF	8	RHERONLF F	recoded used heroin in lifetime		55. Answered drug questions the same 77- 99. Missing
RHERONYR	8	RHERONYR F	recoded used heroin in last year		55. Answered drug questions the same 77- 99. Missing
RLSD4	8	RLSD4F	recoded used hallucinogens in last month		55. Answered drug questions the same 77- 99. Missing
RLSD7	8	RLSD7F	recoded used hallucinogens in last week		55. Answered drug questions the same 77- 99. Missing
RLSDLF	8	RLSDLFF	recoded used hallucinogens in lifetime		55. Answered drug questions the same 77- 99. Missing
RLSDYR	8	RLSDYRF	recoded used hallucinogens in last year		55. Answered drug questions the same 77- 99. Missing
ROIDS4	8	ROIDS4F	Ever used/taken steroids in last 4 weeks?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					88. Multiple responses give 99. No response given
ROIDS7	8	ROIDS7F	Ever used/taken steroids in last 7 days?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
ROIDSLF	8	ROIDSLFF	Ever used/taken steroids in lifetime?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
ROIDSYR	8	ROIDSYRF	Ever used/taken steroids in last year?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
RPAINK4	8	RPAINK4F	recoded used painkillers in last month		55. Answered drug questions the same 77- 99. Missing
RPAINK7	8	RPAINK7F	recoded used painkillers in last week		55. Answered drug questions the same 77- 99. Missing
RPAINKLF	8	RPAINKLFF	recoded used painkillers in lifetime		55. Answered drug questions the same 77- 99. Missing
RPAINKYR	8	RPAINKYRF	recoded used painkillers in last year		55. Answered drug questions the same 77- 99. Missing
RROIDS4	8	RROIDS4F	recoded used steroids in last month		55. Answered drug questions the same 77- 99. Missing



Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
RROIDS7	8	RROIDS7F	recoded used steroids in last week		55. Answered drug questions the same 77- 99. Missing
RROIDSLF	8	RROIDSLFF	recoded used steroids in lifetime		55. Answered drug questions the same 77- 99. Missing
RROIDSYR	8	RROIDSYRF	recoded used steroids in last year		55. Answered drug questions the same 77- 99. Missing
RSNIFF4	8	RSNIFF4F	recoded used inhalants in last month		55. Answered drug questions the same 77- 99. Missing
RSNIFF7	8	RSNIFF7F	recoded used inhalants in last week		55. Answered drug questions the same 77- 99. Missing
RSNIFFLF	8	RSNIFFLFF	recoded used inhalants in lifetime		55. Answered drug questions the same 77- 99. Missing
RSNIFFYR	8	RSNIFFYRF	recoded used inhalants in last year		55. Answered drug questions the same 77- 99. Missing
RSPEED4	8	RSPEED4F	Recoded used amphetamines in last month		55. Answered drug questions the same 77- 99. Missing
RSPEED7	8	RSPEED7F	Recoded used amphetamines in last week		55. Answered drug questions the same 77- 99. Missing
RSPEEDLF	8	RSPEEDLFF	Recoded used amphetamines in lifetime		55. Answered drug questions the same 77- 99. Missing
RSPEEDYR	8	RSPEEDYR F	Recoded used amphetamines in last year		55. Answered drug questions the same 77- 99. Missing
RTRANQ4	8	RTRANQ4F	Recoded used tranquillisers in last month		55. Answered drug questions the same 77- 99. Missing
RTRANQ7	8	RTRANQ7F	Recoded used tranquillisers in last week		55. Answered drug questions the same 77- 99. Missing
RTRANQLF	8	RTRANQLFF	Recoded used tranquillisers in lifetime		55. Answered drug questions the same 77- 99. Missing
RTRANQYR	8	RTRANQYR F	Recoded used tranquillisers in last year		55. Answered drug questions the same 77- 99. Missing
RXTC4	8	RXTC4F	Recoded used xtc in last month		55. Answered drug questions the same 77- 99. Missing
RXTC7	8	RXTC7F	Recoded used xtc in last week		55. Answered drug questions the same 77- 99. Missing
RXTCLF	8	RXTCLFF	Recoded used xtc in lifetime		55. Answered drug questions the same 77- 99. Missing
RXTCYR	8	RXTCYRF	Recoded used xtc in last year		55. Answered drug questions the same 77- 99. Missing
SCH	8				
SCHID	8		School ID Code		
SCHPATT	8	SCHPATTF	Pattern		1. Years 7,8,9,10 2. Years 11,12

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
SEX	8	SEXF	Student sex		1. Male 2. Female 77. Invalid response given 88. Multiple responses give 99. No response given
SINGLCIG	8	SINGLCIGF	Bought cigarettes that were not in a full packet in the last 4 weeks?		1. Yes 2. No 77. Invalid response given 88. Multiple responses give 99. No response given
SMKSCHL	8	SMKSCHLF	Any lessons/parts of lessons about smoking during 2007?		1. No, not even part of a lesson 2. Yes, part of a lesson 3. Yes, one lesson 4. Yes, more than one lesson 77. Invalid response given 88. Multiple responses give 99. No response given
SMOKE12	8	SMOKE12F	Have you smoked cigarettes in the last 12 months?		1. Yes 2. No 77. Invalid response given 88. Multiple responses give 99. No response given
SMOKE4	8	SMOKE4F	Have you smoked cigarettes in the last four weeks?		1. Yes 2. No 77. Invalid response given 88. Multiple responses give 99. No response given
SMOKE7	8	SMOKE7F	Has smoked in last 7 days		0. not smoked in past 7 days
SMOKE7DAYS	8		Total number days cigarettes smoked in the last 7 days		
SMOKE7NUM	8		Total number of cigarettes smoked in the last 7 days		
SMOKEFRI	8	SMOKEFRIF	Number of cigarettes Friday		777. Invalid response given 999. No response given
SMOKEMON	8	SMOKEMONF	Number of cigarettes Monday		777. Invalid response given 999. No response given
SMOKESAT	8	SMOKESATF	Number of cigarettes Saturday		777. Invalid response given 999. No response given
SMOKESUN	8	SMOKESUNF	Number of cigarettes Sunday		777. Invalid response given 999. No response given
SMOKETHU	8	SMOKETHUF	Number of cigarettes Thursday		777. Invalid response given 999. No response given

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
SMOKETUE	8	SMOKETUE F	Number of cigarettes Tuesday		777. Invalid response given 999. No response given
SMOKEWE D	8	SMOKEWED F	Number of cigarettes Wednesday		777. Invalid response given 999. No response given
SMOKNOW	8	SMOKNOWF	Current smoking status		1. A heavy smoker 2. A light smoker 3. An occasional smoker 4. An ex-smoker 5. A non-smoker 77. Invalid response given 88. Multiple responses give 99. No response given
SNACKS	8	SNACKSF	How many times in the last week did you eat snacks?		1. Once 2. Twice 3. 3 times 4. 4 times 5. 5 times 6. 6 times 7. 7 or more times 8. None 77. Invalid response given 88. Multiple responses give 99. No response given
SNIFF4	8	SNIFF4F	Ever deliberately sniffed spray cans/glue/paint/petrol/thinners in last 4 weeks?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
SNIFF7	8	SNIFF7F	Ever deliberately sniffed spray cans/glue/paint/petrol/thinners in last 7 days?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
SNIFFLF	8	SNIFFLFF	Ever deliberately sniffed spray cans/glue/paint/petrol/thinners in lifetime?		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. Invalid response given</li> <li>88. Multiple responses give</li> <li>99. No response given</li> </ul>
SNIFFYR	8	SNIFFYRF	Ever deliberately sniffed spray cans/glue/paint/petrol/thinners in last year?		<ul style="list-style-type: none"> <li>1. None</li> <li>2. Once or twice</li> <li>3. 3-5 times</li> <li>4. 6-9 times</li> <li>5. 10-19 times</li> <li>6. 20-39 times</li> <li>7. 40 or more times</li> <li>77. Invalid response given</li> <li>88. Multiple responses give</li> <li>99. No response given</li> </ul>
SOFTDRNK	8	SOFTDRNK F	How many times in the last week did you drink a can of soft drink		<ul style="list-style-type: none"> <li>1. Once</li> <li>2. Twice</li> <li>3. 3 times</li> <li>4. 4 times</li> <li>5. 5 times</li> <li>6. 6 times</li> <li>7. 7 or more times</li> <li>8. None</li> <li>77. Invalid response given</li> <li>88. Multiple responses give</li> <li>99. No response given</li> </ul>
SORE	8	SOREF	Over the last summer,did you get sunburn that was sore or tender the next day?		<ul style="list-style-type: none"> <li>1. Yes, just once</li> <li>2. Yes, 2 or 3 times</li> <li>3. Yes, 4 or more times</li> <li>4. No, not at all</li> <li>77. Invalid response given</li> <li>88. Multiple responses give</li> <li>99. No response given</li> </ul>
SPEDPOL1	8	SPEDPOL1F	Substance used on same occasion as amphetamines		<ul style="list-style-type: none"> <li>1. Tobacco</li> <li>2. Alcohol</li> <li>3. Pain killers, analgesics</li> <li>4. Sedatives, tranquillisers, sleeping tabs</li> </ul>

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					5. Hallucinogens 6. Cannabis 7. Ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 99. No response given
SPEDPOL2	8	SPEDPOL2F	Substance used on same occasion as amphetamines		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens 6. Cannabis 7. Ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 99. No response given
SPEDPOL3	8	SPEDPOL3F	Substance used on same occasion as amphetamines		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					tabs 5. Hallucinogens 6. Cannabis 7. Ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 99. No response given
SPEDPOL4	8	SPEDPOL4F	Substance used on same occasion as amphetamines		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens 6. Cannabis 7. Ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 99. No response given
SPEDPOL5	8	SPEDPOL5F	Substance used on same occasion as amphetamines		1. Tobacco 2. Alcohol 3. Pain killers, analgesics

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens 6. Cannabis 7. Ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 99. No response given
SPEDPOL6	8	SPEDPOL6F	Substance used on same occasion as amphetamines		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens 6. Cannabis 7. Ecstasy 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 99. No response given
SPEED4	8	SPEED4F	Ever used/taken amphetamines in last 4 weeks?		1. None 2. Once or twice

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
SPEED7	8	SPEED7F	Ever used/taken amphetamines in last 7 days?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
SPEEDLF	8	SPEEDLFF	Ever used/taken amphetamines in lifetime?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
SPEEDYR	8	SPEEDYRF	Ever used/taken amphetamines in last year?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
STRENPA	8	STRENPAF	Vigorous		1. None 2. Once 3. Twice 4. 3 times 5. 4 times



Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					6. 5 times 7. 6 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
TANLIKED	8	TANLIKEDF	Do you like to get a suntan?		1. No 2. Yes, a light tan 3. Yes, a moderate tan 4. Yes, a dark tan 5. Yes, a very dark tan 77. Invalid response given 88. Multiple responses give 99. No response given
TFOFTBRN	8	TFOFTBRNF	You only get skin cancer if you get burnt often		1. TRUE 2. FALSE 77. Invalid response given 88. Multiple responses give 99. No response given
TRANQ4	8	TRANQ4F	Ever used/taken sleeping tablets in last 4 weeks?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
TRANQ7	8	TRANQ7F	Ever used/taken sleeping tablets in last 7 days?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
TRANQLF	8	TRANQLFF	Ever used/taken sleeping tablets in lifetime?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
TRANQYR	8	TRANQYRF	Ever used/taken sleeping tablets in last year?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
TV	8	TVF	On an average school day, about how many hours a day do you do the following when you are not at school		1. None 2. 1 hour or less 3. 2 hours 4. 3 hours 5. 4 hours 6. 5 or more hours 77. Invalid response given 88. Multiple responses give 99. No response given
VEGGIES05	8	VEGGIES05 F	How many serves of vegetables do you usually eat each day?		1. 1 serve or less 2. 2 serves 3. 3 serves 4. 4 serves 5. 5 serves 6. 6 serves or more 7. I do not eat vegetables 77. Invalid response given 88. Multiple responses give 99. No response given
WATER	8	WATERF	How many cups of water do you usually drink per day?		1. Number of cups per day 2. I don't drink water 3. I don't know 77. Invalid response given 88. Multiple responses give 99. No response given
WHOBUYAL	8	WHOBUYAL F	If someone else bought alcohol who was this person		1. Friend who is 18 or over 2. Brother/Sister or other relative who is 18 or over

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					<ul style="list-style-type: none"> <li>3. Friend who is not yet aged 18</li> <li>4. Brother/Sister or other relative who is not yet 18</li> <li>5. Stranger who was able to buy alcohol</li> <li>6. Other specified</li> <li>20. other unspecified</li> <li>24. other adult</li> <li>77. Missing</li> <li>88. Missing</li> <li>99. Missing</li> </ul>
WHOBUYC G	8	WHOBUYCG F	If someone else bought cigarettes who was this person		<ul style="list-style-type: none"> <li>1. Friend who is 18 or over</li> <li>2. Brother/Sister or other relative who is 18 or over</li> <li>3. Friend who is not yet aged 18</li> <li>4. Brother/Sister or other relative who is not yet 18</li> <li>5. Stranger who was able to buy alcohol</li> <li>6. Other unspecified</li> <li>7. Other adult</li> <li>77. Invalid response given</li> <li>88. Multiple responses give</li> <li>99. No response given</li> </ul>
WHYPAINK 1	8	WHYPAINK1 F	Used painkiller/analgesic because ...		<ul style="list-style-type: none"> <li>1. Had a headache or migraine</li> <li>2. Had a cold or 'flu</li> <li>3. Had a toothache or pains associated with dental procedure</li> <li>4. Had pains associated with playing sport (eg. injury, strain)</li> <li>5. Had other types of pains (specify)</li> <li>6. Wanted to - there was no medical reason for using it</li> <li>7. Other (specify)</li> <li>8. Pain associated with broken bones</li> <li>9. Leg/knee/ankle pain</li> <li>10. Neck/shoulder pain</li> <li>11. Back pain</li> <li>12. Foot pain</li> <li>13. Arm/wrist/hand pain</li> <li>14. Muscular/joint/ligament pain</li> <li>15. Stomach pains/cramps</li> <li>16. Menstrual/period pain</li> <li>17. Ear ache/infection</li> <li>18. Chest pain/infection</li> </ul>

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					<ul style="list-style-type: none"> <li>19. Pain associated with infection/inflammation</li> <li>20. Appendix/Appendicitis</li> <li>21. Cramps NFI</li> <li>22. Pain associated with cut/open wound</li> <li>23. Felt sick/vomiting</li> <li>24. Hay fever</li> <li>25. Other illness</li> <li>26. Other injury</li> <li>27. Glandular fever</li> <li>28. Medical condition/Doctor prescribed</li> <li>29. Operation/surgery/hospital</li> <li>30. Allergies/allergic reaction</li> <li>31. Other pain unspecified</li> <li>32. Depression/stress/anxiety related</li> <li>33. Car/motorbike/bicycle accident</li> <li>34. Hangover</li> <li>77. Invalid response given</li> <li>99. No response given</li> </ul>
WHYPAINK 2	8	WHYPAINK2 F	Used painkiller/analgesic because ...		<ul style="list-style-type: none"> <li>1. Had a headache or migraine</li> <li>2. Had a cold or 'flu</li> <li>3. Had a toothache or pains associated with dental procedure</li> <li>4. Had pains associated with playing sport (eg. injury, strain)</li> <li>5. Had other types of pains (specify)</li> <li>6. Wanted to - there was no medical reason for using it</li> <li>7. Other (specify)</li> <li>8. Pain associated with broken bones</li> <li>9. Leg/knee/ankle pain</li> <li>10. Neck/shoulder pain</li> <li>11. Back pain</li> <li>12. Foot pain</li> <li>13. Arm/wrist/hand pain</li> <li>14. Muscular/joint/ligament pain</li> <li>15. Stomach pains/cramps</li> <li>16. Menstrual/period pain</li> <li>17. Ear ache/infection</li> <li>18. Chest pain/infection</li> <li>19. Pain associated with infection/inflammation</li> </ul>

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					20. Appendix/Appendicitis 21. Cramps NFI 22. Pain associated with cut/open wound 23. Felt sick/vomiting 24. Hay fever 25. Other illness 26. Other injury 27. Glandular fever 28. Medical condition/Doctor prescribed 29. Operation/surgery/hospital 30. Allergies/allergic reaction 31. Other pain unspecified 32. Depression/stress/anxiety related 33. Car/motorbike/bicycle accident 34. Hangover 77. Invalid response given 99. No response given
WHYPAINK3	8	WHYPAINK3F	Used painkiller/analgesic because ...		1. Had a headache or migraine 2. Had a cold or 'flu 3. Had a toothache or pains associated with dental procedure 4. Had pains associated with playing sport (eg. injury, strain) 5. Had other types of pains (specify) 6. Wanted to - there was no medical reason for using it 7. Other (specify) 8. Pain associated with broken bones 9. Leg/knee/ankle pain 10. Neck/shoulder pain 11. Back pain 12. Foot pain 13. Arm/wrist/hand pain 14. Muscular/joint/ligament pain 15. Stomach pains/cramps 16. Menstrual/period pain 17. Ear ache/infection 18. Chest pain/infection 19. Pain associated with infection/inflammation 20. Appendix/Appendicitis 21. Cramps NFI

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					22. Pain associated with cut/open wound 23. Felt sick/vomiting 24. Hay fever 25. Other illness 26. Other injury 27. Glandular fever 28. Medical condition/Doctor prescribed 29. Operation/surgery/hospital 30. Allergies/allergic reaction 31. Other pain unspecified 32. Depression/stress/anxiety related 33. Car/motorbike/bicycle accident 34. Hangover 77. Invalid response given 99. No response given
WHYPAINK4	8	WHYPAINK4F	Used painkiller/analgesic because ...		1. Had a headache or migraine 2. Had a cold or 'flu 3. Had a toothache or pains associated with dental procedure 4. Had pains associated with playing sport (eg. injury, strain) 5. Had other types of pains (specify) 6. Wanted to - there was no medical reason for using it 7. Other (specify) 8. Pain associated with broken bones 9. Leg/knee/ankle pain 10. Neck/shoulder pain 11. Back pain 12. Foot pain 13. Arm/wrist/hand pain 14. Muscular/joint/ligament pain 15. Stomach pains/cramps 16. Menstrual/period pain 17. Ear ache/infection 18. Chest pain/infection 19. Pain associated with infection/inflammation 20. Appendix/Appendicitis 21. Cramps NFI 22. Pain associated with cut/open wound

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					23. Felt sick/vomiting 24. Hay fever 25. Other illness 26. Other injury 27. Glandular fever 28. Medical condition/Doctor prescribed 29. Operation/surgery/hospital 30. Allergies/allergic reaction 31. Other pain unspecified 32. Depression/stress/anxiety related 33. Car/motorbike/bicycle accident 34. Hangover 77. Invalid response given 99. No response given
WHYPAINK 5	8	WHYPAINK5 F	Used painkiller/analgesic because ...		1. Had a headache or migraine 2. Had a cold or 'flu 3. Had a toothache or pains associated with dental procedure 4. Had pains associated with playing sport (eg. injury, strain) 5. Had other types of pains (specify) 6. Wanted to - there was no medical reason for using it 7. Other (specify) 8. Pain associated with broken bones 9. Leg/knee/ankle pain 10. Neck/shoulder pain 11. Back pain 12. Foot pain 13. Arm/wrist/hand pain 14. Muscular/joint/ligament pain 15. Stomach pains/cramps 16. Menstrual/period pain 17. Ear ache/infection 18. Chest pain/infection 19. Pain associated with infection/inflammation 20. Appendix/Appendicitis 21. Cramps NFI 22. Pain associated with cut/open wound 23. Felt sick/vomiting 24. Hay fever

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					25. Other illness 26. Other injury 27. Glandular fever 28. Medical condition/Doctor prescribed 29. Operation/surgery/hospital 30. Allergies/allergic reaction 31. Other pain unspecified 32. Depression/stress/anxiety related 33. Car/motorbike/bicycle accident 34. Hangover 77. Invalid response given 99. No response given
WT	8				
XTC4	8	XTC4F	Ever used/taken ecstasy in last 4 weeks?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
XTC7	8	XTC7F	Ever used/taken ecstasy in last 7 days?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
XTCLF	8	XTCLFF	Ever used/taken ecstasy in lifetime?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given



Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
XTCPOL1	8	XTCPOL1F	Substance used on same occasion as ecstasy		<ul style="list-style-type: none"> <li>1. Tobacco</li> <li>2. Alcohol</li> <li>3. Pain killers, analgesics</li> <li>4. Sedatives, tranquillisers, sleeping tabs</li> <li>5. Hallucinogens</li> <li>6. Amphetamines</li> <li>7. cannabis</li> <li>8. No other substance used</li> <li>9. Food</li> <li>10. Other specified</li> <li>11. Other unspecified</li> <li>12. Other medical</li> <li>14. Nitrous Oxide</li> <li>15. Cocaine</li> <li>16. Heroin, opium</li> <li>17. Metho</li> <li>18. Texta</li> <li>19. Whiteout</li> <li>20. Deodorant</li> <li>77. Invalid response given</li> <li>99. No response given</li> </ul>
XTCPOL2	8	XTCPOL2F	Substance used on same occasion as ecstasy		<ul style="list-style-type: none"> <li>1. Tobacco</li> <li>2. Alcohol</li> <li>3. Pain killers, analgesics</li> <li>4. Sedatives, tranquillisers, sleeping tabs</li> <li>5. Hallucinogens</li> <li>6. Amphetamines</li> <li>7. cannabis</li> <li>8. No other substance used</li> <li>9. Food</li> <li>10. Other specified</li> <li>11. Other unspecified</li> <li>12. Other medical</li> <li>14. Nitrous Oxide</li> <li>15. Cocaine</li> <li>16. Heroin, opium</li> <li>17. Metho</li> <li>18. Texta</li> <li>19. Whiteout</li> <li>20. Deodorant</li> <li>77. Invalid response given</li> </ul>

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
XTCPOL3	8	XTCPOL3F	Substance used on same occasion as ecstasy		88. Missing 99. No response given 1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens 6. Amphetamines 7. cannabis 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 88. Missing 99. No response given
XTCPOL4	8	XTCPOL4F	Substance used on same occasion as ecstasy		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens 6. Amphetamines 7. cannabis 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					19. Whiteout 20. Deodorant 77. Invalid response given 88. Missing 99. No response given
XTCPOL5	8	XTCPOL5F	Substance used on same occasion as ecstasy		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens 6. Amphetamines 7. cannabis 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine 16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 88. Missing 99. No response given
XTCPOL6	8	XTCPOL6F	Substance used on same occasion as ecstasy		1. Tobacco 2. Alcohol 3. Pain killers, analgesics 4. Sedatives, tranquillisers, sleeping tabs 5. Hallucinogens 6. Amphetamines 7. cannabis 8. No other substance used 9. Food 10. Other specified 11. Other unspecified 12. Other medical 14. Nitrous Oxide 15. Cocaine

Variable Name	Type Length	Format	Variable label	Coding and Comments	Code frame
					16. Heroin, opium 17. Metho 18. Texta 19. Whiteout 20. Deodorant 77. Invalid response given 88. Missing 99. No response given
XTCYR	8	XTCYRF	Ever used/taken ecstasy in last year?		1. None 2. Once or twice 3. 3-5 times 4. 6-9 times 5. 10-19 times 6. 20-39 times 7. 40 or more times 77. Invalid response given 88. Multiple responses give 99. No response given
YEAR	\$4		Year of survey		
YRLEVEL	8	YRLEVELF	Student year level		1. Year 7 2. Year 8 3. Year 9 4. Year 10 5. Year 11 6. Year 12 77. Invalid response given 88. Multiple responses give 99. No response given