

## Certificate of Accreditation Sewage Management Facility Septic Tanks & Collection Wells

This Certificate of Accreditation is issued by the Secretary of the NSW Ministry of Health pursuant to Clause 41(1) of the Local Government (General) Regulation 2005.

Manufacturer: Hopley Pty Ltd t/a Sepron

Of: 59 McCombe Road, Bunbury, WA, 6230

The polyethylene Sepron Septic Tanks as described in the following Schedule have been accredited as sewage management facilities for use in single domestic premises in NSW.

Director, Environmental Health for Secretary (delegation PH335)

**Issued**: 15 January 2019 **Certificate No**: STCW042 **Expires**: 31 December 2024



## Accreditation Schedule

The Certificate of Accreditation applies to the following Septic Tanks and Collection Wells

Model	Description	Size
Septic Tank	Vertical axis type cylindrical rotomoulded polyethylene tank, with partitions, lid, access cover.Burial depth is restricted to 0 mm.	2,200 L (1,200 L for composite installation)
Collection Well	Vertical axis type cylindrical rotomoulded polyethylene tank with, lid, and access cover.  Burial depth is restricted to 0 mm	2,200 L
Composite Septic Tanks	Vertical axis type cylindrical rotomoulded polyethylene tank with lid, and access cover.  Burial depth is restricted to 0 mm  Wastewater is to flow from the larger tank to the smaller tank. The tanks are to be located on a common concrete slab to prevent differential movement	3,400 L (2200 L with partition removed and 1200 L second tank)







