NSW Arbovirus Surveillance & Mosquito Monitoring 2021-2022

Weekly Update: Week ending 11 December 2021 (Report Number 6)











Summary

Arbovirus Detections

- Sentinel Chickens: There were no arbovirus detections in sentinal chickens.
- Mosquito Isolates: There were no arbovirus detections in mosquito isolates.

Mosquito Abundance

- Inland: LOW at Albury, MEDIUM at Leeton and Wagga Wagga, HIGH at Griffith and Forbes.
- Coast: LOW at Wyong, MEDIUM at Kempsey, HIGH at Tweed, Ballina, and Gosford.
- Sydney: LOW at Hawkesbury, Blacktown, Sydney Olympic Park, Liverpool City, Bankstown, Muddy Creek, and Georges River, MEDIUM at Penrith and Parramatta, HIGH at Northern Beaches.

Environmental Conditions

- Climate: In the week ending 11 December 2021, there was moderate rainfall across Eastern NSW, low rainfall across Central NSW, and no rainfall across most of far Western NSW. Higher rainfall is expected across NSW for the remainder of December and January with higher minimum temperatures than usual expected across NSW in December.
- Tides: High tides over 1.8 metres predicted 1-6 and 19-20 January 2022 which could trigger hatching of Aedes vigilax.

Human Arboviral Disease Notifications

- Ross River Virus: 4 cases were notified in the week ending 6 November 2021.
- Barmah Forest Virus: 3 cases were notified in the week ending 6 November 2021.

Comments and other findings of note

The Bureau of Meteorology has declared that the tropical Pacific is in a La Niña phase, which typically means higher rainfall across eastern Australia which could increase arbovirus risk in the coming months. The previous weekly report was missing mosquito abundance data from Forbes. These data for week ending 4 December have been added to the inland mosquito abundance table in this report.

Weekly reports are available at:

www.health.nsw.gov.au/environment/pests/vector/Pages/surveillance.aspx

Please send questions or comments about this report to:

Surveillance and Risk Unit, Environmental Health Branch, Health Protection NSW: hssg-ehbsurveillance@health.nsw.gov.au

Testing and scientific services were provided by the Department of Medical Entomology, NSW Health Pathology (ICPMR) for mosquito surveillance, and the Arbovirus Emerging Diseases Unit, NSW Health Pathology (ICPMR) for sentinel chicken surveillance.

The arbovirus surveillance and mosquito monitoring results in this report remain the property of the NSW Ministry of Health and may not be used or disseminated to unauthorised persons or organisations without permission.

Cover photos:

SPHN (HP NSW) 211005

Bottom left - Common banded mosquito, Culex annulirostris
Top and bottom right - Saltmarsh mosquito, Aedes vigilax
(Copyright 2020)


Arbovirus Detections

This section details detections of Murray Valley encephalitis virus, Kunjin virus, Ross River virus and Barmah Forest virus in the NSW Arbovirus Surveillance and Mosquito Monitoring Program.

Sentinel chickens

Chickens are bled for detection of antibodies directed against Murray Valley encephalitis virus and Kunjin virus, indicating exposure to these viruses. A test result is shown if it has been reported in the last two weeks.

Chicken surveillance sites, 2021-2022 season



Positive test results in the 2021-2022 surveillance season

Date of sample collection	Location	Virus							
There have been no detections in sentinel chickens in the 2021-2022 surveillance season									

Mosquito isolates


Whole grinds of mosquitoes are tested for arbovirus nucleic acids (including Ross River virus and Barmah Forest virus). There were no detections of Ross River virus and Barmah Forest virus among sites that had collected mosquitos in this reporting period.

Test results for mosquito trapping sites in the latest week to 11 December 2021 (by date of report)

Inland and Coastal sites



Sydney Sites



Ross River and Barmah Forest viruses detected in the past three weeks

Date of sample collection	Location	Virus							
There have been no detections in mosquitoes in the 2021-2022 surveillance season									

Mosquito Abundance

This section details counts of mosquitoes in the NSW Arbovirus Surveillance and Mosquito Monitoring Program. Each location represents the count average for all trapping sites at that location for the most recent week that collections were provided prior to preparation of this report.

Culex annulirostris and Aedes vigilax are vectors of interest for Ross River virus and Barmah Forest virus.

Mosquito counts (Average per trap per location) in the latest week to 11 December 2021 (by date of report) Key:

- No collection
- Low (<50)
- Medium (50-100)
- High (101-1,000)
- Very high (1,001-10,000)
- Extreme (>10,000)


Inland sites


Total mosquito counts

Culex annulirostris counts



Coastal sites





Key: No collection Low (<50) Medium (50-100) High (101-1,000) Very high (1,001-10,000)


Extreme (>10,000)

Culex annulirostris counts

Aedes vigilax counts



Sydney sites



Culex annulirostris counts

Aedes vigilax counts



Mosquito abundance data for 2021-22 season to date

Key:

No collection
Low (<50)
Medium (50-100)
High (101-1,000)
Very high (1,001-10,000)
Extreme (>10,000)

Data in the below table represent the average for all trapping sites at that location. "Cx. annul" refers to Culex annulirostris and "Ae.vigilax" refers to Aedes vigilax.

Inland

															W	EEK I	ENDII	NG													
			Nov	/-21			De	c-21		Jan-22					Feb-22				Mar-22					-	Apr-2	2			May	y-22	
Location	Mosquito	6	13	20	27	4	11	18	25	1	8	15	22	29	5	12	19	26	5	12	19	26	2	9	16	23	20	7	14	21	28
Albury	Cx. annul																														
	Total																														
Bourke	Cx. annul																														
	Total																														
Forbes	Cx. annul																														
	Total																														
Griffith	Cx. annul																														
	Total																														
Leeton	Cx. annul																														
	Total																														
Macquarie Marshes	Cx. annul																														
	Total																														
Wagga Wagga	Cx. annul																														
	Total																														

Coastal

															W	EEK E	ENDI	NG													
			Nov	v-21			De	c-21				Jan-2	2			Feb	o-22			Ma	r-22				Apr-22	2			May	y-22	
Location	Mosquito	6	13	20	27	4	11	18	25	1	8	15	22	29	5	12	19	26	5	12	19	26	2	9	16	23	20	7	14	21	28
Ballina	Cx. annul																														
	Ae. vigilax																														
	Total																														
Coffs Harbour	Cx. annul																														
	Ae. vigilax																													<u> </u>	
	Total																														
Gosford	Cx. annul																														
	Ae. vigilax																														
	Total																													<u> </u>	
Kempsey	Cx. annul																														
	Ae. vigilax																														
	Total																														
Narooma	Cx. annul																														
	Ae. vigilax																														
	Total																														
Mullumbimby	Cx. annul																														
	Ae. vigilax																														
	Total																														
Port Macquarie	Cx. annul																														
	Ae. vigilax																														
	Total																														
Tweed	Cx. annul																														
	Ae. vigilax																														
	Total																														
Wyong	Cx. annul																														
	Ae. vigilax																														
	Total																														

Sydney


Sydney		WEEK ENDING																													
		Nov-21 Dec-21 Jan-22 Feb-22 Mar-22											Apr-22	2			Ma	y-22													
Location	Mosquito	6	13	20	27	4	11	18	25	1	8	15	22	29	5	12	19	26	5	12	19	26	2	9	16	23	20	7	14	21	28
Bankstown	Cx. annul																														
	Ae. vigilax																														
	Total																														
Blacktown	Cx. annul																														
	Ae. vigilax																														
	Total																														
Georges	Cx. annul																														
Divar	Ae. vigilax																														
	Total																														
Hawkesbury	Cx. annul																														
	Ae. vigilax																														
	Total																														
Liverpool	Cx. annul																														
City	Ae. vigilax																														
	Total																														
Muddy Creek	Cx. annul																														
	Ae. vigilax																														
	Total																														
Northern	Cx. annul																														
Beaches	Ae. vigilax																														
	Total																														
Parramatta	Cx. annul																														
	Ae. vigilax																														
	Total																														
Penrith	Cx. annul																														
	Ae. vigilax																														
	Total																														
Sydney	Cx. annul																														
Olympic Park	Ae. vigilax																														
	Total																														
Sydney	Cx. annul																														
	Ae. vigilax																														
	Total																														

Environmental Conditions

Mosquitoes require water to breed. Rainfall and tides (for the salt marsh mosquito) are important contributing factors for proliferation of mosquito numbers. Unseasonably warm weather can also contribute to higher mosquito numbers.

Rainfall


In November, rainfall was very much above average across most of NSW, and the highest on record in parts of inland NSW. In the week ending 11 December 2021, there was moderate rainfall across Eastern NSW, low rainfall across Central NSW, and no rainfall across most of far Western NSW.



New South Wales Rainfall Totals (mm) Week Ending 11th December 2021

Australian Bureau of Meteorology

Issued: 30/11/2021



Source: Australian Government, Bureau of Meteorology: http://www.bom.gov.au/climate/maps/rainfall

Next month's rainfall and temperature outlook

The Bureau of Meteorology's rainfall outlook map predicts that most of NSW is likely to receive more rainfall than usual for the remainder of December and in January.

www.bom.gov.au/climate/outlooks/#/rainfall/median/monthly/0

The Bureau of Meteorology's temperature outlook maps predict that minimum temperatures are likely to be higher than usual across NSW in December and January. Maximum temperatures are unlikely to exceed the average maximum temperature for the remainder of December and January.

www.bom.gov.au/climate/outlooks/#/temperature/maximum/median/monthly/0 www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0

Tides

Tidal information is relevant for the prediction of the activity of the salt marsh mosquito, *Aedes vigilax*. Typically for NSW, high tides of over 1.8 m, as measured at Sydney, can induce hatching of *Aedes vigilax* larvae. Predicted tide heights can provide some indication of when this is likely to occur.

Dates of predicted high tides of over 1.8 m at Sydney (Fort Denison) for the next month

• 1-6 and 19-20 January 2022

Source: Australian Government, Bureau of Meteorology: http://www.bom.gov.au/australia/tides/#!/nsw-sydney-fort-denison
Note: Measured tides at Sydney Port Jackson for the current week are available from the NSW Government, Manly Hydraulics Laboratory: https://mhl.nsw.gov.au/Data-OceanTide.

Human Arboviral Disease Notifications

Under the *NSW Public Health Act 2010*, human arboviral infections are notifiable in NSW. The NSW Health Communicable Diseases Weekly Report (CDWR) reports confirmed and probable case numbers by the week they are received by the NSW notifiable diseases surveillance system, and is available at: www.health.nsw.gov.au/Infectious/reports/Pages/CDWR.aspx.


The data for Ross River virus and Barmah Forest virus from the CDWR for the latest reported 3 weeks are in the following table.


Recent notifications of Ross River virus and Barmah Forest virus infections in humans (by date of case report received)

	Week												
	Latest week (31 Oct – 6 Nov 2021)	1-week prior (24 - 30 Oct 2021)	2-weeks prior (17 - 23 Oct 2021)										
Ross River virus	4	3	5										
Barmah Forest virus	3	0	2										

Source: CDWR, Communicable Diseases Branch, Health Protection NSW, NSW Health

Notifications of Ross River and Barmah Forest virus infections, <u>by month of disease onset</u> (the earlier of patient-reported onset or specimen collection date), are available online at: https://www1.health.nsw.gov.au/IDD/pages/data.aspx. The following figures show this data for the current NSW Arbovirus and Mosquito Monitoring season (November 2021 to April 2022), and the same period in the previous three years.





Source: NSW Health Notifiable Conditions Information Management System (NCIMS), Communicable Diseases Branch and Centre for Epidemiology and Evidence, NSW Health

Notes: The data for the previous month are the notifications to date (data extracted on 6 December 2021). Notifications are for NSW residents, regardless of whether the infection was acquired or diagnosed in NSW. Notifications of Ross River virus

and Barmah Forest virus infection lag the date of acquiring the infection due to the time taken for symptom development, diagnosis, notification, and other factors. The weekly numbers by date of notification are useful for monitoring recent short-term trends but represent infections that were acquired some time ago. The monthly numbers by date of onset are more timely but less exact because they represent the earlier of patient-reported onset or specimen collection date and are therefore useful for monitoring general trends in human arboviral disease over the course of a season.