# **NSW Arbovirus Surveillance & Mosquito Monitoring 2022-2023**

Weekly Update: Week ending 12 November 2022 (Report Number 5)











# **Summary**

#### **Arbovirus Detections**

- Sentinel Chickens: There were no arbovirus detections in sentinel chickens.
- Mosquito Isolates: There were no arbovirus detections in mosquito isolates.

#### **Mosquito Abundance**

- Inland: LOW at Bourke, HIGH at Albury and Cootamundra, VERY HIGH at Corowa, Forbes, Griffith, Grong Grong, Leeton, Mathoura, Moama, Temora and Wagga Wagga.
- Coast: LOW at Coffs Harbour, Lismore, Millbank, Mullumbimby, Port Macquarie and Tweed Heads, MEDIUM at Gosford, Kempsey and Lake Cathie, HIGH at Ballina and Byron Bay.
- **Sydney:** LOW at Bankstown, Georges River and Liverpool, MEDIUM at Blacktown, Hawkesbury, Northern Beaches and Sydney Olympic Park, HIGH at Parramatta and Penrith.

#### **Environmental Conditions**

- Climate: In the week ending 12 November 2022, there was low to moderate rainfall across NSW. Above average rainfall is predicted for NSW in December. Minimum temperatures are predicted to be above average for December in southern and western NSW and about average elsewhere. Maximum temperatures are likely to be lower than usual throughout NSW.
- Tides: High tides over 1.8 metres are predicted for 23-28 November and 22-28 December, which could trigger hatching of Aedes vigilax.

#### **Human Arboviral Disease Notifications**

Ross River Virus: 3 cases were notified in the week ending 29 October 2022.

Barmah Forest Virus: 0 cases were notified in the week ending 29 October 2022.

#### Comments and other findings of note

Flood warnings are in place for many catchments across inland NSW and are expected to persist as flood waters move through river systems over the coming weeks. Extensive surface water has likely contributed to the high numbers of mosquitoes collected inland in recent weeks. However, the vector for Japanese Encephalitis virus, *Culex annulirostris*, continues to be a small proportion of total collected mosquitoes.

#### Weekly reports are available at:

www.health.nsw.gov.au/Infectious/mosquito-borne/Pages/surveillance.aspx

#### Please send questions or comments about this report to:

Surveillance and Risk Unit, Environmental Health Branch, Health Protection NSW: hssq-ehbsurveillance@health.nsw.gov.au

Testing and scientific services are provided by the Department of Medical Entomology, NSW Health Pathology, Institute of Clinical Pathology & Medical Research (ICPMR) for mosquito surveillance, and the Arbovirus Emerging Diseases Unit, NSW Health Pathology (ICPMR) for sentinel chicken surveillance.

The arbovirus surveillance and mosquito monitoring results in this report remain the property of the NSW Ministry of Health and may not be used or disseminated to unauthorised persons or organisations without permission.

Cover photos:

SPHN (EH) 220867

#### **Arbovirus Detections**


This section details detections of Murray Valley encephalitis virus, Kunjin virus, Ross River virus, Barmah Forest virus and Japanese encephalitis virus in the NSW Arbovirus Surveillance and Mosquito Monitoring Program.

#### Sentinel chickens

Chickens are bled for detection of antibodies directed against Murray Valley encephalitis virus, Kunjin virus and Japanese encephalitis virus, indicating exposure to these viruses. Test results for the past two weeks are shown in the map below and all positive test results for the season are detailed in the table.

#### Sentinel chicken antibody test results for samples collected in the two weeks to 12 November 2022

There were no positive test results.



## Positive test results in the 2022-2023 surveillance season

Date of sample collection	Location	Virus								
There have been no detections in sentinel chickens in the 2022-2023 surveillance season										


#### Mosquito isolates

Whole grinds of collected mosquitoes are tested for arbovirus nucleic acids to determine the presence of arboviruses in mosquitoes, including Ross River virus, Barmah Forest virus and Japanese encephalitis virus. Test results for detections of Ross River virus, Barmah Forest virus and Japanese encephalitis virus for the past week are shown in the map below. All detections of arboviruses for the season are detailed in the table.


# Test results for mosquito trapping sites reported in the week ending 12 November 2022

There were no detections of Ross River virus, Barmah Forest virus or Japanese encephalitis virus.

#### **Inland and Coastal sites**



# Sydney sites



## Arboviruses detected in the 2022-2023 surveillance season


Date of sample collection	Location	Virus									
There have been no detections in mosquitoes in the 2022-2023 season											


# **Mosquito Abundance**


This section details counts of mosquitoes in the NSW Arbovirus Surveillance and Mosquito Monitoring Program. Each location represents the count average for all trapping sites at that location for the most recent week that collections were provided prior to preparation of this report.

Culex annulirostris and Aedes vigilax are vectors of interest for Ross River virus and Barmah Forest virus, Culex annulirostris is also a vector for Japanese encephalitis virus.

# Mosquito counts (average per trap per location) for mosquito trapping sites reported in the week ending 12 November 2022







# Mosquito counts for the 2022-23 surveillance season Inland

"Cx. annul" refers to Culex annulirostris and "Ae. vigilax" refers to Aedes vigilax.

			WEEK ENDING																													
			Oct-2	2		No	v-22				Dec-2	2			Jar	1-23			Feb	-23			Ма	r-23				Apr-2	3		May	y-23
Location	Mosquito	15	22	29	5	12	19	26	3	10	17	24	31	7	14	21	28	4	11	18	25	4	11	18	25	1	8	15	22	29	6	1:
Albury	Cx. annul																															
	Total																															
Balranald	Cx. annul																															
	Total																															
Bourke	Cx. annul																															
	Total																															
Cootamundra	Cx. annul																															
	Total																															
Corowa	Cx. annul																															
	Total																															
Deniliquin	Cx. annul																															
	Total																															
Forbes	Cx. annul																															
	Total																															
Griffith	Cx. annul																															
	Total																															
Grong Grong	Cx. annul																															
	Total																															
Leeton	Cx. annul																															
	Total																															
Macquarie	Cx. annul																															
Marshes	Total																															
Mathoura	Cx. annul																															
	Total																															
Menindee	Cx. annul																															
	Total																															
Moama	Cx. annul																															Γ
	Total																															Γ
Temora	Cx. annul																															Γ
	Total																															
Wagga	Cx. annul																															
Wagga	Total																															
Walgett	Cx. annul							Ì																								
	Total							Ì																								Г
Wilcannia	Cx. annul																															T
<u> </u>	Total																															T
													1						1		1			1	1			<u> </u>				





## Coastal

Coastai														W	EEK E	ENDIN	IG.															
	Oct-22 Nov-22							Dec-22 Jan-23									Fel	o-23			Mai	r-23				Apr-23	3		Ma	y-23		
Location	Mosquito	15			5	12	19	26	3	10	17	24	31	7	14	21	28	4	11	18	25	4	11	18	25	1	8	15	22	29	6	13
Ballina	Cx. annul																															
	Ae. vigilax																															
	Total																															
Byron Bay	Cx. annul																															
	Ae. vigilax																															
	Total																															
Coffs Harbour	Cx. annul																															
	Ae. vigilax																															
	Total																															
Gosford	Cx. annul																															
	Ae. vigilax																															
	Total																															
Kempsey	Cx. annul																															
	Ae. vigilax																															
	Total																															
Lake Cathie	Cx. annul																															
	Ae. vigilax																															
	Total																															
Lismore	Cx. annul																															
	Ae. vigilax																															
	Total																															
Merimbula	Cx. annul																														$\overline{}$	
	Ae. vigilax																														$\overline{}$	
	Total																															
Millbank	Cx. annul																															
	Ae. vigilax																															
	Total																															
Mullumbimby	Cx. annul																															
-	Ae. vigilax																															
	Total																															
Murwillumbah	Cx. annul																															
	Ae. vigilax																															
	Total																															
Newcastle	Cx. annul																															
	Ae. vigilax																															
	Total																															
Port Macquarie	Cx. annul																															
	Ae. vigilax																															
	Total																															
Tweed Heads	Cx. annul																															
	Ae. vigilax																															
	Total																															
Wauchope	Cx. annul																															
	Ae. vigilax																															
	Total																															
Wyong	Cx. annul																															
	Ae. vigilax																															
	Total						<u> </u>		_	L -	_	_		L <sup>¬</sup>	L_ <sup>-</sup>		l -			l -	L -	_				_	_			L T	7	7

**Sydney** 


Sydney																	K ENI	DING														
			Oct-22			Nov					Dec-22					1-23			Fel					r-23				Apr-23				y-23
Location	Mosquito	15	22	29	5	12	19	26	3	10	17	24	31	7	14	21	28	4	11	18	25	4	11	18	25	1	8	15	22	29	6	13
Bankstown	Cx. annul																															
	Ae. vigilax																															L
	Total																															
Blacktown	Cx. annul																															L
	Ae. vigilax																															L
	Total																															
Georges River	Cx. annul																															
River	Ae. vigilax																															
	Total																															
Hawkesbury	Cx. annul																															
	Ae. vigilax																															
	Total																															
Liverpool	Cx. annul																															
	Ae. vigilax																															
	Total																															
Northern	Cx. annul																															
Beaches	Ae. vigilax																															
	Total																															
Parramatta	Cx. annul																															
	Ae. vigilax																															
	Total																															
Penrith	Cx. annul																															
	Ae. vigilax																															
	Total																															
Sydney	Cx. annul																															
Olympic Park	Cx. annul Ae. vigilax																															
I	Total																															


#### **Environmental Conditions**

Mosquitoes require water to breed. Rainfall and tides (for the salt marsh mosquito, *Aedes vigilax*) are important contributing factors for proliferation of mosquito numbers. Unseasonably warm weather can also contribute to higher mosquito numbers.

#### Rainfall


In October, rainfall was very much above average across NSW, with much of western NSW having the highest rainfall on record. In the week ending 12 November 2022, there was low to moderate rainfall across NSW.





New South Wales Rainfall Totals (mm) Week Ending 12th November 2022

Australian Bureau of Meteorology



Source: Australian Government, Bureau of Meteorology: www.bom.gov.au/climate/maps/rainfall

### Next month's rainfall and temperature outlook

The Bureau of Meteorology's rainfall outlook predicts that NSW is likely to receive above average rainfall for December.

www.bom.gov.au/climate/outlooks/#/rainfall/median/monthly/0

The Bureau of Meteorology's temperature outlook predicts that minimum temperatures are likely to be above average for December in Southern and Western NSW and about average elsewhere. Maximum temperatures are likely to be lower than usual throughout NSW.

www.bom.gov.au/climate/outlooks/#/temperature/maximum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/outlooks/#/temperature/minimum/median/monthly/0www.bom.gov.au/climate/widian/monthly/0www.bom.gov.au/climate/widian/monthly/0www.bom.gov.au/climate/widian/monthly/0www.bom.gov.au/climate/widian/wi

#### **Tides**

Tidal information is relevant for the prediction of the activity of the salt marsh mosquito, *Aedes vigilax*. Typically for NSW, high tides of over 1.8 m, as measured at Sydney, can induce hatching of *Aedes vigilax* larvae. Predicted tide heights can provide some indication of when this is likely to occur.

#### Dates of predicted high tides of over 1.8 m at Sydney (Fort Denison) for November and December

- 23-28 November 2022
- 22-28 December 2022

Source: Australian Government, Bureau of Meteorology: <a href="www.bom.gov.au/australia/tides/#!/nsw-sydney-fort-denison">www.bom.gov.au/australia/tides/#!/nsw-sydney-fort-denison</a>
Note: Measured tides at Sydney Port Jackson for the current week are available from the NSW Government, Manly Hydraulics Laboratory: <a href="https://mhl.nsw.gov.au/Data-OceanTide">https://mhl.nsw.gov.au/Data-OceanTide</a>.

#### **Human Arboviral Disease Notifications**

Under the *NSW Public Health Act 2010*, human arboviral infections are notifiable in NSW. The NSW Health Communicable Diseases Weekly Report (CDWR) reports confirmed and probable case numbers by the week they are received by the NSW notifiable diseases surveillance system, and is available at: <a href="https://www.health.nsw.gov.au/Infectious/reports/Pages/CDWR.aspx">www.health.nsw.gov.au/Infectious/reports/Pages/CDWR.aspx</a>.


The data for Ross River virus and Barmah Forest virus from the CDWR for the latest reported 3 weeks are below.


# Recent notifications of Ross River virus and Barmah Forest virus infections in humans (by date of case report received)

		Week	
	Latest week (23 – 29 Oct 2022)	1-week prior (16 – 22 Oct 2022)	2-weeks prior (9 – 15 Oct 2022)
Ross River virus	3	7	6
Barmah Forest virus	0	6	4

Source: CDWR, Communicable Diseases Branch, Health Protection NSW, NSW Health

Notifications of Ross River virus and Barmah Forest virus infections, <u>by month of disease onset</u> (the earlier of patient-reported onset or specimen collection date), are available online at: <a href="https://www1.health.nsw.gov.au/IDD/pages/data.aspx">www1.health.nsw.gov.au/IDD/pages/data.aspx</a>. The following figures show this data for November to April of the current NSW Arbovirus Surveillance and Mosquito Monitoring season (2022-2023), and the same period in the previous three years.





Source: NSW Health Notifiable Conditions Information Management System (NCIMS), Communicable Diseases Branch and Centre for Epidemiology and Evidence, NSW Health

Notes: The data for the previous month are the notifications to date (data extracted on 14 November 2022). Notifications are for NSW residents, regardless of whether the infection was acquired or diagnosed in NSW. Notifications of Ross River virus and Barmah Forest virus infection lag the date of acquiring the infection due to the time taken for symptom development, diagnosis, notification, and other factors. The weekly numbers by date of notification are useful for monitoring recent short-term trends but represent infections that were acquired some time ago. The monthly numbers by date of onset are more timely but less exact because they represent the earlier of patient-reported onset or specimen collection date and are therefore useful for monitoring general trends in human arboviral disease over the course of a season.