

Quarterly percentage of children in NSW fully immunised by age group and Local Health District

(Source: Australian Immunisation Register)

All child NSW LHDs

1 year of age

Current definitions of fully immunised

Local Health District	Mar-23	Jun-23	Sep-23	Dec-23	Mar-24	Jun-24	Sep-24	Dec-24	Mar-25	Jun-25	Sep-25	Dec-25	Mar-26	Jun-26	Sep-26	Dec-26	Mar-27	Jun-27	Sep-27	Dec-27	Mar-28	Jun-28	Sep-28	Dec-28
Central Coast	94.7	94.0	92.5	94.1																				
Far West*	97.6	94.6	98.0	94.8																				
Hunter New England	95.5	94.6	94.1	95.1																				
Illawarra Shoalhaven	93.5	94.7	95.2	94.4																				
Mid North Coast	92.5	92.5	92.0	91.9																				
Murrumbidgee	93.5	93.3	93.9	94.0																				
Nepean Blue Mountains	93.4	92.8	94.4	94.3																				
Northern NSW	87.1	84.2	86.3	87.1																				
Northern Sydney	94.0	94.2	95.3	94.7																				
South Eastern Sydney	94.5	92.9	92.6	93.8																				
South Western Sydney	91.0	91.1	91.6	91.6																				
Southern NSW	94.7	95.4	93.7	95.6																				
Sydney	94.4	94.4	94.5	94.0																				
Western NSW	95.0	95.1	94.8	95.0																				
Western Sydney	93.1	93.1	92.5	92.9																				
NSW	93.4	93.1	93.2	93.5																				
Australia	93.4	93.0	93.0	93.2																				

1 year  
Fully immunised at 1 year means that a child aged 12 months to less than 15 months received their third vaccination for diphtheria, tetanus, whooping cough, polio and hepatitis B, either their second or third pneumococcal vaccination and either their second or third vaccination for Haemophilus influenzae type b (dependent on the type of vaccine used), all prior to the age of 1 year. It is assumed that all previous vaccinations were received.

2 years of age

Local Health District	Mar-23	Jun-23	Sep-23	Dec-23	Mar-24	Jun-24	Sep-24	Dec-24	Mar-25	Jun-25	Sep-25	Dec-25	Mar-26	Jun-26	Sep-26	Dec-26	Mar-27	Jun-27	Sep-27	Dec-27	Mar-28	Jun-28	Sep-28	Dec-28
Central Coast	92.1	92.0	94.0	92.8																				
Far West*	100.0	90.0	94.9	≥95.0																				
Hunter New England	93.4	93.7	92.9	93.5																				
Illawarra Shoalhaven	93.1	92.0	92.3	93.9																				
Mid North Coast	90.9	90.4	90.2	91.1																				
Murrumbidgee	92.1	91.5	93.4	92.1																				
Nepean Blue Mountains	90.5	91.3	91.8	91.1																				
Northern NSW	83.0	83.4	82.2	84.5																				
Northern Sydney	91.0	93.2	93.5	92.5																				
South Eastern Sydney	90.2	91.5	91.3	90.6																				
South Western Sydney	89.1	88.7	89.9	89.5																				
Southern NSW	92.5	90.7	92.9	93.6																				
Sydney	91.5	91.0	91.6	91.7																				
Western NSW	94.4	92.5	94.1	95.3																				
Western Sydney	90.8	90.1	91.0	91.8																				
NSW	91.0	91.0	91.6	91.6																				
Australia	91.1	91.1	91.4	91.4																				

2 years  
Fully immunised at 2 years means that a child aged 24 to less than 27 months received their fourth vaccination for diphtheria, tetanus, whooping cough, their third or fourth dose of Haemophilus influenzae type b (depending on the vaccine used), their third vaccination for polio, hepatitis B and pneumococcal disease, their second vaccination for measles, mumps and rubella, and their first vaccination for meningococcal C and varicella, all prior to the age of 2 years. It is assumed that all previous vaccinations were received.

5 years of age

Local Health District	Mar-23	Jun-23	Sep-23	Dec-23	Mar-24	Jun-24	Sep-24	Dec-24	Mar-25	Jun-25	Sep-25	Dec-25	Mar-26	Jun-26	Sep-26	Dec-26	Mar-27	Jun-27	Sep-27	Dec-27	Mar-28	Jun-28	Sep-28	Dec-28
Central Coast	95.0	95.3	95.5	95.8																				
Far West*	97.7	98.7	95.7	≥95.0																				
Hunter New England	95.4	95.3	95.7	94.7																				
Illawarra Shoalhaven	94.8	96.6	95.8	94.3																				
Mid North Coast	90.8	90.8	92.3	91.2																				
Murrumbidgee	97.0	96.4	95.2	95.7																				
Nepean Blue Mountains	95.4	94.5	95.9	95.2																				
Northern NSW	88.4	87.5	87.6	86.9																				
Northern Sydney	93.9	93.2	93.3	93.6																				
South Eastern Sydney	91.8	92.3	92.7	92.8																				
South Western Sydney	93.6	93.4	93.8	93.6																				
Southern NSW	94.9	94.5	93.8	94.1																				
Sydney	92.6	92.5	93.2	92.9																				
Western NSW	95.9	96.0	96.8	96.1																				
Western Sydney	94.8	94.8	94.7	93.9																				
NSW	94.0	93.9	94.2	93.8																				
Australia	94.0	93.9	93.8	93.9																				

5 years  
Fully immunised at 5 years means that a child aged 60 to less than 63 months received their fourth or fifth vaccination (dependent on the type of vaccine used) for diphtheria, tetanus and whooping cough and their fourth vaccination for polio, all prior to the age of 5 years. It is assumed that all previous vaccinations were received.

Quarterly percentage of children in NSW fully immunised by age group and Local Health District  
(Source: Australian Immunisation Register)

Aboriginal NSW LHDs

1 year of age

Current definitions of fully immunised

Local Health District	Mar-23	Jun-23	Sep-23	Dec-23	Mar-24	Jun-24	Sep-24	Dec-24	Mar-25	Jun-25	Sep-25	Dec-25	Mar-26	Jun-26	Sep-26	Dec-26	Mar-27	Jun-27	Sep-27	Dec-27	Mar-28	Jun-28	Sep-28	Dec-28
Central Coast	94.0	94.8	85.3	93.0																				
Far West*	94.4	93.1	96.8	NP																				
Hunter New England	94.3	94.1	91.8	93.2																				
Illawarra Shoalhaven	93.4	92.3	91.0	95.0																				
Mid North Coast	93.5	90.6	91.9	95.1																				
Murrumbidgee	96.8	90.7	91.6	91.4																				
Nepean Blue Mountains	89.2	92.8	94.3	92.9																				
Northern NSW*	89.5	89.9	88.5	93.4																				
Northern Sydney*	96.3	95.5	96.3	NP																				
South Eastern Sydney*	98.4	94.5	93.2	88.3																				
South Western Sydney	90.2	87.0	93.2	94.7																				
Southern NSW*	96.7	87.8	96.1	91.9																				
Sydney*	93.1	91.7	86.2	89.7																				
Western NSW	92.7	91.9	93.2	95.5																				
Western Sydney	88.9	92.5	93.3	91.8																				
NSW	93.1	92.1	91.9	93.3																				
Australia	90.7	90.3	89.7	91.0																				

1 year  
Fully immunised at 1 year means that a child aged 12 months to less than 15 months received their third vaccination for diphtheria, tetanus, whooping cough, polio and hepatitis B, either their second or third pneumococcal vaccination and either their second or third vaccination for Haemophilus influenzae type b (dependent on the type of vaccine used), all prior to the age of 1 year. It is assumed that all previous vaccinations were received.

2 years of age

Local Health District	Mar-23	Jun-23	Sep-23	Dec-23	Mar-24	Jun-24	Sep-24	Dec-24	Mar-25	Jun-25	Sep-25	Dec-25	Mar-26	Jun-26	Sep-26	Dec-26	Mar-27	Jun-27	Sep-27	Dec-27	Mar-28	Jun-28	Sep-28	Dec-28
Central Coast	88.8	93.8	96.2	92.7																				
Far West*	100.0	85.7	85.7	NP																				
Hunter New England	93.1	91.6	90.8	91.1																				
Illawarra Shoalhaven	94.9	87.8	86.4	94.2																				
Mid North Coast	87.6	89.1	89.6	92.7																				
Murrumbidgee	92.2	90.0	93.0	93.6																				
Nepean Blue Mountains	93.6	93.8	89.8	89.7																				
Northern NSW	89.5	91.2	93.2	78.9																				
Northern Sydney*	76.2	87.0	95.2	NP																				
South Eastern Sydney*	88.6	96.1	91.5	89.7																				
South Western Sydney	86.0	86.4	91.6	91.8																				
Southern NSW*	86.0	92.2	96.2	93.9																				
Sydney*	87.9	74.4	82.9	89.5																				
Western NSW	93.7	92.0	91.1	90.9																				
Western Sydney	96.8	88.3	88.8	87.2																				
NSW	91.4	90.4	90.9	90.8																				
Australia	88.5	88.1	89.4	89.0																				

2 years  
Fully immunised at 2 years means that a child aged 24 to less than 27 months received their fourth vaccination for diphtheria, tetanus, whooping cough, their third or fourth dose of Haemophilus influenzae type b (depending on the vaccine used), their third vaccination for polio, hepatitis B and pneumococcal disease, their second vaccination for measles, mumps and rubella, and their first vaccination for meningococcal C and varicella, all prior to the age of 2 years. It is assumed that all previous vaccinations were received.

5 years of age

Local Health District	Mar-23	Jun-23	Sep-23	Dec-23	Mar-24	Jun-24	Sep-24	Dec-24	Mar-25	Jun-25	Sep-25	Dec-25	Mar-26	Jun-26	Sep-26	Dec-26	Mar-27	Jun-27	Sep-27	Dec-27	Mar-28	Jun-28	Sep-28	Dec-28
Central Coast	96.8	98.9	98.0	93.2																				
Far West*	100.0	100.0	100.0	NP																				
Hunter New England	96.8	95.6	97.4	96.2																				
Illawarra Shoalhaven	94.7	96.7	95.9	97.2																				
Mid North Coast	94.2	94.0	97.3	94.4																				
Murrumbidgee	99.2	99.1	99.1	98.1																				
Nepean Blue Mountains*	95.7	95.2	97.9	98.0																				
Northern NSW*	95.7	93.7	97.9	92.9																				
Northern Sydney*	94.4	100.0	100.0	NP																				
South Eastern Sydney*	97.2	100.0	88.9	95.9																				
South Western Sydney	95.0	95.9	95.0	95.2																				
Southern NSW*	100.0	96.3	94.0	91.8																				
Sydney*	93.3	94.1	91.4	96.4																				
Western NSW	98.6	98.7	96.1	96.5																				
Western Sydney	95.5	96.6	98.5	94.2																				
NSW	96.5	96.5	96.8	95.7																				
Australia	95.4	95.5	95.8	95.0																				

5 years  
Fully immunised at 5 years means that a child aged 60 to less than 63 months received their fourth or fifth vaccination (dependent on the type of vaccine used) for diphtheria, tetanus and whooping cough and their fourth vaccination for polio, all prior to the age of 5 years. It is assumed that all previous vaccinations were received.

Interpret LHD data with caution as variations can arise where the LHD population is less than 100\*

NP = not published. Population = <26

Quarterly percentage of children in NSW fully immunised by age group and Local Health District  
(Source: Australian Immunisation Register)

non-Aboriginal NSW LHDs

1 year of age

Current definitions of fully immunised

Local Health District	Mar-23	Jun-23	Sep-23	Dec-23	Mar-24	Jun-24	Sep-24	Dec-24	Mar-25	Jun-25	Sep-25	Dec-25	Mar-26	Jun-26	Sep-26	Dec-26	Mar-27	Jun-27	Sep-27	Dec-27	Mar-28	Jun-28	Sep-28	Dec-28	
Central Coast	94.8	93.9	93.5	94.3																					
Far West*	98.5	95.2	98.6	≥95.0																					
Hunter New England	95.8	94.7	94.6	95.4																					
Illawarra Shoalhaven	93.5	95.0	95.8	94.3																					
Mid North Coast	92.2	93.0	92.0	91.2																					
Murrumbidgee	93.0	93.7	94.2	94.4																					
Nepean Blue Mountains	93.8	92.8	94.4	94.4																					
Northern NSW	86.7	83.4	86.0	86.3																					
Northern Sydney	94.0	94.2	95.3	94.8																					
South Eastern Sydney	94.4	92.9	92.5	93.9																					
South Western Sydney	91.0	91.3	91.5	91.4																					
Southern NSW	94.5	96.1	93.4	96.0																					
Sydney	94.5	94.4	94.7	94.1																					
Western NSW	95.9	96.4	95.4	94.9																					
Western Sydney	93.3	93.1	92.5	92.9																					
NSW	93.5	93.2	93.3	93.5																					
Australia	93.6	93.2	93.3	93.4																					

1 year  
Fully immunised at 1 year means that a child aged 12 months to less than 15 months received their third vaccination for diphtheria, tetanus, whooping cough, polio and hepatitis B, either their second or third pneumococcal vaccination and either their second or third vaccination for Haemophilus influenzae type b (dependent on the type of vaccine used), all prior to the age of 1 year. It is assumed that all previous vaccinations were received.

2 years of age

Local Health District	Mar-23	Jun-23	Sep-23	Dec-23	Mar-24	Jun-24	Sep-24	Dec-24	Mar-25	Jun-25	Sep-25	Dec-25	Mar-26	Jun-26	Sep-26	Dec-26	Mar-27	Jun-27	Sep-27	Dec-27	Mar-28	Jun-28	Sep-28	Dec-28	
Central Coast	92.6	91.8	93.7	92.8																					
Far West*	100.0	92.7	97.4	≥95.0																					
Hunter New England	93.4	94.1	93.4	94.1																					
Illawarra Shoalhaven	92.9	92.5	92.9	93.9																					
Mid North Coast	91.5	90.7	90.4	90.7																					
Murrumbidgee	92.1	91.7	93.4	91.8																					
Nepean Blue Mountains	90.1	91.0	92.0	91.2																					
Northern NSW	82.0	82.5	80.5	85.3																					
Northern Sydney	91.1	93.3	93.5	92.6																					
South Eastern Sydney	90.2	91.4	91.3	90.5																					
South Western Sydney	89.3	88.8	89.9	89.3																					
Southern NSW	93.3	90.5	92.6	93.6																					
Sydney	91.6	91.4	91.8	91.8																					
Western NSW	94.7	92.7	95.2	96.8																					
Western Sydney	90.7	90.2	91.1	92.0																					
NSW	91.0	91.1	91.6	91.7																					
Australia	91.4	91.3	91.5	91.6																					

2 years  
Fully immunised at 2 years means that a child aged 24 to less than 27 months received their fourth vaccination for diphtheria, tetanus, whooping cough, their third or fourth dose of Haemophilus influenzae type b (depending on the vaccine used), their third vaccination for polio, hepatitis B and pneumococcal disease, their second vaccination for measles, mumps and rubella, and their first vaccination for meningococcal C and varicella, all prior to the age of 2 years. It is assumed that all previous vaccinations were received.

5 years of age

Local Health District	Mar-23	Jun-23	Sep-23	Dec-23	Mar-24	Jun-24	Sep-24	Dec-24	Mar-25	Jun-25	Sep-25	Dec-25	Mar-26	Jun-26	Sep-26	Dec-26	Mar-27	Jun-27	Sep-27	Dec-27	Mar-28	Jun-28	Sep-28	Dec-28	
Central Coast	94.8	94.9	95.2	96.1																					
Far West*	97.2	98.3	94.5	≥95.0																					
Hunter New England	95.1	95.2	95.4	94.4																					
Illawarra Shoalhaven	94.9	96.6	95.8	94.1																					
Mid North Coast	90.3	90.2	91.2	90.5																					
Murrumbidgee	96.7	96.0	94.7	95.4																					
Nepean Blue Mountains	95.4	94.5	95.8	94.9																					
Northern NSW	87.2	86.7	86.3	86.2																					
Northern Sydney	93.9	93.2	93.3	93.6																					
South Eastern Sydney	91.7	92.1	92.7	92.7																					
South Western Sydney	93.6	93.3	93.8	93.6																					
Southern NSW	94.5	94.4	93.8	94.4																					
Sydney	92.6	92.5	93.3	92.8																					
Western NSW	95.0	95.2	97.0	96.1																					
Western Sydney	94.8	94.7	94.6	93.9																					
NSW	93.8	93.7	94.0	93.6																					
Australia	93.9	93.8	93.7	93.9																					

5 years  
Fully immunised at 5 years means that a child aged 60 to less than 63 months received their fourth or fifth vaccination (dependent on the type of vaccine used) for diphtheria, tetanus and whooping cough and their fourth vaccination for polio, all prior to the age of 5 years. It is assumed that all previous vaccinations were received.